应用行业
Application industry

您解决方案的可信赖合作伙伴
Your solutions partner

电力系统Electrical System





全系列的锁、铰链以及相关附件，
广泛应用于户内和户外机柜及控
制柜，提供出色的安全防护性能
A wide range of locks, hinges and accessories for indoor and outdoor cabinets, all with excellent security

通讯网络机柜IT Industrial Cabinet





为公司的数据资料提供高安全性防护
High–security products that protect an organisation’s data

高低压配电柜High and low voltage power distribution cabinet





多款重型门锁和铰链产品，能高效地
为客户解决减振降噪问题。
Heavy–duty products with numerous benefits including noise isolation and reducing vibration

工业机械设备Industrial Machinery and Equipment





为客户提供更经济的高安全性产品
Cost–effective machine safety products that provide real value

制热、通风和空调设备Heating, Ventilation and Air Conditioning (HVAC)





为需要保湿和保温的设备提供良好的
密封性能
Designed for sealed cabinets to control temperature and humidity

轨道交通行业Railway and Transportation Industries





有效地提供减振降噪解决方案
Solutions that reduce vibration and noise

特种车辆运输行业Special Vehicle Shipping Industry





重型产品设计满足持久耐用
Heavy–duty product design meets durability

文件柜Documents Cabinets





完美融合了设计美观和操作简便
Combines easy operation and stylish design

从大处着眼，小处入手，共同缔造金牌产品

From pay attention to important points, start small, to create gold products

RH / LH SKETCH
MAP 左右开门示意



左开门
Turn left to open the door



左开门–逆时针开启
Turn Left open the door
counterclockwise to open



左开门–顺时针开启
Turn left to open the door ,
clockwise open the door



右开门
Trun right to
open the door



右开门–顺时针开启
Trun right to open the door
– clockwise to open



右开门–逆时针开启
The right to open the door
– counterclockwise to open

CHARACTERISTIC SIGN 图例说明



密封圈内安装
INSIDE
THE GASKETING



密封圈外安装
OUTSIDE
THE GASKETING



外露式铰链
PROMINENT
HINGE




隐蔽式铰链
CONCEALED
HINGE




卡式铰链
CASSETTE
HINGE



压缩式门锁
COMPRESSION




三点锁门
3 POINT
LOCKING SYSTEM



两点锁门
2 POINT
LOCKING SYSTEM



锁点可变
CHANGEABLE POINT
LOCKING SYSTEM



多点锁门
MUTI–POINT
LOCKING SYSTEM



防护等级IP40
IP
PROTECTION IP40



防护等级IP50
IP
PROTECTION IP50



防护等级IP54
IP
PROTECTION IP54



防护等级IP64
IP
PROTECTION IP64



防护等级IP65
IP
PROTECTION



右手开门
RH DOOR



左手开门
LH DOOR



右手开门和左手开门
RH DOOR
OR LH DOOR



发泡密封圈
EPDM
PUR–FOAMED SEAL



不锈钢
STAINLESS
STEEL



防水
WATERPROOF



环保
ENVIRONMENTAL
PROTECTION



新产品
NEW
PRODUCTS



客户定制产品
customized product



可定制产品
Customizable products

样本说明
Sample Description

所有图纸均为第一视角表示	All drawings are first perspective representation
所有尺寸单位为mm	All dimensions are in mm
安装孔型备注：所有尺寸已预留适当余量	Mounting hole pattern Note: All dimensions have been set aside an appropriate margin
所有图纸未按照比例表示	All drawings are not to scale representation
所有不锈钢焊接件的材质为SUS 304	All parts are made of stainless steel welded SUS 304
用户自行组装时，O型圈上必须涂抹油脂	User self–assembly, O–rings must be greased
保留图纸的设计和修改的权利	Keep the design drawings and the right to modify
所有装箱数量为常用规格	Keep the design drawings and the right to modify
所有钥匙的配法为常规配法，同时也可根据客户要求配置	All the locks with key in the catalogne is reular mathching but we can match the key with client regwire ment

CODE Explaination
代号说明


门锁 Lock:MS	传动机构 Latch:MB	冷拉钢 cold rolled steel:CRS
搭扣 Toggle:DK	厚度 thickness:Ts	弹簧钢 spring steel:Fst
拉手 Handle:PL	调节距离 Adjustable distance:Ha	不锈钢 stainless steel:SUS
限位装置 Door stop:XW	止口高度 Use height:H	黄钢 brass:Br
铰链 Hinge:HL	基体高度 Groundwork heigh:GH	锌合金 zinc:ZDC
连杆 Rod:LG	锁片打弯高度 Locking plate:BH	铝合金 aluminum:ALU
连杆附件 Rod accessories:RG	左手锁 Left–hand:L	尼龙 nylon:PA
拉攀 Handle pull:HP	右手锁 Right–hand:R	丙烯 propylene:PP
防水盖 Waterproof cap:WP	逆时针旋转 Anticlockwise rotation:ACW	丁二烯 butadiene:ABS
防尘盖 Dustproof cap:DP	顺时针旋转 Clockwise rotation:CW	聚碳酸脂 polycarbonate:PC
锁头 Lock cylinder insert:TC	伸缩行程 Shrink distance:Dm	橡胶 rubber:RB
锁片 Locking plate	旋转角度 Rotation angle:Ra	
螺母 Nut:NT	喷涂 Blast finish:CS	
带垫螺钉 Vibration proof screw:SW	电镀 Plate finish:CP	
钥匙 Key :K	最大工作扭距 Max–torque:Tmax	
垫圈 Gasket:G	最大工作载荷 Max–load:Fmax	
销子 pin:P		

关于IP等级
About IP Rating

防水・防尘规格在IEC60529(国际电气标准会议))中，是为了标识对电机机械器具的保护等级(IP等级)所制定的。IP后面的两个数字中，左侧的表示防尘等级，右侧的表示防水等级。例如(IP45)表示的是：防尘等级为4级防水等级为5级。另外，如仅用IP标准表示防水等级的时候则写成(IPx5)的形式。(X)表示没有做防尘测试，(IPx5)仅仅表示防水等级为5级。

Waterproof & Dust specifications IEC60529 (International Electrotechnical Commission)) in order to identify the motor mechanical appliances of protection (IP rating) enacted. IP latter two figures, the left indicates dust levels, water level indicates the right. For example (IP45) indicate that: waterproof dustproof grade 4 grade 5. In addition, if only the IP standard indicates when the water level is written (IPx5) form. (X) indicates that no dust tests done, (IPx5) merely expressed waterproof rating of 5.

IP等级详解：
IP RATING COMMENTS:



IP标准表 / IP standard table

	防尘/Dust–proof		防水/Waterproof
级别/Level	防尘入侵等级 Dust Intrusion Level	级别/Level	防水浸入等级 Waterproof immersion class
0	无保护 Unprotected	0	无保护 Unprotected
1	可防止直径在50mm以上的外来固体的侵入。 可防止成人的拳手接触到危险部位。 More than 50mm in diameter to prevent the solid foreign invasion. Prevents adult boxers exposed to dangerous sites.	1	可避免从产品上方垂直滴下的水的侵入。 To avoid dropping from the top of the product vertical water intrusion.
2	可防止直径在12.5mm以上的外来固体的侵入。 可防止成人的手指接触到危险部位。 12.5mm in diameter, to prevent the solid foreign invasion above. Prevents adult fingers exposed to dangerous sites.	2	产品倾斜15度的状态下可避免从产品上方垂直滴下的水的侵入。 Product tilted 15 degrees from the product state can avoid hanging above Direct intrusion of water drops.
3	可防止直径在2.5mm以上的外来固体的侵入。 可防止工具接触到危险部位。 More than 2.5mm in diameter prevents the intrusion of foreign solids. Prevents access to dangerous parts of the tool.	3	产品倾斜60度的状态下可避免从产品上方喷雾状水的侵入。 Product tilted 60 degrees from the product state can avoid over spray water intrusion.
4	可防止直径在1.0mm以上的外来固体的侵入。 可防止别针接触到危险部位。 More than 1.0mm in diameter prevents the intrusion of foreign solids. Prevents access to dangerous parts of the clip.	4	产品能防止任何方向飞溅而来的水沫的浸入。 Products to prevent splashing from any direction of spray immersion.
5	即使防尘实验用的粉尘(直径75μm)进入，原本的动作和安全性能也无损害。 Even dust experiment with the dust (diameter 75 μm) into the original The actions and safety performance without damage.	5	产品能防止任何方向喷流而来的水的浸入。 Product can be prevented from any direction of the water jet immersion.
6	耐尘实验用的粉尘(直径75μm)无法侵入。 Dust experiment with the dust (diameter 75 μm) cannot be penetrated.	6	产品能防止任何方向猛烈喷流而来的水的浸入。 Products can prevent violent jets from any direction of the water immersion.
		7	浸入水中没有影响，可在水中使用。 Immersed in water has no effect, can be used in the water.
		8	可在潜水状态下使用，比7级更严酷的条件中仍能使用。 Can be used in submerged condition, more than seven severe conditions can still be used.
		9k	防止高温高压近射水侵入 High pressure water jet to prevent intrusion near

关于我们的防水型号产品，我们可以随时为您做验试(无负荷状态下进行锁挡板的防水测试)，如有需求请联系我们。
不过，IP标准是在实验室里进行的防水测试。在现实环境中用在实际装备上时，还请进一步确认。

About Us waterproof models, we can always do for you test trial (under no–load condition lock bezel waterproof test), if demand, please contact us.
However, IP standards are carried out in the laboratory water testing. In reality when used in the actual equipment, also requested further confirmation.

产品表面处理 / Surface Treatment


CP01 亮铬
BRIGHT CHROME PLATING

CP02沙铬
GRAYCHROME PLATING


CS01无光黑
BLACK POWDER COATED


CS02 沙纹黑
MATT BLACK

CP03 喷沙镀铬
POCKED CHROME PLATING



CS03亚光黑
MATT BLACK



其他颜色可自由选择
Other colors are free to choose


止口高度说明

Ended Mouth Description















连杆安装图示

Link mounting icon


连杆安装示意图

Rodinstallationdiagram



柜体示意图

Schematiccabinet



连杆长度计算方法

门板中心与锁体旋转中心线重合的连杆长度计算：

L1=F/2-A+(DM-2)

L2=F/2-B+(DM-2)

门板中心与锁体中心线重合的连杆长度计算：

L1=F/2-[A+(D/2-C)]+(DM-2)

L2=F/2-[B-(D/2-C)]=(DM-2)

注：如有连接件（如LG03 LOG9F），应减掉连接件的有效长度，其计算方法适用于密封条内安装连杆的长度计算；其计算方法，仅供参考，使用时应考虑连杆的实际安装条件；

DM：传动伸缩行程代号

F：门框开高度

Rod length calculation method

Central door lock body rotation center line coincides with the connecting rod length calculation:

L1 = F/2-A + (DM-2)

L2 = F/2-B + (DM-2)

Door center coinciding with the center line of the lock rod length calculation:

L1 = F/2- [A + (D/2-C)] + (DM-2)

L2 = F/2- [B-(D/2-C)] = (DM-2)

Note: If connections (eg LG03 LOG9F), should lose connections

The effective length, the calculation method is suitable for the installation of rod seal

The length of the calculation; its calculation method for reference only and should be used to consider

The actual installation conditions rod;

DM: Transmission telescopic stroke code

F: door opening height

Contents

A 拉手系列 Handles series
B 平面锁系列 Plane lock series
C 连杆锁系列 Rod control series
D 面板锁系列 Plane lock series
E 执手锁系列 Handle lock series
F 转舌锁系列 Cam lock series
G 铰链系列 Hinge series
H 搭扣锁系列 Toggle lock series
I 门销系列 Door bolt series
J 电子锁系列 Electronic lock series
K 密封条系列 Seal gasket
L 限 位系列 Door stop series
M 附件系列 Accessories series
N 不锈钢件系列 Stainless steel series





拉手系列 Handles series ---------- A001~A018
平面锁系列 Plane lock series ---------- B001~B060
连杆锁系列 Rod control series ---------- C001~C076
面板锁系列 Plane lock series ---------- D001~D010
执手锁系列 Handle lock series ---------- E001~E020
转舌锁系列 Cam lock series ---------- F001~F074
铰链系列 Hinge series ---------- G001~G088
搭扣锁系列 Toggle lock series ---------- H001~H004
门销系列 Door bolt series ---------- I001~I004
电子锁系列 Electronic lock series ---------- J001~J008
密封条系列 Seal gasket ---------- K001~K042
限 位系列 Door stop series ---------- L001~L008
附件系列 Accessories series ---------- M001~M036
不锈钢件系列 Stainless steel series ---------- N001~N092

A 拉手系列 / Handles series

PL001-1 A001	PL001-2 A001	PL005 A001	PL005-2 A002	PL002-1 A003	PL002-2 A003
PL003-1 A004	PL003-2 A004	PL009-1 A005	PL009-2 A005	PL011 A006	PL012 A006
PL025 A007	PL027 A007	PL033 A008	PL034 A008	PL004-1 A009	PL039 A009
PL019 A010	PL037 A010	PL006 A011	PL036 A011	PL007 A012	PL026 A012
PL038 A013	PL042 A013	PL041-1 A014	PL041-2 A014	PL021 A015	PL021-1K PL021-2K A015
PL021-3-1 可定制产品 Customizable products A015	PL021-3-2 可定制产品 Customizable products A015	PL022R A016	PL022L A016	PL029-2R A016	PL029-2L A016
PL020-1 A017	PL043-1 A017	MS3004Z-1-1 A018			

B 平面锁系列 / Plane lock series

AB301-1-1 B001	AB301-1-1G B001	AB301-2-1 B001	AB301-3A-1 B001	AB301-3-1 B001	AB301-2A-1G B002
AB301-3B-1 B002	AB 302-1-1 B003	AB302-2-1 B003	AB302-3-1 B003	AB102-1-1 B004	AB102-2-1 B004
AB102-3-1 B004	MS104C-1-1 B005	MS104C-2-1 B005	MS104C-3-1 B005	MS104C-1-1G B006	MS104C-2-1G B006
MS104C-3-1G B006	MS104C-4-1 B007	MS104R B007	MS6022Z-1-1 B008	MS6022Z-2-1 B008	MS6022Z-3-1 B009
MS6023Z-1-1 B009	MS6023S-1-1G B009	MS6024P-2-1 B028	MS480-1-1 B010	MS480-1-2 B010	MS480-2-1 B011
MS480-2-1Y B011	MS480-2C-1 B011	MS480-2B-1 B011	MS480-2B-1Y B011	MS4008Z-1-1 B012	MS4090Z-1-1 B012
AB201-1-1 客户定制产品 customized product B013	AB201-2-1 客户定制产品 customized product B013	AB201-3-1 客户定制产品 customized product B013	AB402-1-1 B014	AB402-1-2 B014	AB402-2-1 B014
AB402-2-2 B014	AB402-3-1 B014	AB402-3-2 B014	AB2016Z-1-1 B015	AB2016Z-2-1 B015	AB2016Z-3-1 B015

B 平面锁系列 / Plane lock series


AB202-1-1
B016


AB202-2-1
B016


AB202-3-1
B016


AB401-1-1
B017


AB401-1-2
B017


AB401-2-1
B017


AB401-2-2
B017


AB401-3-1
B017


AB401-3-2
B017


AB5011Z-1-1
B018


AB5012Z-1-1
B018


AB5013Z-1-1
B018


MS607-1-1
B019


MS607-2-1
B019


MS607-3-1
B019


MS751-1-1
B020


MS751-2-1
B020


MS751-3-1
B020


MS6015Z-1-3
B021


MS6016Z-1-3
B021


MS6017Z-1-1
B022


MS6019Z-1-1
B022


MS6019Z-1-1G
B022


MS6019Z-1A-1
B023


MS6020Z-1-1
B023


MS6020Z-1A-1
B024


MS6020Z-1A-1
B024


MS6020S-1-1
B024


MS6021Z-1-1
B025


MS511
B025


MS716-1-1
B026


MS716-2-1
B026


MS505-1-1L
B027


MS505-1-2L
B027


MS508
B028


MS100-2-1
B029


MS100-1-1A
B029


MS820-1-1B
B030


MS820-2-1C
B031


MS820-2-1D
B031


MS820-2-1B
B031


MS821-1-1B
B032


MS821-1-1AG
B032


MS821-2-1B
B033


MS821-3-1
B034


MS845-1-1
B034


MS826-1-1
B035

B 平面锁系列 / Plane lock series


MS826-1A-1
B035


MS826-1B-1
B035


MS826-2-1
B036


MS826-3-1
B036


MS836-1-1
B037


MS837-1-1
B037


MS834-1-1
B038


MS838-1-1
B038


MS8010-1-1
B039


MS8012Z-1-1
B039


MS8013Z-1-1
B040


MS8016Z-1-1
B040


MS106-1-1
B041


MS106-1-2
B041


MS106-2-1
B041


MS106-2-2
B041


MS106-3-1
B041


MS106-3-2
B041


MS106-4-1
B041


MS106-4-2
B041


MS106-1A-2
B042



MS106-5-1
B042


MS606-1-1
B043


MS606-1-1
B043


MS606-1-2
B043


MS606-1-2
B043


MS606-1-2P
B043


MS612-1-1
B044


MS6018Z-2-1
B045


MS6018Z-1-1
B045


MS6018Z-1-1
B045


MS609-1-1
B046


MS609-1-2
B046



AB2011Z-1-1
B047



AB2012Z-1-1
B047



AB2013Z-1-1
B048


MS504-1-1
B048


MS504-1-1A
B048


MS504-1-2
B048


MS501-2-1L
B049


MS506L
B049


MS502-1-1L
B050


MS701
B050




MS503-1-2L
B051


MS503-1-2AL
B051

B 平面锁系列 / Plane lock series

MS503-1-1L  B052	MS510-1-1  B052	MS510-1-2  B052	MS510-1-2A  B053	MS510-2-2  B053	MS507-1-1  B054
MS507-1-2  B054	MS507-2-1  B054	MS507-2-2  B054	MS502-2-1R  B054	MS502-2-1W  B054	MS502-2-2W  B054
MS502-2-2R  B054	MS601-3-1  B055	MS601-3-2  B055	MS602-3-1  B055	MS603-2A-1W  B056	MS603-2A-1R  B056
MS603-2A-2R  B056	MS603-2A-1W  B056	MS603-3-1R  B057	MS603-3-2R  B057	MS603-3-1W  B057	MS603-3-2W  B057
MS6003Z-2-1  B057	MS6003Z-2-2  B057	MS610-1-1  B058	MS610-2-1  B058	MS610-3-1  B058	MS610-3-2  B058
AB2015Z-1-1  客户定制产品 customized product B059	MS703  B059	MSZ-01  B060	MSZ-02  B060	MSZ-03  B060	

C 连杆锁系列 / Rod control series

MS100-3-1E  C001	MS100-3-1EN  C001	MS100-3-1EG  C002	MS100-3-1EGN  C002	MS100-3-3E  C003	MS100-3-3EN  C003
MS100-3-3EG  C004	MS100-3-3EGN  C004	MS100-3-1B  C005	MS100-3-1BN  C005	MS100-3-1BG  C006	MS100-3-1BGN  C006
MS100-3-2B  C007	MS100-3-2BN  C007	MS100-3-2BG  C008	MS100-3-2BGN  C008	MS100-3-3B  C009	MS100-3-3BN  C009
MS100-3-3BG  C010	MS100-3-3BGN  C010	MS100-3A-1E  C011	MS100-3A-1EN  C011	MS100-3A-1EG  C012	MS100-3A-1EGN  C012
MS100-3A-3E  C01	MS100-3A-3EN  C013	MS100-3A-3EG  C014	MS100-3A-3EGN  C014	MS100-3A-1B  C015	MS100-3A-1BN  C015
MS100-3A-1BG  C016	MS100-3A-1BGN  C016	MS100-3A-2B  C017	MS100-3A-2BN  C017	MS100-3A-2BG  C018	MS100-3A-2BGN  C018

C 连杆锁系列 / Rod control series

MS100-3A-3B

C019

MS100-3A-3BN

C019

MS100-3A-3BG

C020

MS100-3A-3BGN

C020

MS100-3S-1

C021

MS100-3S-2

C022

MS100-4-1


C023

MS4092P-1-1


C024

MS824-1-1

C025

MS824-1-2

C026

MS824-1-3

C026

MS822-1-1B

C027

MS822-1-2D

C028

MS8460P-1-1R

C029

MS8460P-1-1L

C029

MS8460P-1-2

C030

MS8460P-1-3

C030

MS8460P-2-1BR

C031

MS8460P-2-1CR

C031

MS8460P-2-1DR

C031

MS8460P-2-2B

C032

MS8460P-2-3B

C032

MS832-1-1B

C034

MS832-1-1BG

C033

MS832-1-2B

C035

MS832-1-3BG

C036

MS827-1-1

C037

MS828-1-1

C038

MS828-2-1

C038

MS1002Z-1-1

C039

MS102-1

C039

MS102C

C040

MS103C-1

C040

MS103D-1-2

C041

MS103D-2-1

C041

C 连杆锁系列 / Rod control series

MS829

C042

MS829WT

C042

MS3005Z-1-1

C043

MS730-3

C044

MS460-2-1

C045

MS460-1-1

C045

MS460-1-1G

C045

MS460-3-3

C046

MS463-1-1A

C047

MS463-1-2BG

C048

MS463-1-3AG

C049

MS463-2-1

C050

MS463-2-3

C050

MS461-1-1

C051

MS462-1-1

C052

MS732-2-1

C053

MS732-1-1

C054

MS483-1-1

C055

MS483-1-2

C055

MS484-1-1

C056

MS4086Z-1-1B

C057

MS4087Z-3-3

C058

MS4087Z-3A-3

C059

MS486-1-1

C060

MS486-2-1

C060

MS486-3-1

C060

MS4008Z-2-1

C061

MS4008Z-2-2A

C062

MS4008Z-2-3

C063

MS4085Z-1G-1

C064

MS741-1-1

C065

MS741-2-1

C065

MS742-1-1

C065

MS742-2-1

C065

MS743-1-1

C066

MS743-2-1

C066

C 连杆锁系列 / Rod control series

MS744-1-1	MS744-3-1	MS103-1-1	MS103-3-1	MS761-1-1	MS761-2-1
					
C066	C066	C067	C067	C068	C068
MS833-1-3	MS835-2-1	MS4089Z-1-3	MS837-1-3	MS843-1-2	MS8491Z-1-2
					
C069	C070	C071	C072	C073	C074
MS8007Z-1-1	MS8009Z-1-1				
					
C075	C076				

D 面板锁系列 / Plane lock series

MSH-01	MSH-02	MSH-03	MSH-04	MS738-1-1	MS839
					
D001	D001	D002	D002	D003	D003
MS739-3	MS739-2	MS739-2-2	MS739-2P-1	MS739-2P-2	MS5093Z-1-3
					
D004	D004	D004	D004	D004	D005
MS5093Z-2-3	MS731-1-1	MS731-1-2	MS5094Z-1-1	MS830-1	MS830-2
					
D005	D006	D006	D006	D007	D007
MS830-3	MS903-1	MS904-1	MS901	MS902	MS9007Z-3
					
D007	D008	D008	D009	D009	D010

E 执手锁系列 / Handle lock series

MS101-1-1

E001

MS314-1-1

E001

MS314-2S-1

E002

MS314-2S-2

E002

MS314-1S-1

E002

MS314-1S-2

E002

MS314-1AG-1L

E003

MS316-1-1

E003

A2057

E004

MS315-1-1

E004

A19-1-1

E005

A19-1-2

E005

A45-1-1

E005

A45-1-2

E005

A2055

E006

A2056

E006

A2056-1-2

E006

AB701-1-1

E007

AB701-1-2

E007

AB701-2-1

E007

AB701-2-2G

E007

AB701-3-1

E007

AB701-3-2G

E007

AB702S-1-1

E008

MS107-1-1

E009

MS111-1-1

E009

MS108-1-1

E010

MS108-2-1

E010

MS109-1-1

E011

MS110-1-1

E011

MS101-1-2

E012

MS319-1

E012

MS301-1-1

E013

MS301-1-2

E013

MS303-1-1

E013

MS303-1-2

E013

E 执手锁系列 / Handle lock series

MS303-2-1

E013

MS303-2-2

E013

MS304-2-1

E014

MS304-2-2

F013

MS304-1-1

E014

MS304-1-2

E014

MS301-2-1

E014

MS301-2-2

E014

MS305-1-1

E015

MS305-2-1

E015

MS306-1A-1

F015

MS306-1-1

F016

M306-2-1

E016

MS308-1-1

E017

MS308-2-1

E017

MS310-1-1

E017

MS310-1-2

E017

MS308-2A-1

E018

MS318-1-1

E018

MS318-1-2

E018

MS309-2

E019

MS309-1

E019

AB803

E020

MS302-1-1

E020

MS302-1-2

E020

F 转舌锁系列 / Cam lock series

A99-1  F001	A99-2  F001	A99-3  F001	MS238-1-1  F001	MS238-1-2  F001	MS238-1A-1  F001
AB7006Z-1-1  F002	AB7007Z-1-1  F002	MS401-1  F003	MS401-2  F003	MS402-1  F003	MS402-2  F003
MS402-3  F003	MS403-1  F004	MS403-2  F004	MS403-2GT  F004	MS7066Z-1-1  F004	MS7067Z-1-1  F004
MS407-1  F005	MS407-2  F005	MS408-1-1  F006	MS408-2-1  F006	MS408-3-1  F007	MS7068Z-1-1  F007
MS7072Z-1-1  F008	MS7081Z-1-1  F008	MS405-1-1  F009	MS7079-2-1  F009	MS721-1-1  F010	MS721-1S-1  F010
MS410  F011	MS411  F011	MS413Y  F012	MS413F  F012	MS415  F012	MS416  F013
MS417  F013	MS438-1-1  F014	MS438-1A-1  F014	MS425-2-1  F015	MS441-1-1  F015	MS427  F016
MS428  F016	MS432-1-1  F017	MS839-1A  F017	MS430-1-1  F018	MS7069Z-1A-1  F018	MS409-2  F019

F 转舌锁系列 / Cam lock series

MS409-1  F019	MS7070Z-1-1  F019	MS439-1-1  F020	MS440-1-1  F020	MS818-1  F021	MS818-2  F021
MS750-1  F022	MS819  F022	MS-A-400  F023	MS-A-400D  F023	MS-A-403  F024	MS-W400-2  F024
MS-W400-2A  F025	MS-W400-2B  F025	MS-W400-2D  F026	MS-W400-6  F026		
MS702  F027	MS426-1-1  F027	MS704-1  F028	MS707  F028	MS705-1-1  F029	MS705-1-2  F029
MS705-2-2  F030	MS705-2-3  F030	MS705-2S-1  F031	MS705-2S-2  F031	MS705-2S-3  F031	MS705-2S-4  F031
MS706-2-1  F033	MS706-2-2  F033	MS706-2-3  F033	MS706-2-4  F033	MS706-2-5  F033	MS706-2-6  F033
MS706-3-1  F034	MS706-3-2  F034	MS706-3-3  F034	MS706-3-4  F034	MS706-3-5  F034	MS706-3-6  F034
MS705-3  F035	MS705-4-1  F035	MS705-5-2  F036	MS705-7  F036	MS705-8-1  F037	MS7060P-2-1  F037


F 转舌锁系列 / Cam lock series

MS720-1-2  F038	MS720-1-3  F038	MS7076Z-1-1  F038	MS7077Z-1-1  F039	MS708-1-1  F039	MS724  F040
MS725  F040	MS7074Z-1-1  F041	MS710  F041	MS711-2-1  F042	MS711-3-1  F042	MS713-3  F043
MS717-4  F043	MS7064Z-1-1  F044	MS719-1  F044	MS518  F045	MS-A-401  F045	MS815-1  F046
MS815-2  F046	MS815-3  F046	MS815-4  F046	MS815-1A  客户定制产品 customized product F046	MS815-2A  客户定制产品 customized product F046	MS815-3A  客户定制产品 customized product F046
MS729-1-1  F047	MS729-2-1  F047	MS726  F047	MS718  F048	MS727  F048	MS-A-172-1  F049
MS-A-172-3  F049	MS-A-402  F050	MS-A-402T  F050	MS-A-404  F051	MS737-1-1  F051	MS613-1-1  F052
MS613-2-1  F052	MS614-1-1  F052	GGD-1  F053	GGD-2  F053	GCS  F054	MS200  F054

F 转舌锁系列 / Cam lock series

MS1003Z-1-1  F055	MS404-1-2  F055	MS406  F056	MS412  F056	MS414  F057	MS424  F057
MS433-1  F058	MS434  F058	MS706  F059	MS722  F059	MS724-2-1  F060	
MS418  F061	MS429  F061	MS431-1-1  F062	MS7082Z-1-1  F062		
MS7062Z-1-1R  F063	MS7063Z-1-1L  F063	MS7065Z-1-1  F064	MS817-4  F064	MS817-2A-1  F065	MS712-1  F065
MS7071Z-1-1  F066	MS7075S-1-1  客户定制产品 customized product F066	MS711-1-1L  F067	MS711-5-1  F067	MS816-1  F068	MS816-3  F068
MS816-2  F069	MS816-2-2  F069	MS714  F071	MS728-1-1  F071	MS728-2-1  F072	MS728-2-2  F072
MS715-1-1  F073	MS715-1-2  F073	MS814  F074	MS816-4  F074		

G铰链系列 / Hinge series

HL009-1A  G001	HL009-2  G001	HL021-1  G002	HL021-2  G002	HL021-2A  G002	HL135  G002
HL050-1  G003	HL050-2  G003	HL050-3  G003	HL050-1S  G003	HL050-2S/GS  G003	HL050-3S  G003
HL051-1  G004	HL051-2  G004	HL051-3  G004	HL051-1A  可定制产品 Customizable products G004	HL050-2A  G005	HL050-2B  G005
HL133  G006	HL133S  G006	HL042  G007	HL045  G007	HL058-1  G008	HL058-3  G008
HL091-1  G008	HL091-2  G008	HL023-1  G009	HL023-2  G009	HL023-3  G009	HL096-1  G009
HL096-2  G009	HL096-3  G009	HL054  G010	HL055-1  G011	HL055-2  G011	HL151-1S  G011
HL115-1  G012	HL118  G012	HL063-2  G013	HL070-1  G013	HL072-1 G014	HL072-3 G014
HL077 G014	HL071-1 G015	HL071-2 G015	HL071-3 G015	HL087-1 G016	HL087-2 G016

G铰链系列 / Hinge series

HL087-3 G016	HL076 G017	HL094 G017	HL098 G018	HL099 G018	HL116 G19
HL121 G019	HL041-1 G020	HL084 G020	HL106 G021	HL131S G021	HL114 G022
HL143-1 G022	HL059 G023	HL105 G023	HL102 G024	HL153S G024	
HL133 G006	HL133S G006	HL042 G007	HL045 G007	HL058-1 G008	HL058-3 G008
HL091-1 G008	HL091-2 G008	HL023-1 G009	HL023-2 G009	HL023-3 G009	HL096-1 G009
HL096-2 G009	HL096-3 G009	HL054 G010	HL055-1 G011	HL055-2 G011	HL151-1S G011
HL115-1 G012	HL118 G012	HL063-2 G013	HL070-1 G013	HL072-1 G014	HL072-3 G014
HL077 G014	HL071-1 G015	HL071-2 G015	HL071-3 G015	HL087-1 G016	HL087-2 G016

HL038 G025	HL074 G025	HL086 G026	HL101 G026		
HL013 G027	HL065 G027	HL111-1 G028	HL111-1A G028	HL145-1 G028	
HL002R G029	HL002L G029	HL019R/L G029	HL052 G030	HL081 G030	HL093R/L G031
HL139 G031	HL120 G032	HL141R G032	HL069-1 G033	HL069-2 G033	HL031 G034
HL157-1R 客户定制产品 customized product G034	HL157-1L 客户定制产品 customized product G034				

G 铰链系列 / Hinge series

HL079 G035 | HL127 G035 | HL088-1R G036 | HL088-2L G036 | HL104 G036 | HL023-1Z G037

HL023-2Z G037 | HL023-3Z G037 | HL056 G037 | HL124-2R G038 | HL124-1R G038 | HL161-1 G039

HL001-1 G041 | HL003-1 G041 | HL003-2 G041 | HL003-2S G041 | HL004-1 G042 | HL004-2 G042

HL006L-1 G042 | HL006L-2 G042 | HL008-1 G043 | HL044-1 G043 | HL044-1 G043 | HL015 G044

HL016 G044 | HL017-1 G045 | HL026 G045 | HL033-1R G046 | HL073 G046 | HL089 G047

HL089-2A G047 | HL130-2 G048 | HL136-2 G049 | HL137 G049 | HL150-1 G050

G 铰链系列 / Hinge series

HL046 G051 | HL046 G051 | HL047-1 G051 | HL047-2 G052 | HL053 G052 | HL062 G053

HL123 G053

HL005 G055 | HL018-1 G055 | HL022 G056 | HL027 G056 | HL028 G057 | HL032 G057


HL030-1 G058 | HL030-2 G058 | HL030-3 G058 | HL057-1/-1A G059 | HL057-2 G059 | HL066 G060

HL075-1 G060 | HL080 G061 | HL085 G061 | HL097 G062 | HL107-2 G062

G 铰链系列 / Hinge series



HL012  G063	HL020  G063	HL024  G064	HL025-1  G064	HL025-2  G065	HL029-1  G065
HL029-2  G065	HL029-3  G066	HL039  G066	HL061R  G067	HL126-1  客户定制产品 customized product G067	HL126-2  客户定制产品 customized product H067
HL064-1  G068	HL064-2  G068	HL103-1/-2  G069	HL103-1A  G069	HL132  G070	HL134  G070

G 铰链系列 / Hinge series

HL010  G071	HL011-1  G071	HL011-2  G071	HL036-1  G072	HL036-2  G072	HL078  G072
HL090  G073	HL095  G073	HL007-1  G074	HL007-2  G074	HL034-1  G075	HL034-2  G075
HL040  G076	HL043  G076	HL083-1  G077	HL125  G077	HL108  G078	HL122  G078

HL048  G079	HL060  G079	HL068-1  G080	HL082  G080	HL082S  G080	HL092  G081
HL092S  G081	HL109  G081	HL129-1  G082	HL142-1  G082	HL049 -1  G083	HL146-1  G083
HL147-1  G083	HL119  G084	HL128  G084			
HL035-1R  G085	HL035-2L  G085	HL035-1AR  G085	HL035-1BR  G086	HL149-1R/L  G086	HL037  G087
HL110  G087	HL117  G088	HL140  G088			

H 搭扣锁系列 / Toggle lock series

DKS-1-1  H 001	DKS-2-1  H 001	DK102  H001	DKS103-2  H002	DKS104-2  H002	MS733-1  H003
MS733-1  H003	MS733-2  H003	MS733-2  H 003	MS733-3  H003	MS9008P-1-1  H004	MS9008P-1-2  H004









I 门销系列 / Door bolt series

MX01  I001	MX02  I001	MX03-1  I002	MX04  I002	MX05  I003	MX06  I003
MX07-1  I004	MX07-2  I004	MX07-3  I004	MX08  J004		

J 电子锁系列 / Electronic series

MS8017Z-1-1  J001~J006	随机密码控制器  J007~J008				


K密封条系列 /Seal gasket series

MFT-001  K011	MFT-002  K011	MFT-003  K011	MFT-005  K011	MFT-006  K012	MFT-007  K012
MFT-008  K012	MFT-009  K012	MFT-010  K013	MFT-011  K013	MFT-012  K013	MFT-013  K013
MFT-014  K014	MFT-015  K014	MFT-017  K014	MFT-018  K014	MFT-019  K015	MFT-020  K015
MFT-021  K015	MFT-022  K015	MFT-023  K016			
MF-001  K016	MF-002  K016	MF-003  K016	MF-004  K017	MF-005  K017	MF-006  K017
MF-007  K017	MF-008  K018	MF-009  K018	MF-010  K018	MF-011  K018	MF-012  K019
MF-013  K019	MF-014  K019	MF-015  K019	MF-016  K020	MF-017  K020	MF-018  K020

K密封条系列 /Seal gasket series



K密封条系列 /Seal gasket series



L 附件系列 / Accessories series

限位
Door stop

XW02–1L

L001

XW02–1R

L001

XW03

L001

XW04


L002

XW05–1


L003

XW05–2


L003

XW06


L004

XW07


L004

XW08–1


L005

XW08–2


L005

XW09


L006

XW10–1


L007

XW10–2


L007

XW11–1


L008

XW11–2


L008

M 附件系列 / Accessories series

绝缘子

M001

绝缘子

M001

绝缘子

M001

绝缘子

M001

绝缘子

M001

（吊环）DH–M

M001

ZMJ–1

M002

ZMJ–2

M002

LMJ–1

M002

平面螺母


M003

台阶螺母

M003

带齿防滑螺母

M004

带点防滑螺母

M004

FJ01

M005

PT01–1


M005


PT01–2

M006

PT02

M006

RG01–1

M007

RG01–2

M007

RG01–3

M007

RG03–1

M007

RG03–2

M007

RG03–3

M008

RG04

M008

RG05

M009

RG06

M009

RG08–2

M010

RG10

M010

RG11


M011

RA01

M011

RA02

M012

RA03

M012

M 附件系列 / Accessories series

MB01



M013

MB02



M014

MB03




M015

MB04




M016

LG01F-1-8×L



M017

LG01F-2-8×L



M017

LG02F-1-8×L



M017

LG02F-2-8×L



M018

LG02F-3-9×L



M018

LG02F-4-6×403



M018

LG02F-4-9×1160



M019

LG03F-1-3×14×L



M019

LG04F-1-3×14×L



M020

LG04F-2-3×14×L



M020

LG05F-1-8×L



M020

LG05F-2-8XL



M021

LG06F-1-3×25×374



M021

LG06F-1-3×25×734



M021

LG06F-1-5×25×784



M022

M附件系列 / Accessories series

LG06F-1-5×25×920



M022

LG06F-2-3×14×L



M022

LG07F-1-8×L



M023

LG08F-1-6×L



M023

LG08F-2-8×L



M023

LG08F-3-8×1005



M024

LG09F-1-8×857



M024

LG10F-1-6×L



M024

LG11F-1-8×L



M025

LG12F-1-8xL



M025

LG13F-1-3x14XL



M026

LG14F-1-7xL




M026

LG15F-1-3x14XL



M026

锁片



M027~M028

锁头组件



M029~M030

钥 匙



M031

异形钥匙



M032~M036

不锈钢系列产品/ Stainless steel product

MS6020S-1-1



N001

MS6023S-1-1



N001

MS6023S-1-1G



N001

MS834-1-1



N002

MS838-1S



N002

MS100-3S-1



N003

MS100-3S-2



N004

MS839S-3-1



可定制产品
Customizable products

N005

MS5094Z-1-1



N005

MS830-1



N006

MS830-2



N006

MS830-3



N006

MS314-1S-1



N007

MS314-1S-2



N007

MS314-2S-1



N007

MS314-2S-2



N007

AB702S-1-1



N008

MS306S-1-1



N009

MS306S-2-1



N009

MS308S-2-1



N010

A19S-1-1



N010

MS314-1S-3G



可定制产品
Customizable products

N011

不锈钢系列产品/Stainless steel product

MS314-1S-4G



可定制产品
Customizable products

N012

MS705-2S-1



N013

MS705-2S-2



N013

MS705-2S-3



N013

MS705-2S-4



N013

MS705S-11-3



N015

MS705S-11-1



N015

MS705S-11-8



N015

MS705S-11-11



N015

MS705S-11-14



N015

MS705S-11-18



N015

MS705S-11-19



N015

MS705S-11-20



N015

MS705S-10-11



N016

MS705S-9-1



N017

MS705S-9-8



N017

MS705S-9A-8



N018

MS7076S-1-1



可定制产品
Customizable products

N018

MS7078-1-1



N019

MS7078-2-1



N019

MS7080S-1-1



N020

不锈钢系列产品/ Stainless steel product

MS721S-1-1



N020

MS408S-1-1



可定制产品
Customizable products

N021

MS408S-1-2



可定制产品
Customizable products

N021

MS7082S-1-1



可定制产品
Customizable products

N022

MS7090S-1-1



可定制产品
Customizable products

N022

MS7091S-1-1



可定制产品
Customizable products

N023

MS7092S-1-1



可定制产品
Customizable products

N023

MS429-1A-4



可定制产品
Customizable products

N024

MS7075S-1-1



可定制产品
Customizable products

N025

MS7093S-1-1



N026

MS7094S-1-1



可定制产品
Customizable products

N026

MS7095S-1-1



可定制产品
Customizable products

N027

MS7095S-2-1



可定制产品
Customizable products

N027

MS7096S-1-1



N028

MS7096S-2-1



N028

MS7097S-1-1



N029

MS7097S-1-2



N029

MS7097S-2-1



N030

MS7097S-2-2



N030

MS7097S-1A-1



N031

MS7097S-2A-1



N031

MS7097S-1B-1



N032

MS7097S-2B-1



N032

MS7098S-1-1



N033

MS7098S-2-1



N033

不锈钢系列产品/Stainless steel product

MS7099S-1-1



N034

MS7099S-2-1



可定制产品
Customizable products

N034

HL050-1S



N035

HL050-2S



N035

HL050-2GS



N035

HL050-3S



N035

HL055-1



N035

HL055-2



N035

HL133S



N036

HL151-1S



N036

HL151-2S




N036

HL131S-1L



N037

HL131S-1R



N037

HL180S-1



可定制产品
Customizable products

N038

HL111S-2



可定制产品
Customizable products

N038

不锈钢系列产品/ Stainless steel product

HL071-1

N039

HL071-2

N039

HL071-3

N039

HL115-1

N040

HL118

N040

HL063-2

N041

HL070-1

N041

HL072-1

N042

HL072-2/-3

N042

HL077

N042

HL076

N043

HL094

N043

HL098

N044

HL099

N044

HL038

N045

HL074

N045

HL101

N046

HL153S

N046

HL069-1

N047

HL069-2

N047

HL120

N048

HL157-1L



N048

HL157-1R


N048

HL173S-1


N049

HL174S-1


N049

不锈钢系列产品/Stainless steel product

HL175S-1


N050

HL176S-1


N050

HL177S-1


N051

HL178S-1


N051

HL179S-1


N052

HL181S-1


N052

HL003-2S

N053

HL004S-2


N053

HL103-1A

N054

HL103-2

N054

HL103-2

N054

HL080

N055

HL030-2S

N055

HL170S-1

N056

HL170S-2

N056

HL171S-1

N057

HL172S-1

N057

HL182S-1


N058

HL034-1

N059

HL034-2

N059

HL082S

N060

HL092S

N060

HL109

N061

HL129-1

N061

HL183S-1


N062

不锈钢系列产品/ Stainless steel product

HL011S-1



N062

HL035-3L/R



N063

HL035-4L/R



N063

HL185S-1



N064

HL186S-1



N064

HL187S-1



N065

HL184S-1



N065

HL188S-1



N065

HL189S-1



N066

HL189S-2



N066

HL190S-1



N066

HL190S-2



N066

MX04



N067

MX07S-1



N068

不锈钢系列产品/Stainless steel product

PL021S-3-2



N069

PL004-2S



N070

PL019-2S



N070

PL100S-1



N071

PL101S-1



N071

PL004S



N072

PL102S-1



N072

PL019S



N073

PL103S



N074

PL104S-1



N074

PL105S-1



N075

PL106S-1



N075

PL107S-1



N076

PL108S



N076

PL109S



N077

PL110S



N077

PL111S



N078

PL112S



N078

PL113S-1



N079

PL114S



N079

PL115S



N080

PL116S-1



N080

PL116S-2



N080

PL116S-3



N080

不锈钢系列产品/ Stainless steel product

DK110-1



N081

DK111-1



N081

DK112-1



N082

DK112-2



N082

DK113-1



N083

DK113-2



N083

DK114-1



N084

DK114-1



N084

DK115-1



N085

DK115-1G



N085

DK115-2



N086

DK115-3



N086

DK116-1



N087

DK116-1G



N087

DK116-2



N088

DK116-2G



N088

DK117-1



N089

DK118-1



N089

DK118-1G



N090

DK118-2G



N090

DK119-1



N091

DK119-2



N091

DKS103-2



N092

DKS104-2



N092


不锈钢系列产品/Stainless steel product

PL001–1


隐藏式拉手 Concealed Handles



PL001–1



PL001–2




- 材质：锌合金
- 表面处理：镀沙铬、镀亮铬;
- 适用门板厚度：1~3mm
- Material:Zinc die-casting
- Finish:Gray chrome plating
  Bright chrome plating
- Panel thickness:1~3

基本尺寸 Dimensions							产品型号及特性 Product Number			
L1	L2	B1	B2	H1	H2	θ°	镀亮铬 Bright chrome plating	镀沙铬 Gray chrome plating	产品单重(g) Weight	装箱数 Lot
73.5	53	20.5	14.5	13.5	11	45	PL001–1.1	PL001–1.2	77	300
50.3	38	12	10	12	10	70	PL001–2.1	PL001–2.2	35	500

PL005

隐藏式拉手 Concealed Handles







- 材质：锌合金
- 表面处理：镀沙铬 ,镀亮铬,喷无光黑
- 适用门板厚度：1~3mm
- Material: zinc die-casting
- Finish: Gray chrome plating
  Bringht chrome plating
  Black powder coated
- Panel thickness:1~3


型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL005	90	200

PL005–2

隐藏式拉手 Concealed Handles







门板开孔
Panel cutout

型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL005–2		




可定制产品
Customizable products

- 材质：PA
- 表面处理:黑色沙纹面
- 适用门板厚度：1~6mm.
- Material:PA
- Finish:black sand grain surface.
- Panel thickness:1~6mm


PL002-1

可折叠嵌入式拉手 Folding Pocket handles





■开孔尺寸
Cut out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL002-1	238	80

- 材质：锌合金
- 表面处理：喷沙镀铬
- Material:Zinc die-casting
- Finish:Pocked chrome plating


PL002-2

可折叠嵌入式拉手 Folding Pocket handles





■开孔尺寸
Cut out





型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL002-2	194	100

- 材质：锌合金
- 表面处理：喷沙镀铬
- Material:Zinc die-casting
- Finish:Pocked chrome plating


PL003-1

可折叠嵌入式拉手 Folding Pocket handles





■开孔尺寸
Cut out





型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL003-1	415	40

- 材质：锌合金
- 表面处理：拉手壳喷亚光黑，手柄喷漆灰
- Material:Zinc die-casting
- Finish:Black powder coated housing,grey coating handle


PL003-2

可折叠嵌入式拉手 Folding Pocket handles





■开孔尺寸
Cut out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL003-2	266	40

- 材质：锌合金
- 表面处理：镀沙铬
- Material:Zinc die-casting
- Finish: Gray chrome plating

PL009–1

嵌入式拉手 Pocket Pull






- 材质：ABS
- 颜色：黑色、灰色
- 适用门板厚度:1mm
- Material:ABS
- Finish:Black、gray
- Panel thickness:1mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL009–1	17	400

PL009–2

嵌入式拉手 Pocket Pull






- 材质：ABS
- 颜色：黑色、灰色
- 适用门板厚度:1mm
- Material:ABS
- Finish:Black、gray
- Panel thickness:1mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL009–2	19	400

嵌入式拉手 Pocket Pull




型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL011	17	400

PL011



- 材质：ABS
- 颜色：黑色、灰色
- 适用门板厚度:1mm
- Material:ABS
- Finish:Black、gray
- Panel thickness:1mm

嵌入式拉手 Pocket Pull



型号 Product no.	基本尺寸 Dimensions(t)			产品单重(g) Weight	装箱数 Lot
PL012	2	1.5	1.2	19	400


PL012




- 材质：ABS
- 颜色：黑色、灰色
- 适用门板厚度:2mm,1.5mm,1.2mm
- Material:ABS
- Finish:Black、gray
- Panel thickness:2mm,1.5mm, 1.2mm

PL025

嵌入式拉手 Pocket Pull






- 材质：PA拉手,带NBR防水垫
- 表面处理：黑色沙纹面
- Material:PA handle, waterproof pad with NBR
- Finish:black sand grain surface.

型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL025	85	400

PL027

嵌入式拉手 Pocket Pull






- 材质：PA
- 表面处理：黑色沙纹面
- 适用门板厚度:1.5mm
- Material:PA
- Finish:black sand grain surface.
- Panel thickness:1.5mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL027	82	400

嵌入式拉手 Pocket Pull

PL033






- 材质：PA
- 表面处理:黑色沙纹面
- 适用门板厚度：1~2mm.
- Material:PA6
- Finish:black sand grain surface.
- Panel thickness:1~2mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL033	38.4	200

嵌入式拉手 Pocket Pull

PL034






- 材质：ABS
- 表面处理：黑色沙纹面
- 适用门板厚度：2.5mm
- Material:black ABS.
- Finish:black sand grain surface.
- Panel thickness:2.5mm.

型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL034	22.5	400


PL004

可折叠式U拉手 Folding U-Shape Handles





■开孔尺寸
Cut out




型号 Product no.	基本尺寸L Dimensions L	产品单重(g) Weight	装箱数 Lot
PL004–1	87	118.5	200
PL004–2	100	129	200
PL004–2(不锈钢)	100	132	200
PL004–3	119	133	200
PL004–4	135	140	200
PL004–5	149	147	200

- 材质：A3
- 表面处理：镀亮铬
- 备注：常规为PL004–2，高为 37.5 中心距为100
- Material:A3
- Finish: Bright chrome plating


PL039

可折叠式U拉手 Folding U-Shape Handles






■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL039	103	250

- ●材质：锌合金拉手，拉手座.
- ●表面处理：喷沙镀铬
- ●Materical:Zinc die-casting
- ●Finish:Pocked chrome plating

U 型拉手 U shape Handles



■开孔尺寸
Cut out




型号 Product no.	基本尺寸 Dimensions							产品单重(g) Weight	装箱数 Lot
	L1	L2	L3	M	R	∅A	∅B		
PL019–1	200	38	10	M5	R15	∅9	∅5.5	120	200
PL019–1A	150	55	10	M5	R15	∅9	∅5.5	110	200
PL019–2	100	38	10	M5	R6	∅9	∅5.5	72	200
PL019–2(不锈钢)	100	38	10	M5	R6	∅9	∅5.5	75	200
PL019–3	76	30	12	M4	R6	∅8	∅4.5	19	400
PL019–4	90	38	10	M5	R15	∅9	∅5.5	52	400


PL019




- 材质：A3
- 颜色：镀亮铬
- Material:A3
- Finish:Bright chrome plating

U 型拉手 U shape Handles





■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL037	64	400

PL037




- ●材质：锌合金
- ●表面处理：镀亮铬
- ●Material:Zinc die-casting
- ●Finsish:Bright chrome plating

PL006

U 型拉手 U shape Handles






- 材质：PA
- 表面处理：黑色沙纹面
- Material:PA
- Finish: black sand grain surface.

型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL006	36.5	400
PL006–2	32	400

PL036

U 型拉手 U shape Handle






- ●材质：PA
- ●表面处理：黑色沙纹面
- ●Material:PA
- ●Finish:black sand grain surface.


型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL036	224	50

U 型拉手 U shape Handles



型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL007	34	400

U 型拉手 U shape Handles



型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL026	113	400

PL007



- 材质：PA
- 表面处理：黑色
- Material:PA
- Finish: black

PL026




- 材质：ABS
- 颜色：黑色
- Material:ABS
- Finish:black

PL038

U 型拉手 U shape Handles






- ●材质：铝合金
- ●表面处理：喷砂纹黑
- ●Material:Aluminium Alloy
- ●Finish:Matt black

型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL038	162	50


PL042

U 型拉手 U shape Handles






■开孔尺寸
Cut Out



- ● 材质：锌合金
- ● 表面处理:喷砂纹黑
- ● Material:zinc die-casting
- ● Finish: matt black


型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL042	117.5	125

U 型拉手 U shape Handles



型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL041–1	149.5	100

U 型拉手 U shape Handles



型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL041-2	155	100

PL041–1

NEW



- ●材质：PA+铜镶件拉手座，6063铝管
- ●表面处理：粗火花纹黑色拉手座
  阳极氧化亚光黑铝管
- ●适用门板厚度：1~5mm
- ●Material:PA copper insert handle,
  6030 aluminum tube
- ●Finsh: coarse fire pattern black handle
  anodized matte black aluminum tube
- ●Panel thickness:1~5mm.

PL041–2

NEW



- ●材质：PA+铜镶件拉手座，6063铝管
- ●表面处理：粗火花纹黑色拉手座
  阳极氧化亚光黑铝管
- ●适用门板厚度：1~5mm
- ●Material:PA copper insert handle,
  6030 aluminum tube
- ●Finsh: coarse fire pattern black handle
  anodized matte black aluminum tube
- ●Panel thickness:1~5mm.

PL021

杠杆式拉手 Lever Handles




PL021-1K

PL021-2K



PL021



型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL021	319.5	40
PL021-1K	202	100
PL021-2K	132	100

- 材质：锌合金
- 表面处理：镀亮铬
- Material:Zinc die-casting
- Finish:Bright chrome plating


PL021

杠杆式拉手 Lever Handles






可定制产品
Customizable products



型号 Product no.	锁芯类别Insert types	产品单重(g) Weight	装箱数 Lot
PL021-3-1	带锁芯 CH751 Locking		
PL021-3-2	不带锁芯 Non-locking		

- 材质：锌合金
- 表面处理：喷无光黑
- Material:Zinc die-casting
- Finish:Black powder coated

旋转式拉手 Rotary Handles



型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL022R	315	50
PL022L		


- 材质：锌合金
- 表面处理：镀亮铬
- 备注：调整定位件可实现左右，常规为右
- Material:Zinc die-casting
- Finish:Bright chrome plating
- Remarks: For both left and right hand use , It can changed by reversing the stopper plate , The common is right

PL022



PL022R PL022L

旋转式拉手 Rotary Handles



型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL029-2L	224	50
PL029-2R		

PL029-2




PL029-2R PL029-2L

- 材质：锌合金
- 表面处理:镀亮铬
- material: zinc alloy
- Finish: bright chrome plating

PL020–1

杠杆式拉手 Lever Handles





■开孔尺寸
Cut out


- 材质：锌合金手柄、支架座，支架、A3销子
- 结构功能：拉手并可实现拉杆锁门，行程16mm，左右开门通用
- 适用门板厚度：1~3mm
- Material:Zinc die–casting body, steel fixing parts and pin
- Structure:handle,locked by rod. Adjustable 16mm, left hand and right hand use
- Panel thickness:1~3mm

型号 Product no.	表面处理 Finish	产品单重(g) Weight	装箱数 Lot
PL020–1.2	镀沙铬Gray chrome	342	50
PL020–1.3	无光黑Black powder		


PL043–1

杠杆式拉手 Lever Handles






挂锁座
Padlock hole




■开孔尺寸
Cut Out




- 材质：锌合金手柄、支架座，支架、A3销子
- 表面处理:喷无光黑
- 结构功能：拉手并可实现拉杆锁门，行程22.6mm，
- 适用门板厚度：1~2mm
- Material:Zinc die–casting body, steel fixing parts and pin
- Finish:Black powder coated
- Structure:handle,locked by rod. Adjustable 22.6mm,
- Panel thickness:1~2mm


型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL043–1	376	50


杠杆式拉手 Lever Handles






■开孔尺寸
Cut Out





安装示意
Application example

选配钥匙K7010–04



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS3004Z–1–1	546	24

MS3004Z–1–1



- 材质：锌合金安装座，手柄
- 表面处理： 喷灰绿色亮面漆
- 结构说明：手柄带动拔杆两点联动图示传动机构仅供参考，一般情况由客户自行设计
- 备注：选配钥匙K7010–04
- 适用门板厚度:1~3mm
- Material: Zinc die–casting body and handle
- Finish: with grey–green color coating
- Mechanism: As per the left assemly instruction
- Panel thickness:1~3mm
- Remark: key default K7010–04

AB301

滑动旋转式平面锁 Sliding Rotary Plane Lock

RL



AB301–1–1　AB301–1–1G



AB301–3–1　AB301–2–1




K0200





K0510



AB301–3A–1








- 材质：锌合金锁体、转轴，镀锌锁片、压板
- 适用门板厚度：1~3mm
- 备注：AB301–1锁片开孔□10×10
  其余型号锁片开孔□8×8
- Material:Zinc die–casting body and shaft, Zinc plating cam、fixing parts
- Panel thickness:1~3mm
- Remark:AB301–1 cam cutout □10x10 the other item No of cam cutout □8x8


产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
镀沙铬 Gray chrome plating	喷无光黑 Black powder coated		
AB301–1–1.2	AB301–1–1.3	370	50
AB301–1–1G.2	AB301–1G–1.3	450	50
AB301–2–1.2	AB301–2–1.3	290	100
AB301–3–1.2	AB301–3–1.3	215	100
AB301–3A–1.2	AB301–3A–1.3	215	100

滑动旋转式平面锁 Sliding Rotary Plane Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
AB301–2A–1G	204	100

滑动旋转式平面锁 Sliding Rotary Plane Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
AB301–3B–1	200.5	100

AB301–2A–1G

RL



- 材质：锌合金锁体，碳钢锁片、安装板
- 表面处理：喷漆银色,配件镀蓝白锌
- 结构功能：拉动按钮，弹出锁背旋转90°,实现开启或锁闭功能。
- 适用门板厚度:1~3mm
- 备注：锁片开孔□8X8
- Material:zinc alloy for the housing, lock back,steel cam assemble ing plate .
- Finish :Gray spray painting
- Panel thinkness:1~3mm
- Remark:Cam Cut out□8X8

AB301–3B–1

RL　IP54



K0200

- 材质：锌合金锁体，碳钢锁片、安装板
- 表面处理：镀沙铬
- 结构功能：手柄向上打开，带动锁片90°旋转实现开启。
- 适用门板厚度：1~3mm
- 备注：锁片开孔□8×8.
- Material:zinc alloy for the housing,
- lock back ,steel cam assemble ing plate.
- Finsh:gray chrome plating,
- Fuction : the cam turns 90~ to unlock when open the handle up
- Panel thickness:1~3mm
- Remark:□8×8 cut out.

AB302

滑动旋转式平面锁 Sliding Rotary Plane Lock



AB302-1-1





AB302-2-1




K0200

AB302-3-1










产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
喷无光黑 Black powder coated			
AB302-1-1.8	AB302-1-1.3	300	50
AB302-2-1.8	AB302-2-1.3	235	100
AB302-3-1.8	AB302-3-1.3	182	100

- 材质：锌合金锁壳、锁背，转轴，PA滑盖，镀锌压板、锁片
- 适用门板厚度：1~3mm
- 备注:AB302-1锁片开孔□10×10 其余型号锁片开孔□8×8
- Material:Zinc die-casting housing、handle、shaft,PAsliding cover, Zinc plating cam、fixing parts
- Panel thickness:1~3mm
- Remark:AB302-1 cam cutout □10x10 the other item No of cam cutout □8x8

按压旋转式平面锁 Press rotary plane lock







基本尺寸 Dimensions				产品型号及特性 Product Number			
L1	L2	L3	H	镀沙铬 Gray chrome plating	喷无光黑 Black powder coated	产品单重(g) Weight	装箱数 Lot
141	30	15	28/25/22	AB102-1-1.2	AB102-1-1.3	575	50
102.5	27	14.75	28/25/22	AB102-2-1.2	AB102-2-1.3	329	50
62.5	23.5	12.5	16.5/15/13.5	AB102-3-1.2	AB102-3-1.3	170	100
可调螺杆型 141	30	15	22~64	AB102-1-2.2	AB102-1-2.3	429	50
可调螺杆型 102.5	27	14.75	22~64	AB102-2-2.2	AB102-2-2.3	270	100

AB102



AB102-1-1



AB102-2-1



K0200

AB102-3-1

- 材质：锌合金转轴，镀锌压板锁片，螺杆
- 适用门板厚度：1~3mm
- 备注:AB102-1,AB102-2 锁片开孔□10×10 AB102-3，锁片开孔□8×8
- Material:Zinc die-casting shaft, Zinc plating cam、screw rod
- Panel thickness:1~3mm
- Remark :AB102-1 AB102-2 cam cutout □10x10 AB102-3 cam cutout □8x8

MS104C

RL 3KL IP54



MS104C–1–1



MS104C–2–1




MS104C–3–1


- 材质：锌合金锁壳、转轴，镀锌压板、锁片
- 适用门板厚度：1~3mm


备注:MS104C–1–1G锁片开孔□10×10
其余型号锁片开孔□8×8

- 表面处理：镀沙铬，镀亮铬，喷无光黑
- Material:Zinc die–casting body and shaft, Zinc plating cam
- Panel thickness:1~3mm fixin parts
- Remark:MS104C–1–1G, cam cutout □10x10 the other item No of cam cutout □8x8
- Finish:Cray chrome plating, Bright chrome plating Black powder coated

按压旋转式平面锁 Press rotary plane lock










产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
锁芯(K0600(A)	锁芯(K0200)		
MS104C–1–1A	MS104C–1–1	565	40
MS104C–2–1A	MS104C–2–1	435	50
MS104C–3–1A	MS104C–3–1	372	50

按压旋转式平面锁 Press rotary plane lock







产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
锁芯(K0600(A)	锁芯(K0200)		
MS104C–1–1AG	MS104C–1–1G	565	40
MS104C–2–1AG	MS104C–2–1G	416.7	50
MS104C–3–1AG	MS104C–3–1G	359.5	50

MS104C

RL 3KL IP54



MS104C–1–1G



MS104C–2–1G



MS104C–3–1G

- 材质：锌合金锁壳、转轴，镀锌压板、锁片
- 适用门板厚度：1~3mm


备注:MS104C–1–1G锁片开孔□10×10
其余型号锁片开孔□8×8

- 表面处理：镀沙铬，镀亮铬，喷无光黑
- Material:Zinc die–casting body and shaft, Zinc plating cam
- Panel thickness:1~3mm fixin parts
- Remark:MS104C–1–1G, cam cutout □10x10 the other item No of cam cutout □8x8
- Finish:Cray chrome plating, Bright chrome plating Black powder coated

MS104C

按压旋转式平面锁 Press rotary plane lock





- 材质：锌合金锁壳、转轴，镀锌压板、锁片
- 适用门板厚度：1~3mm
- 备注:锁片开孔□8×8
- 表面处理：镀沙铬，镀亮铬，喷无光黑
- Material:Zinc die-casting body and shaft, Zinc plating cam
- Panel thickness:1~3mm fixin parts
- Remark:cam cutout □8x8
- Finish:Cray chrome plating, Bright chrome plating Black powder coated


产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
锁芯(K0600(A)	锁芯(K0200)		
MS104C-4-1A	MS104C-4-1	312	100

MS104

按压旋转式平面锁 Press rotary plane lock



MS104R



- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~3mm
- Material:Zinc die-casting body, Zinc plating cam、fixing parts
- Finish: Bright chrome plated
- Panel thickness:1~3mm


产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
左手锁 Left hand use	MS104L		
右手锁 Right hand use	MS104R	353	50

按压旋转式平面锁 Press rotary plane lock

MS6022



MS6022Z-1-1



- 材质：锌合金锁体，碳钢锁片、安装板
- 表面处理：镀沙铬,喷沙纹黑
- 结构功能：手柄向上打开，带动锁片90~旋转实现开启。
- 适用门板厚度：1~3mm
- 备注：锁片开孔□10X10.
- Material:zinc alloy for the housing, lock back ,steel cam assemble ing plate.
- Finsh:gray chrome plating,matt back
- Fuction:the cam turns 90~ to unlock when open the handle up
- Panel thickness:1~3mm
- Remark:□10×10 cut out.


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS6022Z-1-1	603.5	40

按压旋转式平面锁 Press rotary plane lock

MS6022



MS6022Z-2-1



- 材质：锌合金锁体，碳钢锁片、安装板
- 表面处理：镀沙铬，喷沙纹黑
- 结构功能：手柄向上打开，带动锁片90~旋转实现开启。
- 适用门板厚度：1~3mm
- 备注：锁片开孔□10X10.
- Material:zinc alloy for the housing, lock back ,steel cam assemble ing plate.
- Finsh:gray chrome plating,matt back
- Fuction:the cam turns 90~ to unlock when open the handle up
- Panel thickness:1~3mm
- Remark:□10×10 cut out.

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS6022Z-2-1	525	50


MS6022

按压旋转式平面锁 Press rotary plane lock



MS6022Z-3-1

- 材质：锌合金锁体，碳钢锁片、安装板
- 表面处理：镀沙铬，喷沙纹黑
- 结构功能：手柄向上打开，带动锁片90~旋转实现开启。
- 适用门板厚度：1~3mm
- 备注：锁片开孔□10X10.
- Material:zinc alloy for the housing, lock back ,steel cam assemble ing plate.
- Finsh:gray chrome plating,matt back
- Fuction:the cam turns 90~ to unlock when open the handle up
- Panel thickness:1~3mm
- Remark:□10×10 cut out.




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS6022Z-3-1	470	60

MS6023S

按压旋转式平面锁 Press rotary plane lock



- 材质：全不锈钢
- 表面处理：镜面抛光或拉丝
- 结构功能：手柄向上打开，带动锁片90°旋转实现开启或锁闭
- 适用门板厚度：1~3mm
- 备注：锁片开孔□10×10
- Material: Stainless steel
- Finish: Mirro polishing/Brushed
- Panel thickness: 1~3mm
- Remark: Cam Cutout □10×10




型号 Product no.	特性说明 Characteristic description	产品单重(g) Weight	装箱数 Lot
MS6023S-1-1	不锈钢不带挂装置w/opadlcok	576.5	40
MS6023S-1-1G	不锈钢带挂装置with padlock	585.5	40

MS6023Z

按压旋转式平面锁 Press rotary plane lock



- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：镀沙铬,喷无光黑
- 适用门板厚度：1~3mm
- 备注:锁片开孔□10×10
- Material:Zinc die-casting body, Zinc plating fixing parts
- Finish: Gray chrome plating, Black powder coated
- Panel thickness:1~3mm
- Remark: cam cutout □10×10




型号 Product no.	特性说明 Characteristic description	产品单重(g) Weight	装箱数 Lot
MS6023Z-1-1	锌合金不带挂装置w/opadlcok	505	40
MS6023Z-1-1G	锌合金带挂装置with padlock	514	40

MS480-1

按压旋转式平面锁 Press rotary plane lock



- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：镀沙铬
- 适用门板厚度：1~4mm
- 备注:锁片开孔□10×10
- Material:Zinc die-casting body, Zinc plating fixing parts
- Finish: Gray chrome plating
- Panel thickness:1~4mm
- Remark: cam cutout □10×10



产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
带锁芯 With key	MS480-1-1	770	50
按钮型 Push button	MS480-1-2	780	50

MS480-2

按压旋转式平面锁 Press rotary plane lock

RL



MS480-2-1



MS480-2-1Y



MS480-2B-1Y




MS480-2B-1




MS480-2C-1

- 材质：锌合金锁壳、转轴，镀锌压板、锁片
- 表面处理：喷亚光黑
- 适用门板厚度：1~5mm
- 备注:锁片开孔□10×10,
- Material:Zinc die-casting body and shaft, Zinc plating cam
- Finish: Black powder coated
- Panel thickness:1~5mm
- Remark: cam cutout □10×10

■开孔尺寸
Cut Out



■开孔尺寸
Cut Out




选配锁头系列
Cylinder types



表面处理 Finsh	锁芯 Insert	产品型号及特性 Product Number											
		锌合金锁壳 Zinc die-casting housing						铝合金锁壳 Aluminium housing					
		方形锁壳 Square type	产品单重(g) Weight	装箱数 Lot	圆形锁壳 Round type	产品单重(g) Weight	装箱数 Lot	方形锁壳 Square type	产品单重(g) Weight	装箱数 Lot	圆形锁壳 Round type	产品单重(g) Weight	装箱数 Lot
镀沙铬 Gray chrome plating	K0600	MS480-2-1.2	472	50	MS480-2-1Y.2	460	50						
	K0200	MS480-2-2.2	468	50	MS480-2-2Y.2	457	50						
	MS480-2B(一字芯)	MS480-2B-1.2	600	50	MS480-2B-1Y.2	600	50						
	MS4008Z-2(K0200)可防尘盖	MS480-2C-1.2	600	50	MS480-2C-1Y.2	600	50						
喷亚光黑 Black powder coated	K0600	MS480-2-1	472	50	MS480-2-1Y	460	50				MS480-2A-1Y	348	50
	K0200	MS480-2-2	468	50	MS480-2-2Y	457	50	MS480-2A-1	308	50	MS480-2A-2Y	358	50
	MS480-2B(一字芯)	MS480-2B-1	600	50	MS480-2B-1Y	600	50	MS480-2A-2	310	50			
	MS4008Z-2(K0200)可防尘盖	MS480-2C-1	600	50	MS480-2C-1Y	600	50	MS480-2AC-1	310	50	MS480-2AC-1Y	358	50

旋转式平面锁 Rotary plane lock


■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS4008Z-1-1	420	200

按压旋转式平面锁 Press rotary plane lock

■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS4090Z-1-1	453.3	50

MS4008Z-1-1

RL IP64



- 材质：铝合金锁壳，锌合金锁背，镀锌钢安装板，锁片
- 表面处理：喷无光黑
- 适用门板厚度：1~5mm
- 备注：锁片开孔□10×10
- Material: aluminum alloy lock housing, zinc alloy handle, galvanized steel mounting plate, the locking plate. and cam
- Finish :Black powder coated
- Panel thickness :1~5mm
- Remark: cam cutout □10×10

MS4090Z-1-1

RL IP54 NEW



K0200

- 材质：铝合金锁壳，锌合金锁背，镀锌钢安装板，锁片
- 表面处理：喷无光黑
- 适用门板厚度：1~5mm
- 备注：锁片开孔□10×10
- Material: aluminum alloy lock housing, zinc alloy handle, galvanized steel mounting plate, the locking plate. and cam
- Finish :Black powder coated
- Panel thickness :1~5mm
- Remark: cam cutout □10×10

AB201

旋转式平面锁 Rotary plane lock



AB201-1-1




客户定制产品
customized product


AB201-2-1




AB201-3-1





■开孔尺寸
Cut Out






■开孔尺寸
Cut Out






■开孔尺寸
Cut Out




产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot	产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
AB201-1-1	有锁芯 with key	452	36	AB201-1-2	无锁芯 w/o key	452	36
AB201-2-1		268	36	AB201-2-2		268	36
AB201-3-1		235	72	AB201-3-2		235	72


- 材质：锌合金锁体，镀锌压板、锁片；
- 表面处理：镀沙铬
- 适用门板厚度：1~2mm
- 备注：AB201-1锁片开孔□10×10
  其余型号锁片开孔□8×8
- Material:Zinc die-casting body, Zinc plating cam、fixing parts
- Finish: Gray chrome plating
- Panel thickness:1~2mm
- Remark:AB201-1 cam cutout □10x10
  the other item No of cam cutout □8x8

旋转式平面锁 Rotary plane lock





■开孔尺寸
Cut Out






■开孔尺寸
Cut Out





■开孔尺寸
Cut Out



产品型号及特性 Product Number						
	有锁芯 With key	产品单重(g) Weight	装箱数 Lot	无锁芯 w/o key	产品单重(g) Weight	装箱数 Lot
镀沙铬 Gray chrome plating	AB402-1-1.2	304	50	AB402-1-2.2	298	50
	AB402-2-1.2	256	100	AB402-2-2.2	216	100
	AB402-3-1.2	157	100	AB402-3-2.2	150	100

AB402



AB402-1-1 AB402-1-2



AB402-2-1 AB402-2-2



AB402-3-1 AB402-3-2

- 材质：锌合金锁壳、转轴，镀锌锁片、压板
- 适用门板厚度：1~3mm
- 备注:AB402-1锁片开孔□10×10
  其余型号锁片开孔□8×8
- Material:Zinc die-casting body and shaft, Zinc plating cam、fixing parts
- Panel thickness:1~3mm
- Remark:AB402-1 cam cutout □10x10
  the other item No of cam cutout □8x8

AB2016

旋转式平面锁 Rotary plane lock

RL NEW




AB2016Z–1–1





AB2016Z–2–1



AB2016Z–3–1










产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
有锁芯 with key	AB2016Z–1–1	265.5	100
	AB2016Z–2–1	230.3	100
无锁芯 w/o key	AB2016Z–2–2	217	100
有锁芯 with key	AB2016Z–3–1	210	100

- ●材质：锌合金锁壳，锁背，A3锁片,安装板.
- ●表面处理:镀沙铬.
- ●结构功能：手柄向上打开，带动锁片90° 旋转实现开启.
- ●适用门板厚度：1~3mm.
- ●备注：锁片开孔口8X8.
- ●Material:zinc alloy for the housing, lock back,A3 cam assemble ing plate .
- ●Finish:gray chrome plating.
- ●Fuction:the cam turns 90° to unlock when open the handle up.
- ●Panel thickness:1~3mm.
- ●Remark:口8X8 cut out

旋转式平面锁 Rotary plane lock







产品型号 Product number	产品单重(g) Weight	装箱数 Lot
AB202–1–1	468	36
AB202–2–1	290	36
AB202–3–1	235	72

AB202

RL



AB202–1–1



AB202–2–1



AB202–3–1

- ● 材质：锌合金锁体，镀锌压板、锁片
- ● 表面处理：镀沙铬
- ● 适用门板厚度：1~2mm
- ● 备注:AB202–1锁片开孔□10×10
  其余型号 锁片开孔□8×8
- ● Material:Zinc die–casting body Zinc plating cam、fixing parts
- ● Finish: Gray chrome plating
- ● Panel thickness:1~2mm
- ● Remark:AB202–1 cam cutout □10x10 the other item No of cam cutout □8x8

AB401

旋转式平面锁 Rotary plane lock



AB401-1-1 AB401-1-2





K0200


AB401-2-1 AB401-2-2



AB401-3-1 AB401-3-2










产品型号及特性 Product Number							
镀沙铬 Gray chrome plating	有锁芯 With key	产品单重(g) Weight	装箱数 Lot	无锁芯 w/o key	产品单重(g) Weight	装箱数 Lot
	AB401-1-1.2	340	50	AB401-1-2.2	328	50
	AB401-2-1.2	275	100	AB401-2-2.2	253	100
	AB401-3-1.2	205	100	AB401-3-2.2	193	100

- 材质：锌合金锁体、转轴，镀锌锁片、压板
- 适用门板厚度：1~3mm
- 备注:AB401-1锁片开孔□10×10 其余型号锁片开孔□8×8
- Material:Zinc die-casting body and shaft, Zinc plating cam、fixing parts
- Panel thickness:1~3mm
- Remark:AB401-1 cam cutout □10x10 the other item No of cam cutout □8x8

旋转式平面锁 Rotary plane lock







型号 Product no.	产品单重(g) Weight	装箱数 Lot
AB5011Z-1-1	328	50
AB5012Z-1-1	260	100
AB5013Z-1-1	202	100

AB5011



AB5011Z-1-1



AB5012Z-1-1



K0200

AB5013Z-1-1

- 材质：锌合金锁体、转轴，镀锌锁片、压板；
- 表面处理:镀沙铬
- 适用门板厚度：1~3mm
- 备注:AB5011Z-1-1锁片开孔□10×10 其余型号锁片开孔□8×8
- Material:Zinc die-casting body and shaft, Zinc plating cam、fixing parts
- Panel thickness:1~3mm
- Remark: AB5011Z-1-1 cam cut out □10x10 the other item No of cam cutout □8x8

MS607

旋转式平面锁 Rotary plane lock



MS607–1–1





MS607–2–1




K0200

MS607–3–1










产品型号 Product Number	产品单重(g) Weight	装箱数 Lot
MS607–1–1	286	50
MS607–2–1	230.5	100
MS607–3–1	168.5	100

- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：镀沙铬,喷无光黑
- 适用门板厚度：1~3mm
- 备注:MS607–1锁片开孔□10×10
  其余型号锁片开孔□8×8
- Material:Zinc die–casting body, Zinc plating cam、fixing parts
- Finish: Gray chrome plating, Black powder coated
- Panel thickness:1~3mm
- Remark:MS607–1 cam cutout □10x10 the other item No of cam cutout □8x8

旋转式平面锁 Rotary plane lock







型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS751–1–1	251	50
MS751–2–1	203	50
MS751–3–1	154	50

MS751



MS751–1–1



MS751–2–1



K0570


MS751–3–1

- 材质：锌合金锁体、转轴，镀锌压板、锁片
- 表面处理：镀沙铬 ,无光黑
- 适用门板厚度：1~3mm
- 备注:锁片开孔□8×8
- Material:Zinc die–casting body and shaft, Zinc plating cam, fixing parts
- Finish: Gray chrome plating Black powder coated
- Panel thickness:1~3mm
- Remark:cam cutout□8×8

MS6015Z-1-3

旋转式平面锁 Rotary plane lock






- ●材质：锌合金锁体，A3锁片、安装板
- ●表面处理：喷乳白色锁壳、喷无光黑锁背，
- ●镀蓝白锌锁片、安装板
- ●适用门板厚度：1~3mm
- ●结构说明：快速开启，安装方便快捷；调节螺母可适用各种止口范围
- ●Material:Zinc die-casting body A3 cam assemble ing plate
- ●Finsh: Spray milky white honsing Black powder coated handle Blue-white zinc plating cam assemble ing plate.
- ●panel thickness: 1~3mm
- ●Structure: Qnick turn,covenient and efficient assemblereach differet rabbet range by adijust nut

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS6015Z-1-3	632	50

MS6016Z-1-3

旋转式平面锁 Rotary plane lock






- ●材质：锌合金锁体，A3锁片、安装板
- ●表面处理：喷乳白色锁壳、喷无光黑锁背，
- ●镀蓝白锌锁片、安装板
- ●适用门板厚度：1~3mm
- ●结构说明：快速开启，安装方便快捷；调节螺母可适用各种止口范围
- ●Material:Zinc die-casting body A3 cam assemble ing plate
- ●Finsh: Spray milky white honsing Black powder coated handle Blue-white zinc plating cam assemble ing plate.
- ●panel thickness: 1~3mm
- ●Structure: Qnick turn,covenient and efficient assemblereach differet rabbet range by adijust nut


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS6016Z-1-3	419	50

旋转式平面锁 Rotary plane lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS6017Z-1-1	302	100

旋转式平面锁 Rotary plane lock



型号 Product no.	特性说明 Characteristic description	产品单重(g) Weight	装箱数 Lot
MS6019Z-1-1	不带挂装置w/opadlcok	310	50
MS6019Z-1-1G	带挂装置with padlock	321.6	50

MS6017Z-1-1



- ●材质：锌合金锁体，A3锁片、安装板
- ●表面处理：喷乳白色锁壳、喷无光黑锁背，
- ●镀蓝白锌锁片、安装板
- ●适用门板厚度：1~3mm
- ●结构说明：快速开启，安装方便快捷；调节螺母可适用各种止口范围
- ●Material:Zinc die-casting body A3 cam assemble ing plate
- ●Finsh: Spray milky white honsing Black powder coated handle Blue-white zinc plating cam assemble ing plate.
- ●panel thickness: 1~3mm
- ●Structure: Qnick turn,covenient and efficient assemblereach differet rabbet range by adijust nut

MS6019




MS6019Z-1-1

- ●材质：锌合金锁体，碳钢锁片、安装板
- ●表面处理:镀沙铬
- ●结构功能：手柄向上打开，带动锁片90° 旋转实现开启。
- ●适用门板厚度：1~3mm
- ●备注：锁片开孔口10X10
- ●Material:Zinc die-casting body steel cam assemble ing plate
- ●Finish:gray chrome plating.
- ●Fuction:the cam turns 90° to unlock when open the handle up.
- ●Panel thickness:1~3mm.
- ●Remark:口10X10 cut out

MS6019

旋转式平面锁 Rotary plane lock






- ●材质：锌合金锁体，碳钢锁片、安装板
- ●表面处理:镀沙铬
- ●结构功能：手柄向上打开，带动锁片90°旋转实现开启。
- ●适用门板厚度：1~3mm
- ●备注：锁片开孔口10X10
- ●Material:Zinc die–casting body steel cam assemble ing plate
- ●Finish:gray chrome plating.
- ●Fuction:the cam turns 90° to unlock when open the handle up.
- Panel thickness:1~3mm.
- ●Remark:口10X10 cut out

型号 Product no.	特性说明 Characteristic description	产品单重(g) Weight	装箱数 Lot
MS6019Z–1A–1	不带挂装置w/opadlcok	373	50
MS6019Z–1A–1G	带挂装置with padlock	384.6	50

MS6020

旋转式平面锁 Rotary plane lock






- ●材质：锌合金锁体，碳钢锁片、安装板
- ●表面处理:镀沙铬
- ●结构功能：手柄向上打开，带动锁片90°旋转实现开启。
- ●适用门板厚度：1~3mm
- ●备注：锁片开孔口8X8
- ●Material:Zinc die–casting body steel cam assemble ing plate
- ●Finish:gray chrome plating.
- ●Fuction:the cam turns 90° to unlock when open the handle up.
- ●Panel thickness:1~3mm.
- ●Remark:口8X8 cut out

型号 Product no.	特性说明 Characteristic description	产品单重(g) Weight	装箱数 Lot
MS6020Z–1–1	不带挂装置w/opadlcok	245	50
MS6020Z–1–1G	带挂装置with padlock	254.6	50

旋转式平面锁 Rotary plane lock




型号 Product no.	特性说明 Characteristic description	产品单重(g) Weight	装箱数 Lot
MS6020Z–1A–1	不带挂装置w/opadlcok	275.5	100
MS6020Z–1A–1G	带挂装置with padlock	285	100

MS6020



- ●材质：锌合金锁体，碳钢锁片、安装板
- ●表面处理:镀沙铬
- ●结构功能：手柄向上打开，带动锁片90°旋转实现开启。
- ●适用门板厚度：1~3mm
- ●备注：锁片开孔口8X8
- ●Material:Zinc die–casting body steel cam assemble ing plate
- ●Finish:gray chrome plating.
- ●Fuction:the cam turns 90° to unlock when open the handle up.
- ●Panel thickness:1~3mm.
- ●Remark:口8X8 cut out

旋转式平面锁 Rotary plane lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS6020S–1–1	287	100

MS6020S




- ●材质：全不锈钢
- ●表面处理：镜面抛光或拉丝
- ●结构功能：手柄向上打开，带动锁片90°旋转实现开启或锁闭
- ●适用门板厚度：1~3mm
- ●备注：锁片开孔□8×8
- ●Material: Stainless steel
- ●Finish: Mirro polishing/Brushed
- ●Panel thickness: 1~3mm
- ●Remark: Cam Cutout □8×8

MS6021

旋转式平面锁 Rotary plane lock






- 材质：锌合金锁体，碳钢锁片、安装板
- 表面处理:镀沙铬
- 结构功能：手柄向上打开，带动锁片90°
- 旋转实现开启。
- 适用门板厚度：1~3mm
- 备注：锁片开孔口8X8
- Material:Zinc die-casting body steel cam assemble ing plate
- Finish:gray chrome plating.
- Fuction:the cam turns 90° to unlock when open the handle up.
- Panel thickness:1~3mm.
- Remark:口8X8 cut out

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS6021Z-1-1	186.5	100

MS511

旋转式平面锁 Rotary plane lock







- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：镀沙铬
- 适用门板厚度：1~3mm
- 备注:锁片开孔□8×8
- Material:Zinc die-casting body, Zinc plating cam、fixing parts
- Finish: Gray chrome plating
- Panel thickness:1~3mm
- Remark: cam cutout □8×8

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS511	146	200

旋转式平面锁 Rotary plane lock





型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS716-1-1	494	50
MS716-2-1	369	50

MS716





MS716-1-1



MS716-2-1


- 材质：锌合金锁壳、转轴，镀锌压板、锁片
- 表面处理：镀沙铬
- 适用门板厚度：1~3mm
- 备注:MS607-1锁片开孔□10×10
  MS607-2锁片开孔□8×8
- Material:Zinc die-casting body and shaft, Zinc plating cam、fixing parts
- Finish: Gray chrome plating
- Panel thickness:1~3mm
- Remark:MS607-1cam cutout□10×10
  MS607-2cam cutout□8×8

MS505-1-1L


旋转式平面锁 Rotary plane lock

RL





■开孔尺寸 Cut Out



- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~3mm
- 备注：锁片有左右之分
- Material:Zinc die-casting body, Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~3mm
- Remark:Left cam and right cam are available

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS505-1-1L	228	100
MS505-1-1R	228	100


MS505-1-2L

旋转式平面锁 Rotary plane lock


RL



MS505-1-2L




■开孔尺寸 Cut Out




- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~3mm
- 备注：锁片有左右之分
- Material:Zinc die-casting body, Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~3mm
- Remark:Left cam and right cam are available

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS505-1-2L	178	100
MS505-1-2R	178	100

旋转式平面锁 Rotary plane lock




■开孔尺寸 Cut Out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS508	144	180

旋转式平面锁 Rotary plane lock



■开孔尺寸 Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS6024P-2-1	148.5	60

MS508

RL



- 材质：锌合金锁体、塑料防雨盖，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~3mm
- 备注:锁片开孔□8×8
- Material:Zinc die-casting body, plastic waterproo. Cap,Zincplating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~3mm
- Remark: cam cutout □8×8

MS6024P

RL NEW




- 材质：PA锁体，锌合金转轴，锁芯组件，A3锁片
- 表面处理：黑色沙纹面
- 适用门板厚度:1~2mm
- 结构功能：无需拆下安装板固定螺丝，安装快捷
- 备注：锁片开孔□8X8.
- Material: PA housing,zinc alloy shaft and cylinder， steel cam
- Finishing： Textured black powder coated For Panel Thickness:1~2mm
- Function:No need to detech the screws easyfor assemble
- Remark:Cam cutout 8x8


MS100–1–1A

旋转式平面锁 Rotary plane lock





■开孔尺寸
Cut Out




- 材质：PA锁体、镀锌锁片
- 表面颜色：黑色
- 适用门板厚度：1~2mm
- 备注:锁片开孔□8×8
- Material:PA body, Zincplating cam、fixing parts
- Finish: Rubber feeling sprat paing
- Panel thickness:1~2mm
- Remark: cam cutout □8×8

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS100–1–1A	315	50


MS100–2–1

旋转式平面锁 Rotary plane lock






■开孔尺寸
Cut Out




- 材质：PA锁体、镀锌锁片
- 表面颜色：黑色
- 适用门板厚度：1~2mm
- 备注:锁片开孔□8×8
- Material:PAbody, Zincplating cam、fixing parts
- Finish: Rubber feeling sprat paing
- Panel thickness:1~2mm
- Remark: cam cutout □8×8


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS100–2–1	180	50

旋转式平面锁 Rotary plane lock






■开孔尺寸
Cut Out



选配锁头系列
Optional cylinder series



锁芯类别 Insert types	产品型号及特性 Product Number					
	带挂锁装置 With padlock 黑色沙纹面 Matt black	产品单重(g) Weight	装箱数 Lot	不带挂锁装置 w/o padlock 黑色沙纹面 Matt black	产品单重(g) Weight	装箱数 Lot
K0100(A)	MS820–1–1AG	305	100	MS820–1–1A	286.5	100
K0133(B)	MS820–1–1BG	305	100	MS820–1–1B	286.5	100
K7010(C)	MS820–1–1CG	355	100	MS820–1–1C	336.5	100
K7030(D)	MS820–1–1DG	355	100	MS820–1–1D	336.5	100

MS820–1



MS820–1–1B

- 材质：PA锁体、锌合金挂锁座、锁芯，镀锌锁片
- 适用门板厚度：1~3mm
- 备注:锁片开孔□8×8
- Material:PA body,zinc die–casting handle、Insert, Zin plating cam
- Panel thickness:1~3mm
- Remark:cam cutout□8×8

MS820-2

旋转式平面锁 Rotary plane lock

RL NEW




MS820-2-1B




MS820-2-1C




MS820-2-1D



■开孔尺寸
Cut Out




选配锁头系列
Optional cylinder series




锁芯类别 Insert types	产品型号及特性 Product Number		
	黑色沙纹面 Matt black	产品单重(g) Weight	装箱数 Lot
K0133(B)	MS820-2-1B	255	100
K7010(C)	MS820-2-1C	258	100
K7030(D)	MS820-2-1D	252	100


- 材质：PA锁体、锌合金挂锁座、锁芯，镀锌锁片
- 表面处理：粗火花纹
- 适用门板厚度：1~3mm
- 备注:锁片开孔□8×8
- Material:PA body,zinc die-casting handle、Insert, Zin plating cam
- Finish:matt black
- Panel thickness:1~3mm
- Remark:cam cutout□8×8

旋转式平面锁 Rotary plane lock






■开孔尺寸
Cut Out



选配锁头系列
Optional cylinder series



锁芯类别 Insert types	产品型号及特性 Product Number					
	不带挂锁装置 w/o padlock			带挂锁装置 With padlock		
	黑色沙纹面 Matt black	产品单重(g) Weight	装箱数 Lot	黑色沙纹面 Matt black	产品单重(g) Weight	装箱数 Lot
K0100(A)	MS821-1-1A	255	100	MS821-1-1AG	332	100
K0133(B)	MS821-1-1B	255	100	MS821-1-1BG	332	100
K7010(C)	MS821-1-1C	300	100	MS821-1-1CG	370	100
K7030(D)	MS821-1-1D	300	100	MS821-1-1DG	370	100

MS821

RL 3PL



MS821-1-1B



MS821-1-1AG


- 材质：PA 锁体、锁背,锌合金螺母
- 适用门板厚度：1~3mm
- 备注:锁片开孔□8×8
- Material:PA body ,cam, zinc die-casting nut
- Panel thickness:1~3mm
- Remark:cam cutout□8×8

MS821-2


旋转式平面锁 Rotary plane lock

RL






选配锁头系列
Optional cylinder series



锁芯类别 Insert types	产品型号及特性 Product Number					
	不带挂锁装置 w/o padlock 黑色沙纹面 Matt black	产品单重(g) Weight	装箱数 Lot	带挂锁装置 With padlock 黑色沙纹面 Matt black	产品单重(g) Weight	装箱数 Lot
K0100(A)	MS821-2-1A	358	100	MS821-2-1AG	435	100
K0133(B)	MS821-2-1B	358	100	MS821-2-1BG	435	100
K7010(C)	MS821-2-1C	405	100	MS821-2-1CG	492	100
K7030(D)	MS821-2-1D	405	100	MS821-2-1DG	492	100


- 材质：PA锁体、锌合金螺母、锁芯，镀锌锁片
- 适用门板厚度：1~3mm
- 备注:锁片开孔□8×8
- Material:PA body,zinc die-casting nut、insert Zinc plating cam、fixing parts
- Panel thickness:1~3mm
- Remark: cam cutout □8×8

旋转式平面锁 Rotary plane lock



专用锁栓 exclusive cam		产品型号及特性 Product Number		
折弯高度BH bend height BH	中心距L center to center L spacing L	不带挂锁装置 w/o padlock 黑色沙纹面 Matt black	产品单重(g) Weight	装箱数 Lot
8	50	MS821-3-1A	387	100
3.5	66	MS821-3-1B	387	100

旋转式平面锁 Rotary plane lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS845-1-1	571	40

MS821-3-1

RL



- 材质：PA 锁体、锌合金锁片
- 适用门板厚度：1~3mm
- 备注:只可用K0100锁芯，且要加长型锁舌
- 备注:锁片开孔□8×8
- Material:PA body zinc die-casting cam
- Panel thickness:1~3mm
- Remark: only use K0100 insert
- Remark: cam cutout □8×8

MS845-1-1

RL



- 材质：锌合金锁壳、锁背 PA66转轴后盖、锁芯后盖.
- 表面处理：喷沙纹黑
- 适用门板厚度：1.5~2mm
- 备注：锁片开孔□8×8
- Material: zinc alloy lock, PA66 back cover, shaft PA66 lock core cover
- Finish :Matt black
- Fit door thickness: 1.5~2mm
- Remark: cam cutout □8×8


MS826

旋转式平面锁 Rotary plane lock



MS826-1-1 MS826-1A-1

- 材质：PA锁体、锌合金手柄、镀锌压板、锁片
- 表面处理：黑色沙纹面
- 适用门板厚度：1~3mm
- 备注：锁片开孔口8×8 ,MS826-1A-1 为锌合金锁体，专用拉杆片
- Material:PA body,zinc die-casting handle,Zinc plating cam、fixing parts
- Finish: Matt black
- Panel thickness:1~3mm
- Remark:cam cutout口8×8, MS826-1A-1 all zinc-die casting




型号 Product no.	材质Material	产品单重(g) Weight	装箱数 Lot
MS826-1-1	锌合金手柄,塑料座 Zinc die handle,PA housing	359.5	50
MS826-1A-1	全锌合金 Full Zinc Die	492	50
MS826-1G-1	全锌合金 Full Zinc Die	492	50

MS826-1B-1

旋转式平面锁 Rotary plane lock




- 材质：PA锁体，锁背，转轴盖，锌合金定位件，
- 表面处理：黑色（沙纹面）
- 结构说明：锁背90° 旋转实现打开和锁闭，
- 调换定位件方向实现左右开启
- 适用门板厚度：1.5mm
- 备注：锁片开孔□8×8
- Material: PA
- Finish: Black
- Panel thickness: 1.5mm
- Remark: Cam Cutout □8×8



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS826-1B-1	148.6	100

旋转式平面锁 Rotary plane lock




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS826-2-1	175.5	50

MS826-2-1



- 材质：PA锁体、锌合金手柄、镀锌压板、锁片
- 表面处理：黑色沙纹面
- 适用门板厚度：1~3mm
- 备注：锁片开孔口8×8
- Material:PA body,zinc die-casting handle,Zinc plating cam、fixing parts
- Finish: Matt black
- Panel thickness:1~3mm
- Remark:cam cutout口8×8,

旋转式平面锁 Rotary plane lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS826-3-1	160	100

MS826-3-1




- 材质：PA锁体、手柄、镀锌压板、锁片
- 表面处理：黑色沙纹面
- 适用门板厚度：1~3mm
- 备注：锁片开孔口8×8
- Material:PA body,zinc die-casting handle,Zinc plating cam、fixing parts
- Finish: Matt black
- Panel thickness:1~3mm
- Remark:cam cutout口8×8,

MS836-1-1

旋转式平面锁 Rotary plane lock

RL IP54





■开孔尺寸
Cut Out

- 材质：PA锁体、锁背、防水盖、镀锌钢锁片
- 表面处理：黑色沙纹面
- 适用门板厚度：1~2mm
- 备注：K333、锁片开孔□8×8。
- Material:PA lock body、Zinc plating cam
- Finish :Matt black
- Panel thickness:1~2mm
- Remark: K333、cam cutout □8×8


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS836-1-1	234	100

MS837-1-1

旋转式平面锁 Rotary plane lock

RL 2PCS IP54






■开孔尺寸
Cut Out

- 材质：PA锁背，锁壳，镀锌压板、锁片
- 表面处理：黑色沙纹面
- 适用门板厚度：1~5mm
- 备注：锁片开孔□8×8
- Material: PA back,housing,Zinc plating cam、fixing parts
- Finish :Matt black
- Panel thickness:1~5mm
- Remark:cam cutout□8×8

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS837-1-1	269	50


旋转式平面锁 Rotary plane lock




■开孔尺寸
Cut Out

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS834-1-1	315	50

旋转式平面锁 Rotary plane lock



■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS838-1（锌合金锁体）	520	50
MS838-1S（全不锈钢锁体）		50

MS834-1-1

RL 3PCS IP54 INOX AISI 3..



- 材质：带挂锁 全不锈钢
- 表面处理：拉丝
- 适用门板厚度：1~5mm
- 备注：锁片开孔□8×8
- Material : With padlock stainless steel
- Finish: drawing
- Panel thickness:1~5mm
- Remark: cam cutout □8×8

MS838-1

RL 3PCS IP54 INOX AISI 3..




- 材质：锌合金锁体，不锈钢锁扣；
- 表面处理:镀亮铬
- 适用门板厚度：1~10mm
- 备注：锁片开孔□8×8
- Material:Zinc die-casting body, Stainless steel padlock
- Finish : Bright chromeplating
- Panel thickness:1~10mm
- Remark:cam cutout□8×8

MS8010-1-1

旋转式平面锁 Rotary plane lock

RL 3PL IP64





- ●材质：锌合金锁壳，锁背
- ●表面处理：电泳黑
- ●适用门板厚度：1~4mm
- ●备注：锁背旋转90° 实现打开及锁闭调换定位件方向实现左右开启，带挂锁。
- ●Material :zinc alloy
- ●Finish :Electrophoresis black
- ●Panel thickness:1~4mm
- ●Remark: :For both left and right hand use,It can be changed by reversing the stopper plate , with padlock


产品型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS8010-1-1	966.5	25

MS8012Z-1-1

旋转式平面锁 Rotary plane lock

RL 3PL IP64






- ●材质：锌合金锁壳，锁背
- ●表面处理：电泳黑
- ●适用门板厚度：1~4mm
- ●备注：锁背旋转90° 实现打开及锁闭调换定位件方向实现左右开启，带挂锁。
- ●Material :zinc alloy
- ●Finish :Electrophoresis black
- ●Panel thickness:1~4mm
- ●Remark: :For both left and right hand use,It can be changed by reversing the stopper plate , with padlock

产品型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS8012Z-1-1	808	25

旋转式平面锁 Rotary plane lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS8013Z-1-1	782	25


MS8013Z-1-1

RL 3PL IP54



- ●材质：锌合金锁壳，锁背
- ●表面处理：电泳黑
- ●适用门板厚度：1~4mm
- ●备注：锁背旋转90° 实现打开及锁闭调换定位件方向实现左右开启，带挂锁。
- ●Material :zinc alloy
- ●Finish :Electrophoresis black
- ●Panel thickness:1~4mm
- ●Remark: :For both left and right hand use,It can be changed by reversing the stopper plate , with padlock

旋转式平面锁 Rotary plane lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS8016Z-1-1	970	25

MS8016Z-1-1

RL 3PL IP64



- ●材质：锌合金锁壳，锁背
- ●表面处理：电泳黑
- ●适用门板厚度：1~4mm
- ●备注：锁背旋转90° 实现打开及锁闭调换定位件方向实现左右开启，带挂锁。
- ●Material :zinc alloy
- ●Finish :Electrophoresis black
- ●Panel thickness:1~4mm
- ●Remark: :For both left and right hand use,It can be changed by reversing the stopper plate , with padlock

MS106

RL



MS106-1-1　　MS106-1-2



MS106-2-1　　MS106-2-2




MS106-3-1　　MS106-3-2




MS106-4-1　　MS106-4-2


- 材质：锌合金锁体、镀锌压板、锁片
- 适用门板厚度：1~3.5mm
- 备注：压缩式门锁，压缩量为3mm
- Material:Zinc die-casting body Zinc plating cam、fixing parts
- Panel thickness:1~3.5mm
- Remark:compression lock 3mm pull-up

压缩旋转式平面锁 Compression Rotary Plane Lock





■开孔尺寸 Cut Out






■开孔尺寸 Cut Out






■开孔尺寸 Cut Out




基本尺寸 Dimensions				产品型号及特性 Product Number									
				无光黑 Black powder coated				镀沙铬 Gray chrome plating					
锁片类别 cam tpyes	H1	H2	L	专用锁芯 key conbination	K751锁芯 K751 insert	产品单重(g) Weight	装箱数 Lot	十字槽芯 Tool-secured	产品单重(g) Weight	装箱数 Lot	无锁芯 w/o key	产品单重(g) Weight	装箱数 Lot
拉杆平片 Height=0	31~41		30	MS106-1-1.3	MS106-2-1.3	230	100	MS106-3-1.3	219	100	MS106-4-1.3	200	100
折高4.5片 Height=4.5	26~36	36~46	34.5	MS106-1-2.3	MS106-2-2.3	230	100	MS106-3-2.3	219	100	MS106-4-2.3	200	100
折高15.5片 Height=15.5	16~26	46~56	34.5	MS106-1-3.3	MS106-2-3.3	230	100	MS106-3-3.3	219	100	MS106-4-3.3	200	100
折高25片 Height=25	6~16	56~66	34.5	MS106-1-4.3	MS106-2-4.3	230	100	MS106-3-4.3	219	100	MS106-4-4.3	200	100

压缩旋转式平面锁 Compression Rotary Plane Lock




■开孔尺寸 Cut Out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS106-1A-2	197.6	100

压缩旋转式平面锁 Compression Rotary Plane Lock



■开孔尺寸 Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS106-5-1		

MS106-1A-2

RL　IP54



MS106-1A-2

- 材质：锌合金锁壳，锁盖，A3安装板，锁片，螺杆
- 表面处理：喷无光黑
- 结构功能：快速开启，安装方便快捷，调节螺母可适用各种止口范围，有伸缩功能。
- 适用门板厚度：1~2.5
- Material:zinc alloy for the housing and lock back,A3 for the mounting plate , cam and screw.
- Finish:matt black.
- Funtion:quick unlocking ,easy installing, with auto scaling ,adjust the screw to enable the hinge to the whole range of seam allowance.
- Panel thickness:1-2.5mm

MS106-5-1

RL　IP54



可定制产品
Customizable products

- 材质：锌合金锁壳，锁盖，A3安装板，锁片，螺杆
- 表面处理：喷无光黑
- 结构功能：快速开启，安装方便快捷，调节螺母可适用各种止口范围，有伸缩功能。
- 适用门板厚度：1~6
- Material:zinc alloy for the housing and lock back,A3 for the mounting plate , cam and screw.
- Finish:matt black.
- Funtion:quick unlocking ,easy installing, with auto scaling ,adjust the screw to enable the hinge to the whole range of seam allowance.
- Panel thickness:1-6mm

MS606

压缩杠杆式平面锁 Compression Lever Plane Lock




MS606–1–1





MS606–1–2



MS606–1–2P








基本尺寸 Dimensions			产品型号及特性 Product Number												
H1	H2	锁背类别 handle types	K332 (常规芯)	K333(A)	产品单重(g) Weight	装箱数 Lot	无锁芯平按钮 no locking, flush trigger	产品单重(g) Weight	装箱数 Lot	无锁芯按钮 no locking raised trigger	产品单重(g) Weight	装箱数 Lot	三角芯按钮 no locking raised trigger	产品单重(g) Weight	装箱数 Lot
48.5	14~37	大锁背 Long arm	MS606–1–1	MS606–1–1A	220	100	MS606–1–2P	210	100	MS606–1–2	215	100	MS6061–3–1	215	100
27.5	0~16	小锁背 Short arm	MS606–2–1	MS606–2–1A	215	100	MS606–2–2P	205	100	MS606–2–2	210	100	MS6061–3–2	210	100

- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：镀亮铬 ,喷无光黑
- 适用门板厚度：1~5mm
- Material:Zinc die–casting body, Zinc plating cam、fixing parts
- Finish: Bright chrome plating Black powder coated
- Panel thickness:1~5mm

按压杠杆式平面锁 Press lever type planar lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS612–1–1	240	100

MS612–1–1






- 材质：锌合金锁体、锁背、按钮,A3锁舌，安装板
- 表面处理：喷沙纹黑
- 适用门板厚度：1~2mm
- Material : zinc alloy body 、steel tone and mounting plate
- Finish :matt black
- Pmel thinkness:1~2mm

MS6018Z-2-1

压缩杠杆式平面锁 Compression Lever Plane Lock

IP 65





- 材质：锌合金锁壳，锁背，按钮，定位杆,A3安装板
- 表面处理：镀亮铬，喷沙纹黑
- 结构功能：快速开启，安装方便快捷，
- 调节螺母可适用各种止口范围
- 适用门板厚度：1~6mm.
- Material:zinc alloy for the housing,handle, button and top lever,A3 for the mounting plate.
- Finish:bright chrome or sand grain black.
- Funtion:quick unlocking,easy installing, with auto scaling,adjust the screw to enable the hinge to the whole range of seam allowance.
- Panel thickness:1~6mm.


型号 Product no.	锁芯 Insert	产品单重(g) Weight	装箱数 Lot
MS6018Z-2-1	CH510	290	100
MS6018Z-2-1A	CH751	289.5	100

MS6018Z-1-1

压缩杠杆式平面锁 Compression Lever Plane Lock

IP 65







- 材质：锌合金锁壳，锁背，按钮，定位杆,A3安装板
- 表面处理：镀亮铬，喷沙纹黑
- 结构功能：快速开启，安装方便快捷，调节螺母可适用各种止口范围
- 适用门板厚度：1-6mm.
- Material:zinc alloy for the housing, handle,button and top lever,A3 for the mounting plate.
- Finish:bright chrome or sand grain black.
- Funtion:quick unlocking,easy installing,with auto scaling,adjust the screw to enable the hinge to the whole range of seam allowance.
- Panel thickness:1-6mm.

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS6018Z-1-1	537.5	40

压缩杠杆式平面锁 Compression Lever Plane Lock





MS609

IP 54



MS609-1-1



MS609-1-2

基本尺寸 Dimensions		产品型号及特性 Product Number					
H1	H2	有锁芯 With key	产品单重(g) Weight	装箱数 Lot	无锁芯 w/o key	产品单重(g) Weight	装箱数 Lot
21	0-15	MS609-1-1	357	50	MS609-1-2	350	50
52	30-45	MS609-1A-1	357	50	MS609-1A-2	350	50
67	45-60	MS609-1B-1	357	50	MS609-1B-2	350	50
35	15-30	MS609-1D-1	357	50	MS609-1D-2	350	50


- 材质：锌合金锁壳、锁背，镀锌压板
- 表面处理:喷无光黑
- 适用门板厚度：1~5mm
- Material:Zinc die-casting
- Finish: Black powder coated
- Panel thickness:1~5mm

AB2011Z–1–1

按压杠杆式平面锁 Press Lever Plane Lock



客户定制产品
customized product



- ●材质:锌合金锁体，碳钢安装帽、锁片
- ●表面处理：镀沙铬,配件镀蓝白锌
- ●适用门板厚：1~2mm
- ●结构功能：按下按钮，手柄弹起45°，实现开启或锁闭功能。
- ●备注：锁片翻转180，实现左右开门.(适用于平锁片）
- ●Material:zinc alloy for the housing, lock back,steel cam assemble ing plate .
- ●Finish:gray chrome plating for the body, blue–white zinc plating for the accessories.
- ●Panel thickness:1~2mm
- ●Funtion:when press the button,the handle pop up 45° angle to lock and unlock.
- ●Remark:180° reversal of the horizontal cam to right or left opening.


产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
有锁芯 with key	AB2011Z–1–1	249.5	50
无锁芯 w/o key	AB2011Z–1–2	242.5	50

AB2012Z–1–1

按压杠杆式平面锁 Press Lever Plane Lock



客户定制产品
customized product



- ●材质:锌合金锁体，碳钢安装帽、锁片
- ●表面处理：镀沙铬,配件镀蓝白锌
- ●适用门板厚：1~2mm
- ●结构功能：按下按钮，手柄弹起45°，实现开启或锁闭功能。
- ●备注：锁片翻转180° ，实现左右开门.(适用于平锁片）
- ●Material:zinc alloy for the housing, lock back,steel cam assemble ing plate .
- ●Finish:gray chrome plating for the body, blue–white zinc plating for the accessories.
- ●Panel thickness:1~2mm
- ●Funtion:when press the button,the handle pop up 45° angle to lock and unlock.
- ●Remark:180° reversal of the horizontal cam to right or left opening.


产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
有锁芯 with key	AB2012Z–1–1	257.4	80
无锁芯 w/o key	AB2012Z–1–2	257.2	80

按压杠杆式平面锁 Press Lever Plane Lock

AB2013Z–1–1



客户定制产品
customized product





- ●材质:锌合金锁体，碳钢安装帽、锁片
- ●表面处理：镀沙铬,配件镀蓝白锌
- ●适用门板厚：1~2mm
- ●结构功能：按下按钮，手柄弹起45°，实现开启或锁闭功能。
- ●备注：锁片翻转180° ，实现左右开门.(适用于平锁片）
- ●Material:zinc alloy for the housing, lock back,steel cam assemble ing plate .
- ●Finish:gray chrome plating for the body, blue–white zinc plating for the accessories.
- ●Panel thickness:1~2mm
- ●Funtion:when press the button, the handle pop up 45° angle to lock and unlock.
- ●Remark:180° reversal of the horizontal cam to right or left opening.

产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
有锁芯 with key	AB2013Z–1–1	222.3	80
无锁芯 w/o key	AB2013Z–1–2	218.7	80

按压杠杆式平面锁 Press Lever Plane Lock

MS504–1–1





- ● 材质：锌合金锁体、镀锌压板、锁片
- ● 表面处理：镀沙铬
- ● 适用门板厚度：1~3mm
- ●备注：锁片翻转180° ，实现左右开门.(适用于平锁片）
- ● Material:Zinc die–casting body, Zinc plating cam、fixing parts
- ● Finish: Gray chrome plating
- ● Panel thickness:1~3mm
- ●Remark:180° reversal of the horizontal cam to right or left opening.


表面处理方法 Finish	产品型号及特性 Product Number								
	K0510	产品单重(g) Weight	装箱数 Lot	方孔芯	产品单重(g) Weight	装箱数 Lot	无锁芯	产品单重(g) Weight	装箱数 Lot
镀沙铬 Gray chrome plating	MS504–1–1.2	210	150	MS504–1–1A.2	213	150	MS504–1–2.2	207	150
喷无光黑 Black powder coated	MS504–1–1.3	210	150	MS504–1–1A.3	213	150	MS504–1–2.3	207	150

MS501–2–1

按压杠杆式平面锁 Press Lever Plane Lock

RL






- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~3mm
- 备注:锁片有左右之分
- Material:Zinc die–casting body, Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~3mm
- Remark:Left cam and right cam are available

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS501–2–1L	320	100
MS501–2–1R	320	100

按压杠杆式平面锁 Press Lever Plane Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS502–1–1L	313	100
MS502–1–1R	313	100

MS502–1–1

RL




- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：喷沙镀铬
- 适用门板厚度：1~3mm
- 备注:锁片有左右之分;
- Material:Zinc die–casting body, Zinc plating cam、fixing parts
- Finish: Pocked chrome plating
- Panel thickness:1~3mm
- Remark:Left cam and right cam are available

MS506

按压杠杆式平面锁 Press Lever Plane Lock

RL






- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：喷沙镀铬
- 适用门板厚度：1~3mm
- 备注：锁片有左右之分
- Material:Zinc die–casting body, M.S.Zinc plating cam、fixing parts
- Finish: Pocked chrome plating
- Panel thickness:1~3mm
- Remark:Left cam and right cam are available

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS506	120	200

按压杠杆式平面锁 Press Lever Plane Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS701	315	60

MS701

RL




- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：喷沙镀铬
- 适用门板厚度：1~3mm
- Material:Zinc die–casting body Zinc plating cam、fixing parts
- Finish: Pocked chrome plating
- Panel thickness:1~3mm

MS503


按压杠杆式平面锁 Press Lever Plane Lock

RL





■开孔尺寸
Cut Out



- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~3mm
- 备注：锁片有左右之分
- Material:Zinc die-casting body, Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~3mm
- Remark:Left cam and right cam are available


产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
圆按钮 (锌合金) circinal push button (zinc die-casting)	MS503-1-2L	145	200
	MS503-1-2R	145	200

MS503


按压杠杆式平面锁 Press Lever Plane Lock

RL






■开孔尺寸
Cut Out




- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~3mm
- 备注：锁片有左右之分
- Material:Zinc die-casting body, Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~3mm
- Remark:Left cam and right cam are available

产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
红按钮 (塑料) red button (plastic)	MS503-1-2AL	121	200
	MS503-1-2AR	121	200

按压杠杆式平面锁 Press Lever Plane Lock



■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS503-1-1L	143.5	200
MS503-1-1R	143.5	200


MS503

RL




- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：喷沙镀铬
- 适用门板厚度：1~3mm
- 备注：锁片有左右之分
- Material:Zinc die-casting body, Zinc plating cam、fixing parts
- Finish: Pocked chrome plating
- Panel thickness:1~3mm
- Remark:Left cam and right cam are available

按压杠杆式平面锁 Press Lever Plane Lock



■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS510-1-1	110	200
MS510-1-2	105	200

MS510

RL



MS510-1-1 MS510-1-2


- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：镀亮铬 ,仿沙铬喷漆
- 适用门板厚度：1~20mm
- 备注:折弯锁片有左右之分
- Material:Zinc die-casting body, Zinc plating cam、fixing parts
- Finish: Bright chrome plating, Gray spray paint
- Panel thickness:1~20mm
- Remark:Left cam and right cam are available

MS510-1-2A


按压杠杆式平面锁 Press Lever Plane Lock

RL






■开孔尺寸
Cut Out




- 材质：ABS锁体、镀锌压板、锁片
- 表面处理：喷漆灰
- 适用门板厚度：1~20mm
- 备注:折弯锁片有左右之分
- Material:ABS lock body, galvanized plate,lock plate
- Finish: Gray spray paint
- Panel thickness:1~20mm
- Remark:Left cam and right cam are available

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS510-1-2A	36	500

按压杠杆式平面锁 Press Lever Plane Lock



■开孔尺寸
Cut Out



基本尺寸 Dimensions							产品型号及特性 Product Number					
L1	L2	L3	B1	B2	L1	L2	有锁芯 With key	产品单重(g) Weight	装箱数 Lot	无锁芯 w/o key	产品单重(g) Weight	装箱数 Lot
115	103.5	94	28	23	66	39.5	MS507-1-1	175	100	MS507-1-2	180	100
82	70	62.5	23	17.5	47	21.5	MS507-2-1	90	300	MS507-2-2	95	300

MS507

RL



MS507-1-1 MS507-1-2



MS507-2-2 MS507-2-1


- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~3mm
- Material:Zinc die-casting body, Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~3mm

MS510-2-2


按压杠杆式平面锁 Press Lever Plane Lock

RL






■开孔尺寸
Cut Out




- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~20mm
- 备注:折弯锁片有左右之分
- Material:Zinc die-casting body, Zinc plating cam、fixing parts
- Finish: Bright chrome plating, Gray spray paint
- Panel thickness:1~20mm
- Remark:Left cam and right cam are available


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS510-2-2	76	240

按压杠杆式平面锁 Press Lever Plane Lock





■开孔尺寸
Cut Out



产品型号及特性 Product Number			产品单重(g) Weight	装箱数 Lot
白按钮 White button	有锁芯 with key	MS502-2-1W	149	100
	无锁芯 w/o key	MS502-2-2W	149	100
红按钮 Red button	有锁芯 with key	MS502-2-1R	149	100
	无锁芯 w/o key	MS502-2-2R	149	100

MS502

RL



MS502-2-1R MS502-2-1W



MS502-2-2W MS502-2-2R

- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：喷沙镀铬
- 适用门板厚度：1~3mm
- Material:Zinc die-casting body, Zinc plating cam
- Finish: Pocked chrome plating
- Panel thickness:1~3mm

MS601

按压杠杆式平面锁 Press Lever Plane Lock

RL




K6060

MS601-3-1



MS601-3-2

- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：喷沙镀铬
- 适用门板厚度：1~3mm
- Material:Zinc die-casting body Zinc plating cam、fixing parts
- Finish: Pocked chrome plating
- Panel thickness:1~3mm



产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
有锁芯 With key	MS601-3-1	103	200
无锁芯 w/o key	MS601-3-2	99.5	200

MS602-3-1


按压杠杆式平面锁 Press Lever Plane Lock

RL



K6060

- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：喷沙镀铬
- 适用门板厚度：1~3mm
- Material:Zinc die-casting body, Zinc plating cam、fixing parts
- Finish: Pocked chrome plating
- Panel thickness:1~3mm



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS602-3-1	104	200

MS603-2A

按压杠杆式平面锁 Press Lever Plane Lock

RL NEW



MS603-2A-1W



K6060


MS603-2A-1R




MS603-2A-2W



MS603-2A-2R



有锁芯 with key



无锁芯 w/o key

产品型号及特性 Product Number			产品单重(g) Weight	装箱数 Lot
白按钮(锌合金) White button	有锁芯 with key	MS603-2A-1W	120	200
	无锁芯 w/o key	MS603-2A-2W	115	200
红按钮（塑料） Red button	有锁芯 with key	MS603-2A-1R	112	200
	无锁芯 w/o key	MS603-2A-2R	112	200

- 材质：锌合金锁壳，锁背，ABS红色按钮，碳钢锁片.
- 表面处理：喷砂镀亮铬.
- 结构功能：快速开启，安装方便快捷；
- 适用门板厚度：1~3mm.
- 备注：锁片翻转180°，实现左右开门.(适用于平锁片）
- Material: Zinc alloy ,ABS red Push bottom ,steel cam.
- Finish: pocked chrome plated.
- Panel thickness:1~3mm.
- Remark:180° reversal of the horizontal camto right or left opening.

MS603-3

按压杠杆式平面锁 Press Lever Plane Lock


RL



MS603-3-1R MS603-3-2R



MS603-3-1W MS603-3-2W



- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：喷沙镀铬
- 适用门板厚度：1~3mm
- Material:Zinc die-casting body, Zinc plating cam、fixing parts
- Finish: Pocked chrome plating
- Panel thickness:1~3mm

产品型号及特性 Product Number			产品单重(g) Weight	装箱数 Lot
白按钮(锌合金) White button	有锁芯 with key	MS603-3-1W	104	200
	无锁芯 w/o key	MS603-3-2W	89.5	200
红按钮（塑料） Red button	有锁芯 with key	MS603-3-1R	82	200
	无锁芯 w/o key	MS603-3-2R	82	200

MS6003


按压杠杆式平面锁 Press Lever Plane Lock



MS6003Z-2-1




MS6003Z-2-2





- 材质：锌合金锁体，镀锌锁片
- 表面处理:喷沙镀铬
- 适用门板厚度：1~3mm
- material: zinc alloy lock galvanized cam
- Finish: Pocked chrome plating
- Panel thickness:1~3mm

产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
有锁芯 With key	MS6003Z-2-1	135	200
无锁芯 w/o key	MS6003Z-2-2	134	200

按压杠杆式平面锁 Press Lever Plane Lock







产品型号及特性 Product Number					
有锁芯 With key	产品单重(g) Weight	装箱数 Lot	无锁芯 w/o key	产品单重(g) Weight	装箱数 Lot
MS610-1-1	219	100	MS610-1-2	220	50
MS610-2-1	115	200	MS610-2-2	113	100
MS610-3-1	98	200	MS610-3-2	96	200

MS610

RL



MS610-1-1



MS610-2-1



MS610-3-1



MS610-3-2

- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：镀沙铬
- 适用门板厚度：1~3mm
- 备注:折弯锁片有左右之分
- Material:Zinc die-casting body, Zinc plating cam、fixing parts
- Finish: Gray chrome plating
- Panel thickness:1~3mm
- Remark:Left cam and right cam are available


AB2015Z-1-1

按压杠杆式平面锁 Press Lever Plane Lock

RL



客户定制产品
customized product




- ●材质:锌合金锁体，碳钢安装帽、锁片
- ●表面处理：镀沙铬,配件镀蓝白锌
- ●适用门板厚：1~2mm
- ●备注：锁片翻转180°，实现左右开门.(适用于平锁片）
- ●Material:zinc alloy for the housing, lock back,steel cam assemble ing plate .
- ●Finish:gray chrome plating for the body,blue-white zinc plating for the accessories.
- ●Panel thickness:1~2mm
- ●Remark:180° reversal of the horizontal camto right or left opening.

型号 Product no.	产品单重(g) Weight	装箱数 Lot
AB2015Z-1-1	69.3	250

MS703

按压杠杆式平面锁 Press Lever Plane Lock







- ● 材质：锌合金锁体、镀锌压板、锁片
- ● 表面处理：镀亮铬
- ● 适用门板厚度：1~3mm
- ● 备注:折弯锁片有左右之分
- ● Material:Zinc die-casting body, Zinc plating cam、fixing parts
- ● Finish: Bright chrome plating
- ● Panel thickness:1~3mm
- ● Remark:Left cam and right cam are available

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS703	153	100


按压杠杆式平面锁 Press Lever Plane Lock



MSZ-01



MSZ-02



MSZ-03

型号 Producut no.	产品单重(g) Weight	装箱数 Lot
MSZ-01	573	24
MSZ-02	303	100
MSZ-03	207.5	100


MSZ



MSZ-01



MSZ-02




MSZ-03


- ● 材质：锌合金锁体、镀锌锁片、压板
- ● 表面处理:镀亮铬
- ● 备注：中置柜门锁铰链
- ● material: zinc alloy lock, galvanized steel bolt, Pressure plate
- ● Finish: Bright chrome plated
- ● Remark: cabinet door hinge


MS100–3

锁片传动式连杆锁 Cam Drive Rod Control Lock





MS100–3–1E





■开孔尺寸
Cut out






K333


MS100–3–1EN

- 材质: PA锁体，铜转轴或镀锌钢转轴、锁片
- 适用门板厚度：1~3mm
- 备注：转轴后盖有定位和不带定位之分，锁片开孔□8×8
- Material:PA body,brass or steel shaft and cam
- Panel thickness:1~3mm
- Remark:shaft cover can be with or without stopper plat are available. cam cutout □8×8


产品型号及特性 Product Number						
单点式门锁（带锁片，不带拉杆）one point lock(with cam,without rod)						
转角Rotation angle	有防水盖 with	产品单重(g) Weight	装箱数 Lot	无防水盖 without	产品单重(g) Weight	装箱数 Lot
360°	MS100–3–1E	260	50	MS100–3–1EN		50
顺时针（CW)90°	MS100–3–1EL	260	50	MS100–3–1ELN		50
逆时针（ACW)90°	MS100–3–1ER	260	50	MS100–3–1ERN		50


锁片传动式连杆锁 Cam Drive Rod Control Lock






■开孔尺寸
Cut out






产品型号及特性 Product Number						
单点式门锁（带锁片，带挂锁扣装置）one point lock(with cam, without rod, padlock devic)						
转角Rotation angle	有防水盖 with	产品单重(g) Weight	装箱数 Lot	无防水盖 without	产品单重(g) Weight	装箱数 Lot
360°	MS100–3–1EG		50	MS100–3–1EGN		50
顺时针（CW)90°	MS100–3–1EGL		50	MS100–3–1EGLN		50
逆时针（ACW)90°	MS100–3–1EGR		50	MS100–3–1EGRN		50

MS100–3



MS100–3–1EG



K333

MS100–3–1EGN

- 材质: PA锁体，铜转轴或镀锌钢转轴、锁片
- 适用门板厚度：1~3mm
- 备注：转轴后盖有定位和不带定位之分，锁片开孔□8×8
- Material:PA body,brass or steel shaft and cam
- Panel thickness:1~3mm
- Remark:shaft cover can be with or without stopper plat are available. cam cutout □8×8

MS100–3

齿轮传动式连杆锁 Gear Drive Rod Control Lock




MS100–3–3E





MS100–3–3EN

- 材质：PA锁体，铜转轴，或镀锌钢转轴、锁片，喷砂镀亮铬齿条
- 表面处理：黑色沙纹面
- 适用门板厚度：2mm
- 备注：锁片开孔□8×8
- Material: PA body,brass shaft, Zinc plating shaft,cam. sand bright chrome plating rack
- Finish :Matt black
- Panel thickness:1~3mm
- Remark: cam cutout □8×8




■开孔尺寸
Cut out







产品型号及特性 Product Number							
双点式门锁（带拉杆，不带锁片） two point lock(with rod,without cam)		产品单重(g) Weight	装箱数 Lot	三点式门锁（带锁片，带拉杆） three point lock(with cam and rod)		产品单重(g) Weight	装箱数 Lot
有防水盖 with	MS100–3–2E	382	50	有防水盖 with	MS100–3–3E	402	50
无防水盖 without	MS100–3–2EN		50	无防水盖 without	MS100–3–3EN		50

齿轮传动式连杆锁 Gear Drive Rod Control Lock



■开孔尺寸
Cut out





产品型号及特性 Product Number							
带挂锁扣装置(padlock device)							
双点式门锁（带拉杆，不带锁片） two point lock(with rod,without cam)		产品单重(g) Weight	装箱数 Lot	三点式门锁（带锁片，带拉杆） three point lock(with cam and rod)		产品单重(g) Weight	装箱数 Lot
有防水盖 with	MS100–3–2EG		50	有防水盖 with	MS100–3–3EG		50
无防水盖 without	MS100–3–2EGN		50	无防水盖 without	MS100–3–3EGN		50

MS100–3



MS100–3–3EG




MS100–3–3EGN


- 材质：PA锁体，铜转轴，或镀锌钢转轴、锁片，喷砂镀亮铬齿条
- 表面处理：黑色沙纹面
- 适用门板厚度：2mm
- 备注：锁片开孔□8×8
- Material: PA body,brass shaft, Zinc plating shaft,cam. sand bright chrome plating rack
- Finish :Matt black
- Panel thickness:1~3mm
- Remark: cam cutout □8×8

MS100–3

锁片传动式连杆锁 Cam Drive Rod Control Lock




MS100–3–1B




MS100–3–1BN

- 材质：PA锁体，锌合金转轴，镀锌锁片，喷砂镀亮铬齿条
- 适用门板厚度：2mm
- 表面处理：黑色沙纹面
- 锁片开孔:□8×8
- 备注：转轴后盖有带定位和不带定位之分
- Material:PA body、Zinc alloy shaft Zinc plating cam、sand bright chrome plating rack
- Panel thickness:2mm
- Finish: Matt black
- cam cutout: □8×8
- Remark:shaft cover can be with or without stopper plat are available.




■开孔尺寸
Cut out



锁芯类别 Insert types	产品型号及特性 Product Number	单点式门锁（带锁片，不带拉杆） one point lock(with cam,without rod)					
	转角Rotation angle	有防水盖 with	产品单重(g) Weight	装箱数 Lot	无防水盖 without	产品单重(g) Weight	装箱数 Lot
K0100(A)	360°	MS100–3–1A		50	MS100–3–1AN		50
	顺时针（CW)90°	MS100–3–1AL		50	MS100–3–1ALN		50
	逆时针（ACW)90°	MS100–3–1AR		50	MS100–3–1ARN		50
K0133(B)	360°	MS100–3–1B		50	MS100–3–1BN		50
	顺时针（CW)90°	MS100–3–1BL		50	MS100–3–1BLN		50
	逆时针（ACW)90°	MS100–3–1BR		50	MS100–3–1BRN		50
K7010(C)	360°	MS100–3–1C		50	MS100–3–1CN		50
	顺时针（CW)90°	MS100–3–1CL		50	MS100–3–1CLN		50
	逆时针（ACW)90°	MS100–3–1CR		50	MS100–3–1CRN		50
K7030(D)	360°	MS100–3–1D		50	MS100–3–1DN		50
	顺时针（CW)90°	MS100–3–1DL		50	MS100–3–1DLN		50
	逆时针（ACW)90°	MS100–3–1DR		50	MS100–3–1DRN		50


MS100–3


锁片传动式连杆锁 Cam Drive Rod Control Lock



■开孔尺寸
Cut out


有防水盖 with






锁芯类别 Insert types	产品型号及特性 Product Number	单点式门锁（带锁片，带挂锁扣装置） one point lock(with cam, without rod, padlock devic)					
	转角Rotation angle	有防水盖 with	产品单重(g) Weight	装箱数 Lot	无防水盖 without	产品单重(g) Weight	装箱数 Lot
K0100(A)	360°	MS100–3–1AG		50	MS100–3–1AGN		50
	顺时针（CW)90°	MS100–3–1AGL		50	MS100–3–1AGLN		50
	逆时针（ACW)90°	MS100–3–1AGR		50	MS100–3–1AGRN		50
K0133(B)	360°	MS100–3–1BG		50	MS100–3–1BGN		50
	顺时针（CW)90°	MS100–3–1BGL		50	MS100–3–1BGLN		50
	逆时针（ACW)90°	MS100–3–1BGR		50	MS100–3–1BGRN		50
K7010(C)	360°	MS100–3–1GC		50	MS100–3–1CGN		50
	顺时针（CW)90°	MS100–3–1CGL		50	MS100–3–1CGLN		50
	逆时针（ACW)90°	MS100–3–1CGR		50	MS100–3–1CGRN		50
K7030(D)	360°	MS100–3–1GD		50	MS100–3–1DGN		50
	顺时针（CW)90°	MS100–3–1DGL		50	MS100–3–1DGLN		50
	逆时针（ACW)90°	MS100–3–1DGR		50	MS100–3–1DGRN		50

MS100–3



MS100–3–1BG



MS100–3–1BGN

- 材质：PA锁体，锌合金转轴，镀锌锁片，喷砂镀亮铬齿条
- 适用门板厚度：2mm
- 表面处理：黑色沙纹面
- 锁片开孔:□8×8
- 备注：转轴后盖有带定位和不带定位之分
- Material:PA body、Zinc alloy shaft Zinc plating cam、sand bright chrome plating rack
- Panel thickness:2mm
- Finish: Matt black
- cam cutout: □8×8
- Remark:shaft cover can be with or without stopper plat are available.

MS100–3

齿轮传动式连杆锁 Gear Drive Rod Control Lock




MS100–3–2B




MS100–3–2BN

- 材质：PA锁体，铜转轴，或镀锌钢转轴、锁片，喷砂镀亮铬齿条
- 表面处理：黑色沙纹面
- 适用门板厚度：2mm
- 备注：锁片开孔□8×8
- Material: PA body,brass shaft, Zinc plating shaft,cam. sand bright chrome plating rack
- Finish :Matt black
- Panel thickness:1~3mm
- Remark: cam cutout □8×8



产品型号及特性 Product Number						
双点式门锁（带拉杆，不带锁片）two point lock(with rod,without cam)						
锁芯类别 Insert types	有防水盖 with	产品单重(g) Weight	装箱数 Lot	无防水盖 without	产品单重(g) Weight	装箱数 Lot
K0100(A)	MS100–3–2A		50	MS100–3–2AN		50
K0133(B)	MS100–3–2B		50	MS100–3–2BN		50
K0710(C)	MS100–3–2C		50	MS100–3–2CN		50
K0730(D)	MS100–3–2D		50	MS100–3–2DN		50

齿轮传动式连杆锁 Gear Drive Rod Control Lock



产品型号及特性 Product Number						
带挂锁扣装置(padlock device)						
双点式门锁（带拉杆，不带锁片）two point lock(with rod,without cam)						
锁芯类别 Insert types	有防水盖 with	产品单重(g) Weight	装箱数 Lot	无防水盖 without	产品单重(g) Weight	装箱数 Lot
K0100(A)	MS100–3–2AG		50	MS100–3–2AGN		50
K0133(B)	MS100–3–2BG		50	MS100–3–2BGN		50
K0710(C)	MS100–3–2CG		50	MS100–3–2CGN		50
K0730(D)	MS100–3–2DG		50	MS100–3–2DGN		50

MS100–3



MS100–3–2BG




MS100–3–2BGN

- 材质：PA锁体，铜转轴，或镀锌钢转轴、锁片，喷砂镀亮铬齿条
- 表面处理：黑色沙纹面
- 适用门板厚度：2mm
- 备注：锁片开孔□8×8
- Material: PA body,brass shaft, Zinc plating shaft,cam. sand bright chrome plating rack
- Finish :Matt black
- Panel thickness:1~3mm
- Remark: cam cutout □8×8

MS100–3

齿轮传动式连杆锁 Gear Drive Rod Control Lock




MS100–3–3B




MS100–3–3BN

- 材质：PA锁体，铜转轴，或镀锌钢转轴、锁片，喷砂镀亮铬齿条
- 表面处理：黑色沙纹面
- 适用门板厚度：2mm
- 备注：锁片开孔□8×8
- Material: PA body,brass shaft, Zinc plating shaft,cam. sand bright chrome plating rack
- Finish :Matt black
- Panel thickness:1~3mm
- Remark: cam cutout □8×8




产品型号及特性 Product Number						
三点式门锁（带锁片，带拉杆）three point lock(with cam and rod)						
锁芯类别 Insert types	有防水盖 with	产品单重(g) Weight	装箱数 Lot	无防水盖 without	产品单重(g) Weight	装箱数 Lot
K0100(A)	MS100–3–3A		50	MS100–3–3AN		50
K0133(B)	MS100–3–3B		50	MS100–3–3BN		50
K0710(C)	MS100–3–3C		50	MS100–3–3CN		50
K0730(D)	MS100–3–3D		50	MS100–3–3DN		50

齿轮传动式连杆锁 Gear Drive Rod Control Lock



产品型号及特性 Product Number						
带挂锁扣装置(padlock device)						
三点式门锁（带锁片，带拉杆）three point lock(with cam and rod)						
锁芯类别 Insert types	有防水盖 with	产品单重(g) Weight	装箱数 Lot	无防水盖 without	产品单重(g) Weight	装箱数 Lot
K0100（A）	MS100–3–3AG		50	MS100–3–3AGN		50
K0133（B）	MS100–3–3BG		50	MS100–3–3BGN		50
K0710（C）	MS100–3–3CG		50	MS100–3–3CGN		50
K0730（D）	MS100–3–3DG		50	MS100–3–3DGN		50

MS100–3



MS100–3–3BG




MS100–3–3BGN

- 材质：PA锁体，铜转轴，或镀锌钢转轴、锁片，喷砂镀亮铬齿条
- 表面处理：黑色沙纹面
- 适用门板厚度：2mm
- 备注：锁片开孔□8×8
- Material: PA body,brass shaft, Zinc plating shaft,cam. sand bright chrome plating rack
- Finish :Matt black
- Panel thickness:1~3mm
- Remark: cam cutout □8×8

MS100–3A


锁片传动式连杆锁 Cam Drive Rod Control Lock




MS100–3A–1E



MS100–3A–1EN




■开孔尺寸
Cut out




产品型号及特性 Product Number						
单点式门锁（带锁片，不带拉杆）one point lock(with cam,without rod)						
转角Rotation angle	有防水盖 with	产品单重(g) Weight	装箱数 Lot	无防水盖 without	产品单重(g) Weight	装箱数 Lot
360°	MS100–3A–1E		50	MS100–3A–1EN		50
顺时针（CW)90°	MS100–3A–1EL		50	MS100–3A–1ELN		50
逆时针（ACW)90°	MS100–3A–1ER		50	MS100–3A–1ERN		50


- 材质：PA锁体，锌合金转轴，镀锌锁片，喷砂镀亮铬齿条
- 适用门板厚度：2mm
- 表面处理：黑色沙纹面
- 锁片开孔:□8×8
- 备注：转轴后盖有带定位和不带定位之分
- Material:PA body、Zinc alloy shaft Zinc plating cam、sand bright chrome plating rack
- Panel thickness:2mm
- Finish: Matt black
- cam cutout: □8×8
- Remark:shaft cover can be with or without stopper plat are available.

锁片传动式连杆锁 Cam Drive Rod Control Lock




■开孔尺寸
Cut out






产品型号及特性 Product Number						
单点式门锁（带锁片，带挂锁扣装置）one point lock(with cam, without rod, padlock devic)						
转角Rotation angle	有防水盖 with	产品单重(g) Weight	装箱数 Lot	无防水盖 without	产品单重(g) Weight	装箱数 Lot
360°	MS100–3A–1EG		50	MS100–3A–1EGN		50
顺时针（CW)90°	MS100–3A–1EGL		50	MS100–3A–1EGLN		50
逆时针（ACW)90°	MS100–3A–1EGR		50	MS100–3A–1EGRN		50

MS100–3A



MS100–3A–1EG



MS100–3A–1EGN

- 材质：PA锁体，锌合金转轴，镀锌锁片，喷砂镀亮铬齿条
- 适用门板厚度：2mm
- 表面处理：黑色沙纹面
- 锁片开孔:□8×8
- 备注：转轴后盖有带定位和不带定位之分
- Material:PA body、Zinc alloy shaft Zinc plating cam、sand bright chrome plating rack
- Panel thickness:2mm
- Finish: Matt black
- cam cutout: □8×8
- Remark:shaft cover can be with or without stopper plat are available.

MS100–3A

齿轮传动式连杆锁 Gear Drive Rod Control Lock



MS100–3A–3E







K333


MS100–3A–3EN


- 材质：PA锁体，铜转轴，或镀锌钢转轴、锁片，喷砂镀亮铬齿条
- 表面处理：黑色沙纹面
- 适用门板厚度：2mm
- 备注：锁片开孔□8×8
- Material: PA body,brass shaft, Zinc plating shaft,cam. sand bright chrome plating rack
- Finish :Matt black
- Panel thickness:1~3mm
- Remark: cam cutout □8×8





■开孔尺寸
Cut out





产品型号及特性 Product Number							
双点式门锁（带拉杆，不带锁片） two point lock(with rod,without cam)		产品单重(g) Weight	装箱数 Lot	三点式门锁（带锁片，带拉杆） three point lock(with cam and rod)		产品单重(g) Weight	装箱数 Lot
有防水盖 with	MS100–3A–2E		50	有防水盖 with	MS100–3A–3E		50
无防水盖 without	MS100–3A–2EN		50	无防水盖 without	MS100–3A–3EN		50

齿轮传动式连杆锁 Gear Drive Rod Control Lock

MS100–3A




MS100–3A–3EG




K333


MS100–3A–3EGN


- 材质：PA锁体，铜转轴，或镀锌钢转轴、锁片，喷砂镀亮铬齿条
- 表面处理：黑色沙纹面
- 适用门板厚度：2mm
- 备注：锁片开孔□8×8
- Material: PA body,brass shaft, Zinc plating shaft,cam. sand bright chrome plating rack
- Finish :Matt black
- Panel thickness:1~3mm
- Remark: cam cutout □8×8





■开孔尺寸
Cut out







产品型号及特性 Product Number							
带挂锁扣装置(padlock device)							
双点式门锁（带拉杆，不带锁片） two point lock(with rod,without cam)		产品单重(g) Weight	装箱数 Lot	三点式门锁（带锁片，带拉杆） three point lock(with cam and rod)		产品单重(g) Weight	装箱数 Lot
有防水盖 with	MS100–3A–2EG		50	有防水盖 with	MS100–3A–3EG		50
无防水盖 without	MS100–3A–2EGN		50	无防水盖 without	MS100–3A–3EGN		50

MS100–3A


锁片传动式连杆锁 Cam Drive Rod Control Lock



MS100–3A–1B




MS100–3A–1BN



锁芯类别 Insert types	产品型号及特性 Product Number	单点式门锁（带锁片，不带拉杆） one point lock(with cam,without rod)					
	转角Rotation angle	有防水盖 with	产品单重(g) Weight	装箱数 Lot	无防水盖 without	产品单重(g) Weight	装箱数 Lot
K0100(A)	360°	MS100–3A–1A		50	MS100–3A–1AN		50
	顺时针（CW)90°	MS100–3A–1AL		50	MS100–3A–1ALN		50
	逆时针（ACW)90°	MS100–3A–1AR		50	MS100–3A–1ARN		50
K0133(B)	360°	MS100–3A–1B		50	MS100–3A–1BN		50
	顺时针（CW)90°	MS100–3A–1BL		50	MS100–3A–1BLN		50
	逆时针（ACW)90°	MS100–3A–1BR		50	MS100–3A–1BRN		50
K7010(C)	360°	MS100–3A–1C		50	MS100–3A–1CN		50
	顺时针（CW)90°	MS100–3A–1CL		50	MS100–3A–1CLN		50
	逆时针（ACW)90°	MS100–3A–1CR		50	MS100–3A–1CRN		50
K7030(D)	360°	MS100–3A–1D		50	MS100–3A–1DN		50
	顺时针（CW)90°	MS100–3A–1DL		50	MS100–3A–1DLN		50
	逆时针（ACW)90°	MS100–3A–1DR		50	MS100–3A–1DRN		50


- 材质：PA锁体，锌合金转轴，镀锌锁片，喷砂镀亮铬齿条
- 适用门板厚度：2mm
- 表面处理：黑色沙纹面
- 锁片开孔:□8×8
- 备注：转轴后盖有带定位和不带定位之分
- Material:PA body、Zinc alloy shaft Zinc plating cam、sand bright chrome plating rack
- Panel thickness:2mm
- Finish: Matt black
- cam cutout: □8×8
- Remark:shaft cover can be with or without stopper plat are available.

锁片传动式连杆锁 Cam Drive Rod Control Lock




锁芯类别 Insert types	产品型号及特性 Product Number	单点式门锁（带锁片，带挂锁扣装置） one point lock(with cam, without rod, padlock devic)					
	转角Rotation angle	有防水盖 with	产品单重(g) Weight	装箱数 Lot	无防水盖 without	产品单重(g) Weight	装箱数 Lot
K0100(A)	360°	MS100–3A–1AG		50	MS100–3A–1AGN		50
	顺时针（CW)90°	MS100–3A–1AGL		50	MS100–3A–1AGLN		50
	逆时针（ACW)90°	MS100–3A–1AGR		50	MS100–3A–1AGRN		50
K0133(B)	360°	MS100–3A–1BG		50	MS100–3A–1BGN		50
	顺时针（CW)90°	MS100–3A–1BGL		50	MS100–3A–1BGLN		50
	逆时针（ACW)90°	MS100–3A–1BGR		50	MS100–3A–1BGRN		50
K7010(C)	360°	MS100–3A–1GC		50	MS100–3A–1CGN		50
	顺时针（CW)90°	MS100–3A–1CGL		50	MS100–3A–1CGLN		50
	逆时针（ACW)90°	MS100–3A–1CGR		50	MS100–3A–1CGRN		50
K7030(D)	360°	MS100–3A–1GD		50	MS100–3A–1DGN		50
	顺时针（CW)90°	MS100–3A–1DGL		50	MS100–3A–1DGLN		50
	逆时针（ACW)90°	MS100–3A–1DGR		50	MS100–3A–1DGRN		50

MS100–3A



MS100–3A–1BG



MS100–3A–1BGN

- 材质：PA锁体，锌合金转轴，镀锌锁片，喷砂镀亮铬齿条
- 适用门板厚度：2mm
- 表面处理：黑色沙纹面
- 锁片开孔:□8×8
- 备注：转轴后盖有带定位和不带定位之分
- Material:PA body、Zinc alloy shaft Zinc plating cam、sand bright chrome plating rack
- Panel thickness:2mm
- Finish: Matt black
- cam cutout: □8×8
- Remark:shaft cover can be with or without stopper plat are available.

MS100–3A


齿轮传动式连杆锁 Gear Drive Rod Control Lock



MS100–3A–2B



MS100–3A–2BN




产品型号及特性 Product Number						
双点式门锁（带拉杆，不带锁片）two point lock(with rod,without cam)						
锁芯类别 Insert types	有防水盖 with	产品单重(g) Weight	装箱数 Lot	无防水盖 without	产品单重(g) Weight	装箱数 Lot
K0100(A)	MS100–3A–2A		50	MS100–3A–2AN		50
K0133(B)	MS100–3A–2B		50	MS100–3A–2BN		50
K0710(C)	MS100–3A–2C		50	MS100–3A–2CN		50
K0730(D)	MS100–3A–2D		50	MS100–3A–2DN		50


- 材质：PA锁体，铜转轴，或镀锌钢转轴、锁片，喷砂镀亮铬齿条
- 表面处理：黑色沙纹面
- 适用门板厚度：2mm
- 备注：锁片开孔□8×8
- Material: PA body,brass shaft, Zinc plating shaft,cam. sand bright chrome plating rack
- Finish :Matt black
- Panel thickness:1~3mm
- Remark: cam cutout □8×8

齿轮传动式连杆锁 Gear Drive Rod Control Lock


MS100–3A



MS100-3A-2BG



MS100–3A–2BGN



产品型号及特性 Product Number						
带挂锁扣装置(padlock device)						
双点式门锁（带拉杆，不带锁片）two point lock(with rod,without cam)						
锁芯类别 Insert types	有防水盖 with	产品单重(g) Weight	装箱数 Lot	无防水盖 without	产品单重(g) Weight	装箱数 Lot
K0100(A)	MS100-3A-2AG		50	MS100–3A–2AGN		50
K0133(B)	MS100-3A-2BG		50	MS100–3A–2BGN		50
K0710(C)	MS100-3A-2CG		50	MS100–3A–2CGN		50
K0730(D)	MS100-3A-2DG		50	MS100–3A–2DGN		50

- 材质：PA锁体，铜转轴，或镀锌钢转轴、锁片，喷砂镀亮铬齿条
- 表面处理：黑色沙纹面
- 适用门板厚度：2mm
- 备注：锁片开孔□8×8
- Material: PA body,brass shaft, Zinc plating shaft,cam. sand bright chrome plating rack
- Finish :Matt black
- Panel thickness:1~3mm
- Remark: cam cutout □8×8

MS100-3A

齿轮传动式连杆锁 Gear Drive Link Lock




MS100-3A-3B




MS100-3A-3BN

- 材质：PA锁体，铜转轴，或镀锌钢转轴、锁片，喷砂镀亮铬齿条
- 表面处理：黑色沙纹面
- 适用门板厚度：2mm
- 备注：锁片开孔□8×8
- Material: PA body,brass shaft, Zinc plating shaft,cam. sand bright chrome plating rack
- Finish :Matt black
- Panel thickness:1~3mm
- Remark: cam cutout □8×8



产品型号及特性 Product Number						
三点式门锁（带锁片，带拉杆）three point lock(with cam and rod)						
锁芯类别 Insert types	有防水盖 with	产品单重(g) Weight	装箱数 Lot	无防水盖 without	产品单重(g) Weight	装箱数 Lot
K0100(A)	MS100-3A-3A		50	MS100-3A-3AN		50
K0133(B)	MS100-3A-3B		50	MS100-3A-3BN		50
K0710(C)	MS100-3A-3C		50	MS100-3A-3CN		50
K0730(D)	MS100-3A-3D		50	MS100-3A-3DN		50

齿轮传动式连杆锁 Gear Drive Link Lock



产品型号及特性 Product Number						
带挂锁扣装置(padlock device)						
三点式门锁（带锁片，带拉杆）three point lock(with cam and rod)						
锁芯类别 Insert types	有防水盖 with	产品单重(g) Weight	装箱数 Lot	无防水盖 without	产品单重(g) Weight	装箱数 Lot
K0100(A)	MS100-3A-3AG		50	MS100-3A-3AGN		50
K0133(B)	MS100-3A-3BG		50	MS100-3A-3BGN		50
K0710(C)	MS100-3A-3CG		50	MS100-3A-3CGN		50
K0730(D)	MS100-3A-3DG		50	MS100-3A-3DGN		50

MS100-3A



MS100-3A-3BG




MS100-3A-3BGN


- 材质：PA锁体，铜转轴，或镀锌钢转轴、锁片，喷砂镀亮铬齿条
- 表面处理：黑色沙纹面
- 适用门板厚度：2mm
- 备注：锁片开孔□8×8
- Material: PA body,brass shaft, Zinc plating shaft,cam. sand bright chrome plating rack
- Finish :Matt black
- Panel thickness:1~3mm
- Remark: cam cutout □8×8

MS100-3S


锁片传动式连杆锁 Cam Drive Rod Control Lock








■开孔尺寸
Cut out




- 材质：不锈钢锁体，喷砂镀亮铬齿条
- 表面处理：拉丝
- 适用门板厚度：1~3mm
- Material:Stainless steel body, nickel plating driving rod sand bright chrome plating rack
- Finish: drawing,
- Panel thickness:1~3mm


型号 Product no.	产品单重(g) Weight	装箱数Lot
MS100-3S-1		

齿轮传动式连杆锁 Gear Drive Rod Control Lock





■开孔尺寸
Cut out



型号 Product no.	产品单重(g) Weight	装箱数Lot
MS100-3S-2	854	50

MS100-3S






- 材质：不锈钢锁体，喷砂镀亮铬齿条
- 表面处理：拉丝
- 适用门板厚度：1~3mm
- Material:Stainless steel body, nickel plating driving rod sand bright chrome plating rack
- Finish: drawing,
- Panel thickness:1~3mm


MS100-4-1

齿轮传动式连杆锁 Gear Drive Rod Control Lock





■开孔尺寸
Cut Out




客户定制产品
customized product

- 材质: PA锁体，锌合金转轴，齿轮盒,喷砂镀亮铬齿条
- 表面处理：镀亮铬锁芯、齿轮盒，喷砂镀亮铬齿条
- 适用门板厚度：1~3mm;
- 备注：锁片开孔□8×8
- Material:PA body,Zinc alloy shaft, gear box.、Sandblasting bright chrome plated rack
- Finish:bright chrome for the cylinder and gear box, sand bright chrome plating rack
- Panel thickness:1-3mm;
- Remark: cam cutout □8×8


型号 Product no.	产品单重(g) Weight	装箱数Lot
MS100-4-1	534	50

齿轮传动式连杆锁 Gear Drive Rod Control Lock

MS4092P-1-1



■开孔尺寸
Cut Out





客户定制产品
customized product

- 材质:PA锁壳、锁背，不锈钢装饰条，锌合金锁芯壳、锁芯、齿轮盒，碳钢齿条
- 表面处理：黑色沙纹面
- 结构功能：锁背135度旋转带动，齿轮盒组件实现开启和锁闭。
- 适用门板厚：2mm
- 备注：锁片开孔□8x8
- Material:PAwith 30% glass fiber for the housing and handle,stainless steel for the trim strip,zinc alloy for the cylinder,cylinder shell and gear box, steel for the rods.
- Finish:black sand grain surface.
- Function:135° rotation of the handle drive the gear box to lock and unlock.
- Panel thickness:2mm.
- Remark:8x8cut-out.

型号 Product no.	产品单重(g) Weight	装箱数Lot
MS4092P-1-1	541.7	50


MS824

锁片传动式连杆锁 Cam Drive Rod Control Lock




K333

MS824-1-1




■开孔尺寸
Cut out




- 材质：PA锁体，锌合金转轴，镀锌锁片，喷砂镀亮铬齿条
- 适用门板厚度：1~2mm
- 表面处理：黑色沙纹面
- 锁片开孔:□8×8
- 备注：转轴后盖有带定位和不带定位之分
- Material:PA body、Zinc alloy shaft Zinc plating cam、sand bright chrome plating rack
- Panel thickness:1~2mm
- Finish: Matt black
- cam cutout: □8×8
- Remark:shaft cover can be with or without stopper plat are available.


产品型号及特性 Product Number	单点式门锁（带锁片，不带拉杆）one point lock(with cam,without rod)	产品单重(g) Weight	装箱数 Lot
	转角Rotation angle		
MS824-1-1	360°	286	50
MS824-1-1L	顺时针（CW)90°	286	50
MS824-1-1R	逆时针（ACW)90°	286	50

齿轮传动式连杆锁 Gear Drive Rod Control Lock



■开孔尺寸
Cut out





产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
MS824-1-2	双点式门锁（带拉杆，不带钢栓）two point lock(with rod,without cam)	387	50
MS824-1-3	三点式门锁（带钢栓，带拉杆）three poit lock(with cam and rod)	387	50

MS824



MS824-1-2 MS824-1-3



K333


- 材质：PA锁体，锌合金转轴，镀锌锁片，喷砂镀亮铬齿条
- 适用门板厚度：1~2mm
- 表面处理：黑色沙纹面
- 备注：锁片开孔□8×8
- Material:PA body、Zinc alloy shaft Zinc plating cam、sand bright chrome plating rack
- Panel thickness:1~2mm
- Finish: Matt black
- Remark: cam cutout □8×8

MS822


锁片传动式连杆锁 Cam Drive Rod Control Lock




MS822-1-1B




■开孔尺寸
Cut out



选配锁头系列
Optional cylinder series



选配锁头:K0100(A) Optional cylinder
选配锁头K0133(B) Optional cylinder




选配锁头:K7010(C) Optional cylinder
选配锁头:K7030(D) Optional cylinder
选配锁头:K7040(E) Optional cylinder


锁芯类别Insert types	产品型号及特性 Product Number	单点式门锁（带锁片，不带拉杆） one point lock(with cam,without rod)		
		转角Rotation angle	产品单重(g) Weight	装箱数 Lot
K0100(A)	MS822-1-1B	360°	408	50
	MS822-1-1BL	顺时针（CW)90°	408	50
	MS822-1-1BR	逆时针（ACW)90°	408	50
K0133(B)	MS822-1-1B	360°	425	50
	MS822-1-1BL	顺时针（CW)90°	425	50
	MS822-1-1BR	逆时针（ACW)90°	425	50
K7010(C)	MS822-1-1C	360°	438	50
	MS822-1-1CL	顺时针（CW)90°	438	50
	MS822-1-1CR	逆时针（ACW)90°	438	50
K7030(D)	MS822-1-1D	360°	442	50
	MS822-1-1DL	顺时针（CW)90°	442	50
	MS822-1-1DR	逆时针（ACW)90°	442	50

- 材质：PA锁体，锌合金转轴，镀锌锁片，喷砂镀亮铬齿条
- 适用门板厚度：1~2mm
- 表面处理：黑色沙纹面
- 锁片开孔:□8×8
- 备注：转轴后盖有带定位和不带定位之分
- Material:PA body、Zinc alloy shaft Zinc plating cam、sand bright chrome plating rack
- Panel thickness:1~2mm
- Finish: Matt black
- cam cutout: □8×8
- Remark:shaft cover can be with or without stopper plat are available.


齿轮传动式连杆锁 Gear Drive Rod Control Lock




■开孔尺寸
Cut out




选配锁头系列
Optional cylinder series



选配锁头:K0100(A) Optional cylinder
选配锁头K0133(B) Optional cylinder



选配锁头:K7010(C) Optional cylinder
选配锁头:K7030(D) Optional cylinder
选配锁头:K7040(E) Optional cylinder



锁芯类别 Insert types	产品型号及特性 Product Number					
	双点式门锁（带拉杆，不带锁片） two point lock(with rod,without cam)	产品单重(g) Weight	装箱数 Lot	三点式门锁（带锁片，带拉杆） three point lock(with cam and rod)	产品单重(g) Weight	装箱数 Lot
K0100(A)	MS822-1-2A	438	50	MS822-1-3A	458	50
K0133(B)	MS822-1-2B	455	50	MS822-1-3B	486	50
K7010(C)	MS822-1-2C	468	50	MS822-1-3C	495	50
K7030(D)	MS822-1-2D	472	50	MS822-1-3D	500	50

MS822



MS822-1-2D

- 材质：PA锁体，锌合金转轴，镀锌锁片，喷砂镀亮铬齿条
- 适用门板厚度：1~2mm
- 表面处理：黑色沙纹面
- 备注：锁片开孔□8×8
- Material:PA body、Zinc alloy shaft Zinc plating cam、sand bright chrome plating rack
- Panel thickness:1~2mm
- Finish: Matt black
- Remark: cam cutout □8×8

MS8460P


锁片传动式连杆锁 Cam Drive Rod Control Lock




MS8460P-1-1R



MS8460P-1-1L




■开孔尺寸
Cut out




- 材质：PA锁体，锌合金转轴，镀锌锁片，喷砂镀亮铬齿条
- 适用门板厚度：1~2mm
- 表面处理：黑色沙纹面
- 锁片开孔:□8×8
- 备注：转轴后盖有带定位和不带定位之分
- Material:PA body、Zinc alloy shaft Zinc plating cam、sand bright chrome plating rack
- Panel thickness:1~2mm
- Finish: Matt black
- cam cutout: □8×8
- Remark:shaft cover can be with or without stopper plat are available.

产品型号及特性 Product Number	单点式门锁（带锁片，不带拉杆）one point lock(with cam,without rod) 转角Rotation angle	产品单重(g) Weight	装箱数 Lot
MS8460P-1-1	360°	235	100
MS8460P-1-1L	顺时针（CW)90°	235	100
MS8460P-1-1R	逆时针（ACW)90°	235	100

齿轮传动式连杆锁 Gear Drive Rod Control Lock



■开孔尺寸
Cut out



产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
MS8460P-1-2	双点式门锁（带拉杆，不带钢栓）two point lock(with rod,without cam)	370	50
MS8460P-1-3	三点式门锁（带钢栓，带拉杆）three poit lock(with cam and rod)	411.5	50

MS8460P



MS8460P-1-2



MS8460P-1-3

- 材质：PA锁体，锌合金转轴，镀锌锁片，喷砂镀亮铬齿条
- 适用门板厚度：1~2mm
- 表面处理：黑色沙纹面
- 备注：锁片开孔□8×8
- Material:PA body、Zinc alloy shaft Zinc plating cam、sand bright chrome plating rack
- Panel thickness:1~2mm
- Finish: Matt black
- Remark: cam cutout □8×8

MS8460P

RL 3PL IP54 Water Proof

NEW



MS8460P-2-1BR




MS8460P-2-1CR




MS8460P-2-1DR

- 材质：PA锁体，锌合金转轴，镀锌锁片，喷砂镀亮铬齿条
- 适用门板厚度：1~2mm
- 表面处理：黑色沙纹面
- 锁片开孔:□8×8
- 备注：转轴后盖有带定位和不带定位之分
- Material:PA body、Zinc alloy shaft Zinc plating cam、sand bright chrome plating rack
- Panel thickness:1~2mm
- Finish: Matt black
- cam cutout: □8×8
- Remark:shaft cover can be with or without stopper plat are available.


锁片传动式连杆锁 Cam Drive Rod Control Lock



■开孔尺寸
Cut out




选配锁头系列
Optional cylinder series




锁芯类别Insert types	产品型号及特性 Product Number	单点式门锁（带锁片，不带拉杆） one point lock(with cam,without rod)		
		转角Rotation angle	产品单重(g) Weight	装箱数 Lot
K0133(B)	MS8460P-2-1B	360°	278.5	100
	MS8460P-2-1BL	顺时针（CW)90°	278.5	100
	MS8460P-2-1BR	逆时针（ACW)90°	278.5	100
K7010(C)	MS8460P-2-1C	360°	312	100
	MS8460P-2-1CL	顺时针（CW)90°	312	100
	MS8460P-2-1CR	逆时针（ACW)90°	312	100
K7030(D)	MS8460P-2-1D	360°	305	100
	MS8460P-2-1DL	顺时针（CW)90°	305	100
	MS8460P-2-1DR	逆时针（ACW)90°	305	100


齿轮传动式连杆锁 Gear Drive Rod Control Lock




■开孔尺寸
Cut out



选配锁头系列
Optional cylinder series





锁芯类别 Insert types	产品型号及特性 Product Number					
	双点式门锁（带拉杆，不带锁片） two point lock(with rod,without cam)	产品单重(g) Weight	装箱数 Lot	三点式门锁（带锁片，带拉杆） three point lock(with cam and rod)	产品单重(g) Weight	装箱数 Lot
K0133(B)	MS8460P-2-2B	423	50	MS8460P-2-3B	458	50
K7010(C)	MS8460P-2-2C	448.5	50	MS8460P-2-3C	487.5	50
K7030(D)	MS8460P-2-2D	442.5	50	MS8460P-2-3D	482.5	50

MS8460P

RL 3PL IP54 Water Proof

NEW



MS8460P-2-2B




MS8460P-2-3B


- 材质：PA锁体，锌合金转轴，镀锌锁片，喷砂镀亮铬齿条
- 适用门板厚度：1~2mm
- 表面处理：黑色沙纹面
- 备注：锁片开孔□8×8
- Material:PA body、Zinc alloy shaft Zinc plating cam、sand bright chrome plating rack
- Panel thickness:1~2mm
- Finish: Matt black
- Remark: cam cutout □8×8

MS832

锁片传动式连杆锁 Cam Drive Rod Control Lock




MS832-1-1B



锁芯类别Insert types	产品型号及特性 Product Number	单点式门锁（带锁片，不带拉杆） one point lock(with cam,without rod)		
		转角Rotation angle	产品单重(g) Weight	装箱数 Lot
K0100(A)	MS832-1-1A	360°		50
	MS832-1-1AL	顺时针（CW)90°		50
	MS832-1-1AR	逆时针（ACW)90°		50
K0133(B)	MS832-1-1B	360°		50
	MS832-1-1BL	顺时针（CW)90°		50
	MS832-1-1BR	逆时针（ACW)90°		50
K7010(C)	MS832-1-1C	360°		50
	MS832-1-1CL	顺时针（CW)90°		50
	MS832-1-1CR	逆时针（ACW)90°		50
K7030(D)	MS832-1-1D	360°		50
	MS832-1-1DL	顺时针（CW)90°		50
	MS832-1-1DR	逆时针（ACW)90°		50


- 材质：PA锁体，锌合金转轴，镀锌锁片，喷砂镀亮铬齿条
- 适用门板厚度：2mm
- 表面处理：黑色沙纹面
- 锁片开孔:□8×8
- 备注：转轴后盖有带定位和不带定位之分
- Material:PA body、Zinc alloy shaft Zinc plating cam、sand bright chrome plating rack
- Panel thickness:2mm
- Finish: Matt black
- cam cutout: □8×8
- Remark:shaft cover can be with or without stopper plat are available.

锁片传动式连杆锁 Cam Drive Rod Control Lock



锁芯类别Insert types	产品型号及特性 Product Number	单点式门锁（带锁片，带挂锁扣装置） one point lock(with cam, without rod, padlock devic)		
		转角Rotation angle	产品单重(g) Weight	装箱数 Lot
K0100(A)	MS832-1-1AG	360°		50
	MS832-1-1AGL	顺时针（CW)90°		50
	MS832-1-1AGR	逆时针（ACW)90°		50
K0133(B)	MS832-1-1BG	360°		50
	MS832-1-1BGL	顺时针（CW)90°		50
	MS832-1-1BGR	逆时针（ACW)90°		50
K7010(C)	MS832-1-1CG	360°		50
	MS832-1-1CGL	顺时针（CW)90°		50
	MS832-1-1CGR	逆时针（ACW)90°		50
K7030(D)	MS832-1-1DG	360°		50
	MS832-1-1DGL	顺时针（CW)90°		50
	MS832-1-1DGR	逆时针（ACW)90°		50

MS832




MS832-1-1BG


- 材质：PA锁体，锌合金转轴，镀锌锁片，喷砂镀亮铬齿条
- 适用门板厚度：2mm
- 表面处理：黑色沙纹面
- 锁片开孔:□8×8
- 备注：转轴后盖有带定位和不带定位之分
- Material:PA body、Zinc alloy shaft Zinc plating cam、sand bright chrome plating rack
- Panel thickness:2mm
- Finish: Matt black
- cam cutout: □8×8
- Remark:shaft cover can be with or without stopper plat are available.

MS832


齿轮传动式连杆锁 Gear Drive Rod Control Lock



MS832-1-2B




选配锁头系列
Optional cylinder series




产品型号及特性 Product Number						
双点式门锁（带拉杆，不带锁片）two point lock(with rod,without cam)						
锁芯类别 Insert types	无挂锁扣装置 NO Padlock device	产品单重(g) Weight	装箱数 Lot	带挂锁扣装置 Padlock device	产品单重(g) Weight	装箱数 Lot
K0100(A)	MS832-1-2A	500	50	MS832-1-2AG	525	50
K0133(B)	MS832-1-2B	502	50	MS832-1-2BG	527	50
K0710(C)	MS832-1-2C	530	50	MS832-1-2CG	575	50
K0730(D)	MS832-1-2D	535	50	MS832-1-2DG	560	50

- 材质：PA锁体，锌合金转轴，镀锌锁片，喷砂镀亮铬齿条
- 适用门板厚度：1~2mm
- 表面处理：黑色沙纹面
- 备注：锁片开孔□8×8
- Material:PA body、Zinc alloy shaft Zinc plating cam、sand bright chrome plating rack
- Panel thickness:1~2mm
- Finish: Matt black
- Remark: cam cutout □8×8

齿轮传动式连杆锁 Gear Drive Rod Control Lock




选配锁头系列
Optional cylinder series



产品型号及特性 Product Number						
三点式门锁（带锁片，带拉杆）three point lock(with cam and rod)						
锁芯类别 Insert types	无挂锁扣装置 NO Padlock device	产品单重(g) Weight	装箱数 Lot	带挂锁扣装置 Padlock device	产品单重(g) Weight	装箱数 Lot
K0100(A)	MS832-1-3A	520	50	MS832-1-3AG	555	50
K0133(B)	MS832-1-3B	522	50	MS832-1-3BG	547	50
K0710(C)	MS832-1-3C	550	50	MS832-1-3CG	595	50
K0730(D)	MS832-1-3D	555	50	MS832-1-3DG	580	50

MS832



MS832-1-3BG

- 材质：PA锁体，锌合金转轴，镀锌锁片，喷砂镀亮铬齿条
- 适用门板厚度：1~2mm
- 表面处理：黑色沙纹面
- 备注：锁片开孔□8×8
- Material:PA body、Zinc alloy shaft Zinc plating cam、sand bright chrome plating rack
- Panel thickness:1~2mm
- Finish: Matt black
- Remark: cam cutout □8×8


MS827-1-1

齿轮传动式连杆锁 Gear Drive Rod Control Lock




K333

MS827-1-1



■开孔尺寸
Cut out




- 材质：PA锁体，镀锌锁片、喷砂镀亮铬齿条
- 表面处理：黑色沙纹面
- 适用门板厚度：1~2.5mm
- 备注：锁片开孔□8×8
- Material:PA lock body,fixing parts、Zinc plating cam, sand bright chrome plating rack
- Finish :Matt black
- Panel thickness:1~2.5mm
- Remark: cam cutout □8×8


型号 Product no.	产品单重(g) Weight	装箱数Lot
MS827-1-1	368	50


齿轮传动式连杆锁 Gear Drive Rod Control Lock

- 材质：锌合金手柄，PA锁壳，镀锌锁片，喷砂镀亮铬齿条
- 适用门板厚度：1.5~4mm
- 全套锁闭系统含(四个锁闭件,四个导向件)订货时另加特殊说明
- Material:Zinc die-casting handle、PA housing，Sandblasting bright chrome plated rack
- Panel thickness:1.5~4mm
- Complete set locking system(,4pcs rod guide ， 4pcs catches)are on request.




■开孔尺寸
Cut out





■开孔尺寸
Cut out



型号 Product no.	产品单重(g) Weight	装箱数Lot
MS828-1-1	435	50
MS828-2-1	400	50

MS828



MS828-1-1



RG03-2
导向件
Rod guide



MS828-2-1



锁闭件
Catches



K333


- 材质：锌合金手柄，PA锁壳，镀锌锁片
- 表面处理：黑色沙纹面
- 适用门板厚度：1.5~4mm
- 备注：锁片开孔□8×8。
- Material:Zinc die-casting handle、PA housing，Zinc plating cam
- Panel thickness:1.5~4mm
- Finish :Matt black
- Remark: cam cutout □8×8.

MS1002Z-1-1

齿轮传动式连杆锁 Gear Drive Rod Control Lock



K7010-05



■开孔尺寸
Cut out


- 材质：PA锁壳，锌合金锁芯，齿轮盒，喷砂镀亮铬齿条
- 表面处理：喷无光黑
- 适用门板厚度：1~3.5mm
- Material: PA lock housing, zinc alloy lock cylinder, rod control box, sand bright chrome plating rack
- Finish: Black powder coated
- Panel thickness: 1 ~3.5mm

型号 Product no.	产品单重(g) Weight	装箱数Lot
MS1002Z-1-1	184	100

MS102C

齿轮传动式连杆锁 Gear Drive Rod Control Lock





■开孔尺寸
Cut out

- 材质: 锌合金锁体、齿轮盒、镀锌锁片、喷砂镀亮铬齿条
- 表面处理：喷无光黑
- 适用门板厚度：1~2mm
- Material:Zinc die-casting body, Rod box ,Zinc plating cam, sand bright chrome plating rack
- Finish :Black powder coated
- Panel thickness:1~2mm


型号 Product no.	产品单重(g) Weight	装箱数Lot
MS102C	450	100

MS102-1

齿轮传动式连杆锁 Gear Drive Rod Control Lock



K333



■开孔尺寸
Cut out

- 材质: PA锁体，锌合金齿轮盒，镀锌锁片、喷砂镀亮铬齿条
- 表面处理：黑色沙纹面
- 适用门板厚度：1~2mm
- Material:PA body ， Zinc die-casting rod control box, Zinc plating cam, sand bright chrome plating rack
- Finish :Matt black
- Panel thickness:1~2mm


型号 Product no.	产品单重(g) Weight	装箱数Lot
MS102-1	399	50

MS103C-1

齿轮传动式连杆锁 Gear Drive Rod Control Lock



K7010-05



■开孔尺寸
Cut out

- 材质: PA锁体，锌合金齿轮盒，镀锌锁片、喷砂镀亮铬齿条
- 表面处理：黑色沙纹面
- 适用门板厚度：1~2mm
- Material:PA body ， Zinc die-casting rod control box, Zinc plating cam, sand bright chrome plating rack
- Finish :Matt black
- Panel thickness:1~2mm

型号 Product no.	产品单重(g) Weight	装箱数Lot
MS103C-1	300	50

MS103D

齿轮传动式连杆锁 Gear Drive Rod Control Lock




K7030-07


MS103D-1-2



K7010-05

MS103D-2-1






MS103D-2系列


- 材质：锌合金锁体、镀锌锁片、喷砂镀亮铬齿条
- 表面处理：镀沙铬
- 适用门板厚度：1~3mm
- 备注：锁片开孔□7×7
- Material:Zinc die-casting body , Zinc plating cam; sand bright chrome plating rack
- Finish :Gray chrome plating
- Panel thickness:1~3mm
- Remark: cam cutout □7×7

产品型号及特性 Product Number			产品单重(g) Weight	装箱数Lot
镀沙铬 Gray chrome plating	一字锁芯 Double bit insert	三角锁芯 Triangular insert		
三点式门锁three point lock	MS103D-1-1	MS103D-1-2	324	60
单点式门锁one point lock	MS103D-2-1	MS103D-2-2	230	100

齿轮传动式连杆锁 Gear Drive Rod Control Lock



■开孔尺寸
Cut out



型号 Product no.	产品单重(g) Weight	装箱数Lot
MS829WT	602	60
MS829	608	60

MS829



K7010-05

MS829



K7010-05

MS829WT

- 材质：ABS面板，聚碳商标，锌合金齿轮盒，镀锌钢板、锁片、喷砂镀亮铬齿条；
- 适用门板厚度：0.5~2.5mm
- 备注：锁片开孔□7×7
- Material:ABS panel、zinc die-casting rod control box， Zinc plating cam、fixing parts,Sandblasting bright chrome plated rack
- Panel thickness:0.5~2.5mm
- Remark: cam cutout □7×7


MS3005Z-1-1

齿轮传动式连杆锁 Gear Drive Rod Control Lock




K333

MS3005Z-1-1



■开孔尺寸
Cut out



- ●材质：锌合金锁座，手柄，A3锁片，齿条，铜锁轴
- ●表面处理：喷亚光黑
- ●结构说明：手柄90度旋转带动齿轮盒组件实现开启或锁闭。
- ●适用门板厚度：不带挂装置Ts=1~4
  带挂装置Ts=1~2
- ●Material:Zinc alloy body, handle , A3 cam,Nickel plating rod, Brass shaft
- ●Finish:Black powder coated
- ●Function: 90° rotation of the handle drive the gear box to lock and unlock.
- ●Panel thickness:Without Pad:1-4mm
- ●With Pad :1-2mm


型号 Product no.	特性说明 Characteristic description	产品单重(g) Weight	装箱数Lot
MS3005Z-1-1G	带挂装置with padlock	520	25
MS3005Z-1-1	不带挂装置w/opadlcok	525	25

齿轮传动式连杆锁 Gear Drive Rod Control Lock


MS730-3



K7030-07



■开孔尺寸
Cut out



- ● 材质：锌合金锁体、镀锌锁片、喷砂镀亮铬齿条
- ● 表面处理：镀沙铬
- ● 适用门板厚度：1~3mm
- ●Material: zinc die-casting body, zinc plating cam and bracket, sand bright chrome plating rack
- ● Finish :Gray chrome plating
- ● Panel thickness:1~3mm

产品型号及特性 Product Number		产品单重(g) Weight	装箱数Lot
三角锁芯 Triangular insert	MS730-3	343	60
一字锁芯 Double bit insert	MS730-1	350	60

MS460–1–1

齿轮传动式连杆锁 Gear Drive Rod Control Lock

RL 3点 IP54 Water Proof




MS460–1–1　　MS460–1–1G




MS460–2–1



K0540




■开孔尺寸 Cut out



MS460–1–1

■开孔尺寸 Cut out



MS460–1–1G

型号 Product no.	特性说明 Characteristic description	产品单重(g) Weight	装箱数Lot
MS460–1–1	不带挂装置w/opadlcok	530	50
MS460–1–1G	带挂装置with padlock	550	50
MS460–2–1	单点式门锁one point lock	550	50

- 材质：锌合金锁体，镀锌锁片、安装板、喷砂镀亮铬齿条
- 适用门板厚度：1~2.5mm
- 备注：锁片开孔□8×8
- Material:Zinc die–casting body, Zinc plating cam、mounting plate、sand bright chrome plating rack
- Panel thickness:1~2.5mm
- Remark: cam cutout □8×8 padlockable on request

齿轮传动式连杆锁 Gear Drive Rod Control Lock


MS460–3–3

RL 3点 IP54 Water Proof



K0200

K0600



■开孔尺寸 Cut Out

型号 Product no.	产品单重(g) Weight	装箱数Lot
MS460–3–3(K0200)	528	50
MS460–3–3A(K0600)	528	50

- 材质：锌合金锁体，碳钢锁片、安装板、喷砂镀亮铬齿条
- 适用门板厚度：1~4.5mm
- 备注：锁片开孔□8×8
- Material: zinc die-casting body, zinc plating cam and bracket, sand bright chrome plating rack
- Panel thickness:1~4.5mm
- Remark: Cam cut out □8×8

MS463-1-1


锁片传动式连杆锁 Cam Drive Rod Control Lock

RL




K333

MS463-1-1A



MS463-1-1系列




MS463-1-1系列

产品型号及特性product number					
单点式门锁(带折高15锁片)One point lock(with 15mm bend cam)					
锁芯类别 insert type		镀沙铬Gray chrome plating	喷无光黑Black powder coated	产品单重(g) Weight	装箱数Lot
K333 (A)	不带挂锁 w/o padlock	MS463-1-1A.2	MS463-1-1A.3	522	50
	带挂锁 with padlock	MS463-1-1AG.2	MS463-1-1AG.3	542	50
K7030 (B)	不带挂锁 w/o padlock	MS463-1-1B.2	MS463-1-1B.3	552	50
	带挂锁 with padlock	MS463-1-1BG.2	MS463-1-1BG.3	570	50

- 材质：锌合金锁体，镀锌锁片、安装板、喷砂镀亮铬齿条
- 适用门板厚度：1~2.5mm
- 备注：锁片开孔□8×8
- Material:Zinc die-casting body, Zinc plating cam、mounting plate、sand bright chrome plating rack
- Panel thickness:1~2.5mm
- Remark: cam cutout □8×8 padlockable on request

齿轮传动式连杆锁 Gear Drive Rod Control Lock



不带挂锁 w/o padlock

带挂锁 with padlock

产品型号及特性product number					
双点式门锁（不带锁片）Two point lock (w/o cam)					
锁芯类别 insert type		镀沙铬Gray chrome plating	喷无光黑Black powder coated	产品单重(g) Weight	装箱数Lot
K333 (A)	不带挂锁 w/o padlock	MS463-1-2A.2	MS463-1-2A.3	532	50
	带挂锁 with padlock	MS463-1-2AG.2	MS463-1-2AG.3	552	50
K7030 (B)	不带挂锁 w/o padlock	MS463-1-2B.2	MS463-1-2B.3	562	50
	带挂锁 with padlock	MS463-1-2BG.2	MS463-1-2BG.3	580	50

MS463-1-2

RL 2A



K7030-06

MS463-1-2BG

- 材质：锌合金锁体，镀锌锁片、安装板、喷砂镀亮铬齿条
- 适用门板厚度：1~2.5mm
- 备注：锁片开孔□8×8
- Material:Zinc die-casting body, Zinc plating cam、mounting plate、sand bright chrome plating rack
- Panel thickness:1~2.5mm
- Remark: cam cutout □8×8 padlockable on request


MS463-1-3

齿轮传动式连杆锁 Gear Drive Rod Control Lock



K7030-06


MS463-1-3AG




产品型号及特性product number					
双点式门锁（不带锁片）Two point lock (w/o cam)					
锁芯类别 insert type		镀沙铬Gray chrome plating	喷无光黑Black powder coated	产品单重(g) Weight	装箱数Lot
K333 (A)	不带挂锁 w/o padlock	MS463-1-3A.2	MS463-1-3A.3	552	50
	带挂锁 with padlock	MS463-1-3AG.2	MS463-1-3AG.3	582	50
	不带挂锁 w/o padlock	MS463-1-3B.2	MS463-1-3B.3	592	50
	带挂锁 with padlock	MS463-1-3BG.2	MS463-1-3BG.3	610	50

- 材质：锌合金锁体，镀锌锁片、安装板、喷砂镀亮铬齿条
- 适用门板厚度：1~2.5mm
- 备注：锁片开孔□8×8
- Material:Zinc die-casting body, Zinc plating cam、mounting plate、sand bright chrome plating rack
- Panel thickness:1~2.5mm
- Remark: cam cutout □8×8 padlockable on request

齿轮传动式连杆锁 Gear Drive Rod Control Lock





型号 Product no.	产品单重(g) Weight	装箱数Lot
MS463-2-1(K0200)	512	50
MS463-2-3(K0200)	528	50

MS463-2



K0200

MS463-2-1



K0200

MS463-2-3


- 材质：锌合金锁体，碳钢锁片、安装板、喷砂镀亮铬齿条
- 适用门板厚度：1~4.5mm
- 表面处理：喷无光黑.
- 备注：锁片开孔□8×8
- Material: zinc die-casting body, zinc plating cam and bracket, sand bright chrome plating rack
- Finish: Black powder coated.
- Panel thickness:1~4.5mm
- Remark: Cam cut out □8×8

MS461


齿轮传动式连杆锁 Gear Drive Rod Control Lock



K0540







- 材质：锌合金锁体，镀锌锁片、压板、喷砂镀亮铬齿条
- 适用门板厚度：1.2~3mm
- 备注：锁片开孔□7×7
- Material: zinc die-casting body, zinc plating cam and bracket, sand bright chrome plating rack
- Panel thickness:1.2~3mm
- Remark: cam cutout □7×7


产品型号及特性product number		产品单重(g) Weight	装箱数Lot
镀沙铬 Gray chrome plating	MS461-1-1.2	431	60
喷无光黑 Black powder coated	MS461-1-1.3	430.5	60
镀沙铬 Gray chrome plating	MS461-2-1.2		60
喷无光黑 Black powder coated	MS461-2-1.3		60

MS462


齿轮传动式连杆锁 Gear Drive Rod Control Lock



K0540







- 材质：锌合金锁体，镀锌锁片、压板、喷砂镀亮铬齿条
- 适用门板厚度：1.2~3mm
- 备注：锁片开孔□7×7
- Material: zinc die-casting body, zinc plating cam and bracket, sand bright chrome plating rack
- Panel thickness:1.2~3mm
- Remark: cam cutout □7×7

产品型号及特性product number		产品单重(g) Weight	装箱数Lot
镀沙铬 Gray chrome plating	MS462-1-1.2	343	60
喷无光黑 Black powder coated	MS462-1-1.3	343	60
镀沙铬 Gray chrome plating	MS462-2-1.2		60
喷无光黑 Black powder coated	MS462-2-1.3		60


MS732–2–1

齿轮传动式连杆锁 Gear Drive Link Lock

RL



K0200



- 材质：锌合金锁体、转轴，镀锌安装板、锁片、喷砂镀亮铬齿条
- 表面处理：镀沙铬
- 适用门板厚度：1~4mm
- Material: zinc die-casting body and shaft, zinc plating cam and bracket, sand bright chrome plating rack
- Finish :Gray chrome plating
- Panel thickness:1~4mm

型号 Product no.	产品单重(g) Weight	装箱数Lot
MS732–2–1.2	361	50


齿轮传动式连杆锁 Gear Drive Link Lock

MS732–1–1

RL



K0200



- 材质：锌合金锁体、转轴，镀锌安装板、锁片、喷砂镀亮铬齿条
- 表面处理：镀沙铬
- 适用门板厚度：1~4mm
- Material: zinc die-casting body and shaft, zinc plating cam and bracket, sand bright chrome plating rack
- Finish :Gray chrome plating
- Panel thickness:1~4mm

型号 Product no.	产品单重(g) Weight	装箱数Lot
MS732–1–1.2	562	50

MS483

齿轮传动式连杆锁 Gear Drive Rod Control Lock




K0100


MS483–1–1



MS483–1–2




■开孔尺寸
Cut out




产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
有锁芯 With key	MS483–1–1	707	50
按钮型 Push button	MS483–1–2	685	50

- 材质：锌合金锁体，镀锌钢板、锁片、喷砂镀亮铬齿条
- 表面处理：
- 适用门板厚度：1~2mm
- 备注：锁片开孔□7×7
- Material: zinc die–casting body, zinc plating cam and bracket, sand bright chrome plating rack
- Finish:Gray chrome plating
- Panel thickness:1~2mm
- Remark: cam cutout □7×7

齿轮传动式连杆锁 Gear Drive Rod Control Lock




■开孔尺寸
Cut out



产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
镀沙铬 Gray chrome plating	MS484–1–1.2	563.5	50
喷无光黑 Black powder coated	MS484–1–1.3		

MS484




K0200

- 材质：锌合金锁体、转轴，镀锌压板、锁片、喷砂镀亮铬齿条
- 适用门板厚度：1~2mm
- 备注：锁片开孔□7×7
- Material: zinc die–casting body, zinc plating cam and bracket, sand bright chrome plating rack
- Panel thickness:1~2mm
- Remark: cam cutout □7×7


MS4086Z

齿轮传动式连杆锁 Gear Drive Rod Control Lock






■开孔尺寸
Cut Out



默认锁头(K0133)
Acquiescent cylinder

选配锁头:K7010(C)
Optional cylinder



选配锁头:K7010(D)
Optional cylinder


型号 Product no.	锁芯 Insert	产品单重(g) Weight	装箱数 Lot
MS4086Z-1-1B	K0133(B)	702.2	50
MS4086Z-1-1C	K7010(C)	712.9	50
MS4086Z-1-1D	K7030(D)	710.8	50

- 材质：锌合金锁壳,锁背，锁盖，转轴，A3齿条
- 表面处理：喷漆(银色)锁壳，喷塑（黑色）锁背、转轴
- 结构功能：锁背90° 旋转带动齿轮盒组件实现开启和锁闭。
- 适用门板厚：1~3mm
- 备注：锁片开孔□7×7
- 默认适配钥匙：K333
- 其它：变换齿条和锁片左右位置，可变换左右开门
- Material: Zinc alloy housing , back , cover and shaft,A3 Steel cam
- Finish: Silver painting housing, black powder coated handle.
- Panel thickness: 1~3mm
- Remark: Cam Cutout □7×7
- Others:Change the position of rod and cam to open the door by left or right


齿轮传动式连杆锁 Gear Drive Rod Control Lock


MS4087Z-3-3





■开孔尺寸
Cut Out





默认钥匙


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS4087Z-3-3	645	50

- 材质：锌合金锁体，碳钢齿条
- 表面处理：喷银漆锁壳、锁盖，喷黑漆锁背，转轴
- 结构功能：锁背90度旋转带动齿轮盒组件实现开启和锁闭。
- 适用门板厚：1~3mm
- 备注：锁片开孔□7x7
- Material: Zinc alloy body , steel rod
- Finish:Silver painting housing,cover. Black painting back,shaft
- Function: 90° rotation of the back drive the gear box to lock and unlock.
- Panel thickness:1~3mm
- Remark: :cam cut out □7x7


MS4087Z-3A-3


齿轮传动式连杆锁 Gear Drive Rod Control Lock





■开孔尺寸
Cut Out






默认钥匙

- 材质：锌合金锁体，碳钢齿条
- 表面处理：喷银漆锁壳、锁盖，
- 喷黑漆锁背，转轴
- 结构功能：锁背90度旋转带动齿轮盒组件实现开启和锁闭。
- 适用门板厚：1~3mm
- 备注：锁片开孔□7x7
- Material: Zinc alloy body , steel rod
- Finish:Silver painting housing,cover. Black painting back,shaft
- Function: 90° rotation of the back drive the gear box to lock and unlock.
- Panel thickness:1~3mm
- Remark: :cam cut out □7x7

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS4087Z-3A-3	644.5	50

齿轮传动式连杆锁 Gear Drive Rod Control Lock



型号Product Number \ Dimensions尺寸	L1	L2	L3	L4	产品单重(g) Weight	装箱数 Lot
MS486-1-1	221	122.5	63.5	85	675	50
MS486-2-1	206	116	60	81	629	50
MS486-3-1	186	104	60	81	617	50

MS486



MS486-2-1

MS486-1-1



MS486-3-1


- 材质:锌合金锁体，镀锌钢板、锁片、喷砂镀亮铬齿条
- 表面处理：喷7035色
- 适用门板厚度：1~3mm
- 备注: 锁片开孔□7×7
- MS486-3-1可不配传动盒
- Material: zinc die-casting body, zinc plating cam and bracket, sand bright chrome plating rack
- Finish:RAL7035 powder coated
- Panel thickness:1~3mm
- Remark: cam cutout□7×7.

MS4008Z–2–1


锁片传动式连杆锁 Cam Drive Rod Control Lock



MS4008Z–2–1




选配锁头系列
Optional cylinder series



- 材质：锌合金锁壳，锁背，锁头组件，A3齿条，锁片
- 表面处理：喷亚光黑锁壳，锁背，镀亮铬锁头组件，喷砂镀铬齿条，配件镀蓝白锌处理
- 结构功能：锁背90° 旋转实现开启或锁闭。
- 适用门板厚度：1~3mm
- 备注：锁片开孔□7×7
- Material: Zinc alloy housing,back and cylinder.A3 steel rod,cam
- Finish:Black powder coated housing, back.Bright chrome plating cylinder , sand gray chrome rod , zinc plating accessories.
- Function: 90° rotation of the back drive the gear box to lock and unlock.
- Panel thickness: 1~3mm
- Remark: Cam Cutout□7×7

锁芯类别 Insert types	产品型号及特性 Product Number					
	单点式门锁（带钢栓，不带拉杆） One point lock(with cam,withchout rod)					
	不带挂锁 W/O Padlock	产品单重 Weight(g)	装箱数 Lot	带挂锁 Wiht Padlcok	产品单重 Weight(g)	装箱数 Lot
MS4008Z–2(K0200)	MS4008Z–2–1	601.5	50	MS4008Z–2G–1	611.5	50
MS480–2(K0600)	MS4008Z–2–1A	534.5	50	MS4008Z–2G–1A	544.5	50
MS480–2(K0200)	MS4008Z–2–1B	552	50	MS4008Z–2G–1B	562.5	50
MS480–2B(一字芯)	MS4008Z–2–1C	600.6	50	MS4008Z–2G–1C	611	50
MS480–2(原子芯)	MS4008Z–2–1D	562.6	50	MS4008Z–2G–1D	573	50

齿轮传动式连杆锁 Gear Drive Rod Control Lock



选配锁头系列
Optional cylinder series

锁芯类别 Insert types	产品型号及特性 Product Number					
	双点式门锁（带拉杆，不带锁片） Two point lock(with rod,withchout cam)					
	不带挂锁 W/O Padlock	产品单重 Weight(g)	装箱数 Lot	带挂锁 Wiht Padlcok	产品单重 Weight(g)	装箱数 Lot
MS4008Z–2(K0200)	MS4008Z–2–2	690.8	50	MS4008Z–2G–2	620.2	50
MS480–2(K0600)	MS4008Z–2–2A	642	50	MS4008Z–2G–2A	652.4	50
MS480–2(K0200)	MS4008Z–2–2B	647.5	50	MS4008Z–2G–2B	658.9	50
MS480–2B(一字芯)	MS4008Z–2–2C	690.5	50	MS4008Z–2G–2C	700.9	50
MS480–2(原子芯)	MS4008Z–2–2D	652.5	50	MS4008Z–2G–2D	662.9	50

MS4008Z–2–2



MS4008Z–2–2A

- 材质：锌合金锁壳，锁背，锁头组件，A3齿条，锁片
- 表面处理：喷亚光黑锁壳，锁背，镀亮铬锁头组件，喷砂镀铬齿条，配件镀蓝白锌处理
- 结构功能：锁背90° 旋转带动齿轮盒组件实现开启或锁闭。
- 适用门板厚度：1~3mm
- 备注：锁片开孔□8×8
- Material: Zinc alloy housing , back and cylinder , A3 steel rod,cam.
- Finish: Black powder coated housing, back.Bright chrome plating cylinder , sand gray chrome rod , zinc plating accessories.
- Function: 90° rotation of the back drive the gear box to lock and unlock.
- Panel thickness: 1~3mm
- Remark: Cam Cutout □8×8


MS4008Z-2-3

齿轮传动式连杆锁 Gear Drive Rod Control Lock



MS4008Z-2-3

- ●材质：锌合金锁壳，锁背，锁头组件，A3齿条，锁片
- ●表面处理：喷亚光黑锁壳，锁背，镀亮铬锁头组件，喷砂镀铬齿条，配件镀蓝白锌处理
- ●结构功能：锁背90° 旋转带动齿轮盒组件实现开启或锁闭。
- ●适用门板厚度：1~3mm
- ●备注：锁片开孔□8×8
- ●Material: Zinc alloy housing , back and cylinder , A3 steel rod,cam.
- ●Finish: Black powder coated housing, back.Bright chrome plating cylinder , sand gray chrome rod , zinc plating accessories.
- ●Function: 90° rotation of the back drive the gear box to lock and unlock.
- ●Panel thickness: 1~3mm
- ●Remark: Cam Cutout □8×8



锁芯类别 Insert types	产品型号及特性 Product Number					
	三点式门锁（带锁片，不带拉杆） Three point lock(with cam rod)					
	不带挂锁 W/O Padlock	产品单重 Weight(g)	装箱数 Lot	带挂锁 Wiht Padlcok	产品单重 Weight(g)	装箱数 Lot
MS4008Z-2(K0200)	MS4008Z-2-3	719.1	50	MS4008Z-2G-3	729.5	50
MS480-2(K0600)	MS4008Z-2-3A	688.1	50	MS4008Z-2G-3A	678.5	50
MS480-2(K0200)	MS4008Z-2-3B	675.1	50	MS4008Z-2G-3B	685.5	50
MS480-2B(一字芯)	MS4008Z-2-3C	718.6	50	MS4008Z-2G-3C	729	50
MS480-2(原子芯)	MS4008Z-2-3D	680.6	50	MS4008Z-2G-3D	691	50

齿轮传动式连杆锁 Gear Drive Rod Control Lock


MS4085Z



K333

MS4085Z-1G-1

- ● 材 质：锌合金锁壳，锁背，转轴，碳钢片，锁舌，压板，齿条
- ● 表面处理：喷亚光黑
- ● 结构功能：锁背135度旋转带动，齿轮盒组件实现开启或锁闭。
- ● 适用门板厚度：1~2mm
- ● 备注：锁片开孔□8x8
- ● Material: Zinc alloy steel cam fixing parts
- ● Finish: Black powder coated
- ● Function: 135° rotation of the back drive the gear box to lock and unlock.
- ● Panel thickness:1~2mm
- ● Remark: Cam cut out □8x8




型号 Product no.	特性说明 Characteristic description	产品单重(g) Weight	装箱数 Lot
MS4085Z-1-1	不带挂装置w/opadlcok	633.5	50
MS4085Z-1G-1	带挂装置with padlock	645	50

MS741


齿轮传动式连杆锁 Gear Drive Link Lock



MS741–1–1 MS741–2–1



■开孔尺寸
Cut out



- 材质：锌合金锁体、转轴，镀锌安装板、锁片、喷砂镀亮铬齿条
- 表面处理：喷沙纹黑
- 适用门板厚度：1~4mm
- 备注：锁片开孔□8×8
- Material: zinc die-casting body and shaft, zinc plating cam and bracket, sand bright chrome plating rack
- Finish :Black powder coated,
- Panel thickness:1~4mm
- Remark: cam cutout □8×8 padlockable on request


基本尺寸 Dimensions					产品型号 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2	L3	B1	H			
162	100	50	25	16	MS741–1–1	636	50
162	100	50	25	16	MS741–1–1G	650	50
136	74	49.5	24.5	18	MS741–2–1	600	50

MS742


锁片传动式连杆锁 Cam Drive Rod Control Lock



MS742–1–1 MS742–2–1




■开孔尺寸
Cut out




- 材质：锌合金锁体，转轴，镀锌安装板、锁片、喷砂镀亮铬齿条
- 表面处理：喷沙纹黑
- 适用门板厚度：1~4mm
- 备注：锁片开孔□8×8
- Material: zinc die-casting body and shaft, zinc plating cam and bracket, sand bright chrome plating rack
- Finish :Black powder coated,
- Panel thickness:1~4mm
- Remark: cam cutout □8×8


基本尺寸 Dimensions					产品型号 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2	L3	B1	H			
162	100	50	25	16	MS742–1–1	638	50
136	74	49.5	24.5	18	MS742–2–1	602	50

锁片传动式连杆锁 Cam Drive Rod Control Lock





■开孔尺寸
Cut out



基本尺寸 Dimensions					产品型号 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2	L3	B1	H			
162	100	50	25	16	MS743–1–1	517	50
162	100	50	25	16	MS743–1–1G	517	50
136	74	49.5	24.5	18	MS743–2–1	478	50

MS743





MS743–1–1

MS743–2–1


- 材质：锌合金锁体，镀锌安装板、锁片
- 表面处理：喷沙纹黑
- 适用门板厚度：1~4mm
- 备注：锁片开孔□8×8
- Material:Zinc die–casting body, Zinc plating cam、fixing parts
- Finish :Black powder coated
- Panel thickness:1~4mm
- Remark: cam cutout □8×8 padlockable on request

锁片传动式连杆锁 Cam Drive Rod Control Lock





■开孔尺寸
Cut out



基本尺寸 Dimensions							产品型号 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2	L3	L4	B1	B2	A			
162	100	50	50	34	25	16	MS744–1–1	459	50
136	74	49.5	49.5	34	24.5	18	MS744–2–1	430	50
121	68	49.5	34.5	30	24.5	18	MS744–3–1	420	50

MS744



MS744–1–1

MS744–3–1

- 材质：锌合金锁体，镀锌安装板、锁片
- 表面处理：喷沙纹黑,镀沙铬
- 适用门板厚度：1~4mm
- 备注：锁片开孔□8×8
- Material:Zinc die–casting body, Zinc plating cam、fixing parts
- Finish :Black powder coated
- Panel thickness:1~4mm
- Remark: cam cutout □8×8

MS103

齿轮传动式连杆锁 Gear Drive Rod Control Lock

RL




K0600

MS103–1–1




MS103–3–1

- 材质：锌合金锁体，镀锌锁片、喷砂镀亮铬齿条
- 表面处理：喷无光黑,镀沙铬
- 适用门板厚度：1~2mm
- Material:Zinc die–casting body Zinc plating cam、sand bright chrome plating rack
- Finish :Black powder coated Gray chrome plating
- Panel thickness:1~2mm




■开孔尺寸
Cut out




基本尺寸 Dimensions			产品型号 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2	L3			
152	94.5	49.5	MS103–1–1	525	50
131	74	49.5	MS103–2–1	500	50
114	68	49.5	MS103–3–1	462	50

齿轮传动式连杆锁 Gear Drive Rod Control Lock



■开孔尺寸
Cut out



基本尺寸 Dimensions		产品型号 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2			
158	100	MS761–1–1	674	50
133	75	MS761–2–1	565	50

MS761

RL IP54



MS761–1–1



K0570

MS761–2–1


- 材质：锌合金锁体，转轴，镀锌安装板、锁片、喷砂镀亮铬齿条
- 表面处理：镀沙铬,喷无光黑
- 适用门板厚度：1~4mm
- 备注：锁片开孔□8×8
- Material: zinc die-casting body and shaft, zinc plating cam and bracket, sand bright chrome plating rack
- Panel thickness:1~4mm
- Finish :Gray chrome plating, Black powder coated
- Remark: cam cutout □8×8

MS833–1–3


齿轮传动式连杆锁 Gear Drive Rod Control Lock



K333



■开孔尺寸
Cut out




- 材质：锌合金锁体，镀锌锁片，喷砂镀亮铬齿条
- 表面处理：喷沙纹黑
- 适用门板厚：1~2mm
- 备注：锁片开孔□7×7
- Material :Zinc die–casting body, zinc plating cam sand bright chrome plating rack
- Finish :Matt black
- panel thickness:1~2mm
- remark:camcutout□7×7


型号 Product no.	特性说明 Characteristic description	产品单重(g) Weight	装箱数 Lot
MS833–1–3	不带挂装置w/opadlcok	780	50
MS833–1–3G	带挂装置with padlock	800	50

齿轮传动式连杆锁 Gear Drive Rod Control Lock

MS835



■开孔尺寸
Cut out



尺寸 Dimensions / 型号Product no.	L1	L2	L3	B1	B2	H	产品单重(g) Weight	装箱数 Lot
MS835–1–1	164.5	100	50	33.5	25	20	771.5	50
MS835–2–1	136	74	49.5	33.5	24.5	16	590	50



K0200

MS835–2–1

- 材质：锌合金锁体，转轴，镀锌安装板、锁片、喷砂镀亮铬齿条
- 表面处理：镀亮铬
- 适用门板厚度：1~3mm
- 备注：锁片开孔□8×8
- Material: zinc die–casting body and shaft, zinc plating cam and bracket, sand bright chrome plating rack
- Finish :Bright chrome plating
- panel thickness:1~3mm
- Remark:cam cutout □8×8


MS4089Z–1–3

齿轮传动式连杆锁 Gear Drive Rod Control Lock





K333

- 材质：PA6锁壳，锌合金锁背，
- 转轴，齿轮盒，A3齿条
- 表面处理：沙纹面锁壳，喷沙纹锁背
- 结构功能：锁背135度旋转带动
- 齿轮盒组件实现开启和锁闭。
- 适用门板厚：2mm
- 备注：锁片开孔□8x8
- Material:PA6 for the housing,zinc alloy for the back,shaft and gear box, A3 for the rod
- Finish:sand grain surface for the housing,Matt black for the lock back
- Funtion:135° rotation of the lock back drive the gear box to lock and unlock.
- Panel thickness:2mm
- Remark:□8x8mm cut out



■开孔尺寸
Cut out







型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS4089Z–1–3	486.6	50

齿轮传动式连杆锁 Gear Drive Rod Control Lock

MS837–1–3



■开孔尺寸
Cut out





- 材质：PA锁壳，锌合金锁芯，齿轮盒，喷砂镀亮铬齿条
- 表面处理：黑色沙纹面
- 适用门板厚度：1~2mm
- Material: PA lock housing, zinc alloy lock cylinder, rod control box, sand bright chrome plating rack
- Finish: Matt black
- Panel thickness: 1 ~2mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS837–1–3		50


MS843–1–2

齿轮传动式连杆锁 Gear Drive Rod Control Lock


RL 3点 IP54




K0100



■开孔尺寸
Cut out






- 材质:锌合金锁体、 喷砂镀亮铬齿条
- 表面处理：喷沙纹黑,镀亮铬
- 适用门板厚度：1~3mm
- Material:zinc die–casting body 、 sand bright chrome plating rack
- Finish :Matt black, Bright chrome plating
- Panel thickness:1~3mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS843–1–2	603	50

齿轮传动式连杆锁 Gear Drive Rod Control Lock

MS8491Z–1–2

2点 IP40







K0200

- 材质:锌合金锁体，喷砂镀亮铬齿条
- 表面处理：喷无光黑
- 适用门板厚度：1~4.5mm
- Material:zinc die–casting body, sand bright chrome plating rack
- Finish :Black powder coated
- Panel thickness:1~4.5mm


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS8491Z–1–2	633	50

MS8007Z-1-1

杠杆传动式连杆锁 Lever Rod Control Lock



K0100




注：一般情况下用户可根据柜体
结构及柜锁伸缩行程自行设计连杆

- 材质：锌合金锁壳，锁背，锌合金锁芯，滑动块，连接杆
- 表面处理：喷塑（RAL7035)色。
- 适用门板厚度：1~3mm
- 备注：默认K100钥匙
- 结构说明：手柄快速开启,安装方便快捷，一般情况下用户可根据柜体结构及柜锁伸缩行程自行设计连杆
- Material: zinc die-casting body, zinc alloy lock cylinder, sliding block, connecting rod
- Finish :RAL7035Powder coated
- Note: the default K100 keys
- Structure: handle open fast, convenient installation, generalAccording to cabinet and cabinet locks telescopic stroke design their own rod


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS8007Z-1-1	853	25

杠杆传动式连杆锁 Lever Rod Control Lock



注：一般情况下用户可根据柜体
结构及柜锁伸缩行程自行设计连杆

■开孔尺寸
Cut out



型号 Producut no.	产品单重(g) Weight	装箱数 Lot
MS8009Z-1-1	395	50

MS8009Z-1-1




K0200

- 材质：铝合金锁壳，锁背，锌合金锁芯，滑动块，连接杆
- 表面处理：喷无光黑
- 适用门板厚度：1~3mm
- 备注：默认K200钥匙
- 结构说明：手柄快速开启,安装方便快捷，一般情况下用户可根据柜体结构及柜锁伸缩行程自行设计连杆
- Material: aluminum alloy body back, zinc alloy lock cylinder, sliding block, connecting rod
- Finish :Black powder coated,
- Note: the default K200 keys
- Structure: handle open fast, convenient installation, generalAccording to cabinet and cabinet locks telescopic stroke design their own rod

MSH-01

T型手柄-面板锁 Folding T-shape handle






- 材质： 铝合金壳体、锁盖, 镀锌钢 转轴、锁片、安装板
- 表面处理：喷塑灰；
- 适用门板厚度：1~4.5mm
- 备注：带挂锁装置、钢栓开孔□10X10
- Material:Aluminum alloy body、Lock cover, Zinc Plating Shaft、cam、 Mounting plate
- Finish:Gray powder coated;
- Panel thickness:1~4.5mm
- Remark:Padlock device、cam cutout□10X10.

产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
无光黑 Black powder coated	MSH-01.3	896	25
喷灰色 Gray powder coated	MSH-01.9	896	25

MSH-02

T型手柄-面板锁 Folding T-shape handle






- 材质：锌合金锁体，镀锌锁片、压板
- 适用门板厚度：1~4.5mm
- 表面处理：喷无光黑，喷塑灰
- Material:Zinc die-casting body, Zinc plating cam、fixing parts
- Panel thickness:1~4.5mm;
- Finish: Gray or black color


产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
无光黑 Black powder coated	MSH-02.3	957	25
喷灰色 Gray powder coated	MSH-02.9	957	25

T型手柄-面板锁 Folding T-shape handle



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MSH-03	391.5	50

T型手柄-面板锁 Folding T-shape handle



产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
无光黑 Black powder coated	MSH-04.3	900	25
喷灰色 Gray powder coated	MSH-04.9	900	25

MSH-03



- 材质： 铝合金壳体、锁盖, 镀锌钢 转轴、锁片、安装板
- 表面处理：喷塑灰；
- 适用门板厚度：1~4.5mm
- 备注：带挂锁装置、钢栓开孔□10X10
- Material:Aluminum alloy body、Lock cover, Zinc Plating Shaft、cam、 Mounting plate
- Finish:Gray powder coated;
- Panel thickness:1~4.5mm
- Remark:Padlock device、cam cutout□10X10.

MSH-04




- 材质： 铝合金壳体、锁盖, 镀锌钢 转轴、锁片、安装板
- 表面处理：喷塑灰；
- 适用门板厚度：1~4.5mm
- 备注：带挂锁装置、钢栓开孔□10X10
- Material:Aluminum alloy body、Lock cover, Zinc Plating Shaft、cam、 Mounting plate
- Finish:Gray powder coated;
- Panel thickness:1~4.5mm
- Remark:Padlock device、cam cutout□10X10.

MS738–1–1

推拉式面板锁 Push–pull panel lock





- 材质：A3钢面板、锁背、安装板，锌合金锁壳;
- 表面处理：喷砂纹黑
- 适用门板厚度：1~5mm
- 备注：默认钥匙K0427
- Material: A3 steel panel , back and mounting plate, zinc die casting housing
- Finish :Matt black powder coated
- Panel thickness:1~5mm
- Remark: K0427


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS738–1–1	204	200

MS839

推拉式面板锁 Push–pull panel lock








- 材质：A3钢面板、锁背，锌合金锁壳
- 表面处理：喷无光黑
- 适用门板厚度：1~4.5mm
- Material:A3 steel panel、back, Zinc die–casting housing
- Finish :Black powder coated
- Panel thickness:1~4.5mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS839	536	40

推拉式面板锁 Push–pull panel lock




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS739–3	82.2	200

MS739–3



- 材质：锌合金锁壳，手柄、锁舌，碳钢安装板，
- 表面处理：镀亮铬,配件镀蓝白锌
- 适用门板厚度：1~10mm
- Materia :zinc alloy for the housing handle and cam ,steel for the mounting plate.
- Finish:bright chrome plating for the body ,blue–white zinc plating for the accessories.
- Panel thickness:1~10mm.

推拉式面板锁 Push–pull panel lock



锌合金(Zin die)	产品单重(g) Weight	装箱数 Lot	塑料黑色 Acetal black	产品单重(g) Weight	装箱数 Lot
MS739–2(带锁芯)	209.5	100	MS739–2P–1(带锁芯)		
MS739–2–2（无锁芯)	210	100	MS739–2P–2（无锁芯)		

MS739



MS739–2



MS739–2–2



MS739–2P–1



MS739–2P–2





- 材质：锌合金锁壳、支架、手柄，PA6锁芯;、
- 表面处理：镀亮铬
- 适用门板厚度：1~6mm
- Material:Zinc die–casting housing、Bracket and handle,PA6 insert
- Finish: bright chrome plated
- Panel thickness:1~6mm

MS5093Z

推拉式面板锁 Push-pull panel lock




MS5093Z-1-3




K0200




MS5093Z-2-3



■开孔尺寸
Cut out






- 材质：锌合金锁体，镀锌钢锁栓装置
- 表面处理：镀沙铬
- 适用门板厚度：1~3mm
- Material: zinc alloy body, Zinc plating cam
- Finish :Gray chrome plating
- Panel thickness: 1 ~ 3mm


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS5093Z-1-3	777.5	50
MS5093Z-2-3	765	50

推拉式面板锁 Push-pull panel lock



产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
有锁芯 With key	MS731-1-1	150.5	200
无锁芯 w/o key	MS731-1-2	134.5	200

T型手柄-面板锁Folding T-shape handle



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS5094Z-1-1	660.2	24

MS731



MS731-1-1



MS731-1-2

- 材质：锌合金锁体、镀锌压板
- 表面处理:镀亮铬
- 适用门板厚度：1~5mm
- Material:Zinc die-casting body Zinc plating cam、fixing parts
- Finish :Bright chrome plating
- Panel thickness:1~5mm

MS5094




CH510

- 材质：不锈钢面板，锌合金手柄，锁壳，轴套，碳钢螺 杆，锁片
- 表面处理：镜面抛光不锈钢面板，镀亮铬手柄，锁壳，配件镀蓝白锌
- 适用门板厚度：1~4.5
- Material:stainless steel for the panel, zinc alloy for the handle,housing and axle sleeve,steel for the screw and cam.
- Finish:mirror polish for the panel, bright chrome plating for the handle and housing,blue-white zinc plating for the accessories.
- Panel thickness:1-4.5mm.

MS830

T型手柄-面板锁Folding T-shape handle


RL 3A INOX AISI 3..



MS830-1





MS830-2





MS830-3



















■开孔尺寸
Cut out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS830-1	700	24
MS830-2	650	24
MS830-3	630	24


- 材质：镜面不锈钢面板、锌合金手柄，镀锌锁片
- 适用门板厚度：1~4.5mm
- Material:Mirror surface stainless steel,Zinc plating handle zinc-die casting cam
- Panel thickness:1~4.5mm

T型手柄-面板锁Folding T-shape handle







■开孔尺寸
cut out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS903-1	553.5	50


T型手柄-面板锁Folding T-shape handle





■开孔尺寸
Cut out





型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS904-1	176.8	50

MS903-1

RL



K0200



- 材质：锌合金手柄、锁壳，镀锌锁片；
- 表面处理：镀亮铬
- 适用门板厚度：1~5mm
- 备注：锁片开孔□10X10
- Material:Zinc die-casting handle and housing, Zinc plating cam
- Finish:Bright chrome plated
- Panel thickness:1~5mm
- Remark:cam cutout□10X10

MS904-1

RL 2A





K333


- 材质：PA手柄、锁壳，镀锌锁片
- 表面处理：黑色细沙纹面
- 适用门板厚度：1~2mm
- 备注：锁片开孔□8×8
- Material:PA handle and housing, Zinc plating cam
- Finish :Matt black
- Panel thickness:1~2mm
- Remark:cam cutout □8×8

MS901


面板锁Plane lock



- 材质：ABS锁座，锌合金旋钮、锁芯，镀锌锁片
- 表面处理：黑色咬花面
- 适用门板厚度：0.8~1.2mm
- Material: ABS housing,zinc die-casting knob insert, Zinc plating cam、fixing parts;
- Finish :Matt black
- Panel thickness:0.8~1.2mm.



■开孔尺寸
Cut out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS901	213.5	100

MS902


推拉式面板锁 Push-pull panel lock



- 材质：锌合金锁壳，手柄，镀锌锁片
- 表面处理：黑色咬花面
- 适用门板厚度：1~2mm
- Material:Zinc die-casting housing handle,Zinc plating cam
- Finish :Matt black
- Panel thickness:1~2mm




■开孔尺寸
Cut out





型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS902	316	50

Dust cover 防尘盖



■开孔尺寸
Cut Out





型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS9007Z-3	238	100

MS9007Z-3

IP 65

防尘盖






- 材质：锌合金锁体
- 表面处理：镀沙铬
- Material：Zinc die-casting body
- Finish：Gray chrome plating


MS101–1–1

T型执手锁 T–Shape Handle Lock




K333





■开孔尺寸 Cut Out



- 材质：锌合金锁体、镀锌锁片
- 表面处理：喷无光黑,镀亮铬
- 适用门板厚度：1~5mm
- 备注：锁片开孔□8×8带定位点
- Material:Zinc die–casting body Zinc plating cam
- Finish :Black powder coated, Bright chrome plating
- Panel thickness:1~5mm
- Remark:cam cutout □8×8

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS101–1–1(有锁芯With key)	200	100
MS101–1A–2 (无锁芯w/o key)		100


MS314

L型执手锁 L–Shape Handle Lock




K333

MS314–1–1




■开孔尺寸 Cut Out




- 材质：锌合金锁体、镀锌锁片
- 表面处理：镀亮铬,喷无光黑
- 适用门板厚度：1~5mm
- 备注：锁片带定位点
- Material:Zinc die–casting body, Zinc plating cam
- Finish :Bright chrome plating, Black powder coated
- Panel thickness:1~5mm


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS314–1–1	262	100

T型执手锁 T–Shape Handle Lock





■开孔尺寸 Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS314–2S–1(有锁芯 With key)	290.5	100
MS314–2S–2–1(无锁芯 w/o key)		100

MS314



MS314–2S–1


K333




MS314–2S–2

- 材质：全不锈钢
- 表面处理：镜面抛光或拉丝
- 适用门板厚度：1~5mm
- 备注：锁片开孔□8×8
- Material: Stainless steel
- Finish: Mirror polished or brushed
- Panel thickness: 1~5mm
- Remark: Cam Cutout □8×8

L型执手锁 L–Shape Handle Lock



■开孔尺寸 Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS314–1S–1(带锁芯)	338.5	100
MS314–1S–2 (无锁芯)		100

MS314



K333

MS314–1S–1 MS314–1S–2

- 材质：全不锈钢
- 表面处理：镜面抛光或拉丝
- 适用门板厚度：1~5mm
- 备注：锁片开孔□8×8
- Material: Stainless steel
- Finish: Mirror polished or brushed
- Panel thickness: 1~5mm
- Remark: Cam Cutout □8×8

MS314


L型执手锁 L-Shape Handle Lock

RL



MS314-1AG-1L

- 材质：锌合金锁体、镀锌锁片
- 表面处理：镀亮铬,喷无光黑
- 适用门板厚度：1~5mm
- 备注：锁片带定位点
- Material:Zinc die-casting body, Zinc plating cam
- Finish :Bright chrome plating, Black powder coated
- Panel thickness:1~5mm
- Remark:cam cutout □8x8



产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
有锁芯 With key	MS314-1AG-1R/L	315	100
无锁芯 w/o key	MS314-1AG-2R/L	305	100


MS316-1-1

L型执手锁 L-Shape Handle Lock

R



- 材质：锌合金锁体、镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~5mm
- 备注：锁片开孔□8x8
- Material:Zinc die-casting body, Zinc plating cam
- Finish :Bright chrome plating
- Panel thickness:1~5mm
- Remark:cam cutout □8x8



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS316-1-1	225	100


A2057

L型执手锁 L-Shape Handle Lock

R



- 材质：锌合金锁体、镀锌锁片、不锈钢挂锁扣
- 表面处理：喷无光黑
- 适用门板厚度：1~5mm
- 备注：与挂锁配套使用
- Material:Zinc die-casting body Zinc plating cam、fixing parts stainless steel padlock hook
- Finish :Black powder coated
- Panel thickness:1~5mm
- Remark: with padlock available



型号 Product no.	产品单重(g) Weight	装箱数 Lot
A2057	214.5	100


MS315-1-1

L型执手锁 L-Shape Handle Lock

R



- 材质：锌合金锁体,镀锌钢锁片
- 表面处理：无光黑
- 适用门板厚度：1~5mm
- 备注：与挂锁配套使用
- Material:Zinc die-casting body,
- Finish :Black powder coated
- Panel thickness:1~5mm
- Remark: with padlock available



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS315-1-1	261	50

A19

R




A19–1–1




A19–1–2

- 材质：锌合金锁体、镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~1.5mm
- Material:Zinc die–casting body, Zinc plating cam
- Finish :Bright chrome plating
- Panel thickness:1~1.5mm

T型执手锁 T–Shape Handle Lock




■开孔尺寸
Cut out




产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
有锁芯 With key	A19–1–1	184	200
无锁芯 w/o key	A19–1–2	195.5	200

L型执手锁 L–Shape Handle Lock



■开孔尺寸
Cut out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
A2055	261	100

A2055

L



- 材质：锌合金手柄、锁座，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~1.5mm
- 备注:普通为顺时针90° 旋转
- Material:Zinc die–casting body、nut，Zinc plating cam
- Finish :Bright chrome plating
- Panel thickness:1~1.5mm
- note: General for the clockwise rotation of 90 degrees

A45

L




A45–1–1




A45–1–2

- 材质：锌合金锁体、镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~1.5mm
- Material:Zinc die–casting body, Zinc plating cam
- Finish :Bright chrome plating
- Panel thickness:1~1.5mm

L型执手锁 L–Shape Handle Lock




■开孔尺寸
Cut out





产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
有锁芯 With key	A45–1–1	245	100
无锁芯 w/o key	A45–1–2	251	100

L型执手锁 L–Shape Handle Lock




■开孔尺寸
Cut out





A2056–1–2

■开孔尺寸
Cut out



产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
通用锁芯 with key	A2056	273	100
无锁芯 w/o key	A2056–1–2	157	100
子母专用锁芯 master key	A2056–2	265	100
双面牙花锁芯 double key bit	A2056–3	270	100

A2056

R



A2056

A2056–1–2

- 材质：锌合金锁体、镀锌压板、锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~2mm
- Material:Zinc die–casting body Zinc plating cam、fixing parts
- Finish :Bright chrome plating
- Panel thickness:1~2mm

AB701

L型执手锁 L-Shape Handle Lock

RL IP54 Water Proof



AB701-1-1



AB701-1-2



AB701-2-1



AB701-2-2G




AB701-3-1




AB701-3-2G



K0200




■开孔尺寸
Cut out




- 材质：锌合金锁体、螺母，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~5mm
- 备注：锁片开孔：
  □10×10(AB701-1-1/2)
  □8×8 (AB701-2-1/2)
  (AB701-3-1/2)
- Material:Zinc die-casting body、nut Zinc plating cam
- Finish :Bright chrome plating
- Panel thickness:1~5mm
- Remark:pCam cutout:
  □10×10(AB701-1-1/2)
  □8×8(AB701-2-1/2)
  (B701-3-1/2)

基本尺寸 Dimensions											产品型号及特性 Product Number							
L1	L2	L3	L4	B1	B2	H1	H2	H3	R	D	有锁芯 With key	产品单重(g) Weight	装箱数 Lot	无芯锁 w/o key	产品单重(g) Weight	装箱数 Lot	无锁芯带挂 Padlock able w/o key	产品单重(g) Weight	装箱数 Lot
145.5	120	62.5	40	50	20	52	43.5	25	4.25	8	AB701-1-1	439	50	AB701-1-2	472	50	AB701-1-2G	422.5	50
118	95	49.5	32	40	16	46	36	22	3.6	8	AB701-2-1	256	50	AB701-2-2	273	100	AB701-2-2G	279	100
103.5	85	46.5	32	38	14	42	36	17	3.6	7	AB701-3-1	225	100	AB701-3-2	231	100	AB701-3-2G	236.5	100

L型执手锁 L-Shape Handle Lock




■开孔尺寸
Cut Out



（60度左右开门及90度右开门）
(60° left or right open & 90° right open)

■开孔尺寸
Cut Out



（90度左开门）
(90° left open)

型号 Product no.	转角 Rotaion angle	产品单重(g) Weight	装箱数 Lot
AB702S-1-1	(60°)	644.5	40
AB702S-1-2	(90°)	644.5	40

AB702S

RL IP54 Water Proof INOX AISI 3.. NEW



K0200

AB702S-1-1




AB702S-1-1

- 材质：全不锈钢
- 表面处理：镜面抛光或拉丝
- 结构功能：止口高度可调范围45~60，锁座有60度左右通用与90度左右开门两种，
- 适用门板厚度：1~5mm
- 备注：锁片开孔□10×10
- Material: Stainless steel
- Finish: Mirror polished or brushed
- Mechanism: Grip range can be adjusted around 45~60mm. Both 60° and 90° open is available.
- Panel thickness: 1~5mm
- Remark: Cam Cutout □10×10


MS107–1–1

T型执手锁 T–Shape Handle Lock





■开孔尺寸
Cut out




- 材质：锌合金锁体，镀锌锁片
- 表面处理：喷沙纹黑;
- 适用门板厚度：1~5mm
- Material:Zinc die–casting body zinc plating steel cam
- Finish :Matt black
- Panel thickness:1~5mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS107–1–1	304.5	100


MS111–1–1

T型执手锁 T–Shape Handle Lock






■开孔尺寸
Cut out




- 材质：锌合金锁体、镀锌锁片
- 表面处理：喷无光黑
- 适用门板厚度：1~5mm
- 备注：锁片开孔□8x8
- Material:Zinc die–casting body Zinc plating cam
- Finish :Black powder coated
- Panel thickness:1~5mm
- Remark:cam cutout □8x8

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS111–1–1	286	100

T型执手锁 T–Shape Handle Lock




■开孔尺寸
Cut out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS108–1–1	196	100

T型执手锁 T–Shape Handle Lock



■开孔尺寸
Cut out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS108–2–1	209	100

MS108–1–1





- 材质：PA锁体,镀锌锁片
- 表面处理：黑色沙纹面
- 适用门板厚度：1~5mm
- Material:PAbody，zinc plating steel cam
- Finish :Matt black
- Panel thickness:1~5mm

MS108–2–1






- 材质：PA锁体,镀锌锁片
- 表面处理：黑色沙纹面
- 适用门板厚度：1~5mm
- Material:PA body，zinc plating steel cam
- Finish :Matt black
- Panel thickness:1~5mm

MS109–1–1

L型执手锁 L–Shape Handle Lock

RL





- 材质：锌合金锁体、镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~5mm
- 备注：锁片开孔□8x8
- Material:Zinc die–casting body, Zinc plating cam
- Finish :Bright chrome plating
- Panel thickness:1~5mm
- Remark:cam cutout □8x8


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS109–1–1	132.5	100

MS110–1–1

T型执手锁 T–Shape Handle Lock

RL






- 材质：锌合金锁体、镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~5mm
- 备注：锁片开孔□8x8
- Material:Zinc die–casting body, Zinc plating cam
- Finish :Bright chrome plating
- Panel thickness:1~5mm
- Remark:cam cutout □8x8


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS110–1–1	105	200

T型执手锁 T–Shape Handle Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS101–1–2	191	100

L型执手锁 L–Shape Handle Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS319–1	65.5	200

MS101–1–2

R



- 材质：锌合金锁体、镀锌锁片
- 表面处理：喷无光黑,镀亮铬
- 适用门板厚度：1~4mm
- 结构功能：手柄旋转180度，锁片开启90度
- 备注：压缩式门锁,压缩量6mm
- Material:Zinc die–casting body, Zinc plating cam
- Finish :Black powder coated, Bright chrome plating
- Panel thickness:1~4mm
- Remark:compression lock,6mm pull–up

MS319–1

RL




- 材质：PA手柄、锁座、六角螺母、镀锌锁片
- 表面处理：黑色沙纹面
- 适用门板厚度1.2~5mm
- material： PA handle ,nut and lock body, zinc plating steel cam
- Finish: black
- Remark:Panel thickness1.2～5mm.

MS301-1

L型执手锁 L-Shape Handle Lock

R





■开孔尺寸
Cut out

- 材质：锌合金锁体、镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~3mm
- Material:Zinc die-casting body M.S. Zinc plating cam
- Finish :Bright chrome plating
- Panel thickness:1~3mm


产品型号及特性 Product Number			
镀亮铬 Bright chrome plating		产品单重(g) Weight	装箱数 Lot
MS301-1-1.1	有锁芯 with key	194.5	100
MS301-1-2.1	按钮型 Push button	192	100

MS303


L型执手锁 L-Shape Handle Lock

R






■开孔尺寸
Cut out




- 材质：锌合金锁体、螺母，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~3mm
- Material:Zinc die-casting body、nut, Zinc plating cam
- Finish :Bright chrome plating
- Panel thickness:1~3mm

基本尺寸 Dimensions		产品型号及特性 Product Number					
L	H	有锁芯 With key	产品单重(g) Weight	装箱数 Lot	按钮型 Push button	产品单重(g) Weight	装箱数 Lot
67	11	MS303-1-1.1	157	100	MS303-1-2.1	156.5	100
65	7	MS303-2-1.1	145	100	MS303-2-2.1	144.5	100

L型执手锁 L-Shape Handle Lock




■开孔尺寸
Cut out




基本尺寸 Dimensions				产品型号及特性 Product Number					
B1	B2	B3	H	有锁芯 With key	产品单重(g) Weight	装箱数 Lot	按钮型 Push button	产品单重(g) Weight	装箱数 Lot
12	23	8.5	10.5	MS304-1-1	258	100	MS304-1-2	268	100
10	20.5	6.5	9	MS304-2-1	232	100	MS304-2-2	242	100

L型执手锁 L-Shape Handle Lock



■开孔尺寸
Cut out




产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
MS301-2-1.1	有锁芯 with key	157	100
MS301-2-2.1	按钮型 Push button	158	100

MS304

L型执手锁 L-Shape Handle Lock

R



- 材质：锌合金锁体、钢螺母，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~3mm
- Material:Zinc die-casting body、nut, Zinc plating cam
- Finish :Bright chrome plating
- Panel thickness:1~3mm

MS301-2

R



- 材质：锌合金锁体、镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~3mm
- Material:Zinc die-casting body、nut, Zinc plating cam
- Finish :Bright chrome plating
- Panel thickness:1~3mm

MS305


L型执手锁 L-Shape Handle Lock

RL IP54 Water Proof



MS305-1-1

MS305-2-1



■开孔尺寸
Cut out


- 材质：锌合金锁体、螺母
- 表面处理：镀亮铬,镀沙铬
- 适用门板厚度：1~5mm
- Material:Zinc die-casting body、nut，Zinc plating cam
- Finish :Bright chrome plating Gray chrome plating
- Panel thickness:1~5mm

基本尺寸 Dimensions						产品型号及特性 Product Number			
L1	L2	GH	B1	B2	H	镀亮铬 Bright chrome plating	镀沙铬 Gray chrome plating	产品单重(g) Weight	装箱数 Lot
150	40	22	28	8.5	45.5	MS305-1-1.1	MS305-1-1.2	516.6	50
107	31.8	15	23	7.5	37.5	MS305-2-1.1	MS305-2-1.2	376.5	100

MS306-1A

L型执手锁 L-Shape Handle Lock


RL IP54 Water Proof






MS306-1A-1

- 材质：锌合金锁体、螺母
- 表面处理：镀亮铬
- 适用门板厚度：1~5mm
- Material:Zinc die-casting body、nut，Zinc plating cam
- Finish :Bright chrome plating
- Panel thickness:1~5mm





■开孔尺寸
Cut out




型号 Product no.	转角 Rotation angle	产品单重(g) Weight	装箱数 Lot
MS306-1A-1	60°	520	40
MS306-1A-1L	顺时针(CW)90°	520	40
MS306-1A-1R	逆时针(ACW)90°	520	40

L型执手锁 L-Shape Handle Lock






■开孔尺寸
Cut out




型号 Product no.	转角 Rotation angle	产品单重(g) Weight	装箱数 Lot
MS306-1-1	60°	464.5	50
MS306-1-1L	顺时针(CW)90°	464.5	50
MS306-1-1R	逆时针(ACW)90°	464.5	50

MS306-2

L型执手锁 L-Shape Handle Lock



■开孔尺寸
Cut out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS306-2-1(60°)	250.5	50
MS306-2-1L 顺时针(CW90°)	250.5	50
MS306-2-1R 逆时针(CCW90°)	250.5	50

MS306-1

RL IP54 3PL Water Proof





MS306-1-1

- 材质：锌合金锁体、螺母
- 表面处理：镀亮铬
- 适用门板厚度：1~5mm
- Material:Zinc die-casting body、nut，Zinc plating cam
- Finish :Bright chrome plating
- Panel thickness:1~5mm

MS306-2

RL 3PL IP54 Water Proof





MS306-2-1

- 材质：锌合金锁体、螺母，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~5mm
- Material:Zinc die-casting body、nut，Zinc plating cam
- Finish :Bright chrome plating
- Panel thickness:1~5mm

MS308–1–1

L型执手锁 L–Shape Handle Lock



MS308–1–1　　MS308–3–1






K0200

MS308–2–1

- 材质：锌合金锁体、螺母，镀锌锁片
- 表面处理: 镀亮铬
- 适用门板厚度：1~5mm
- Material:Zinc die–casting body、nut，Zinc plating cam
- Finish : Bright chrome plating
- Panel thickness:1~5mm



产品型号 Product Number	转角 Rotation angle	L1	L2	B	产品单重(g) Weight	装箱数 Lot
MS308–1–1	60°	117	42	36	252.5	100
MS308–1–1L	顺时针(CW)90°				245.5	100
MS308–1–1R	逆时针(ACW)90°				245.5	100
MS308–2–1	60°	102	38	33	189	100
MS308–2–1L	顺时针(CW)90°				195	100
MS308–2–1R	逆时针(ACW)90°				195	100
MS308–3–1	60°	84	38	33	175	100
MS308–3–1L	顺时针(CW)90°				180	100
MS308–3–1R	逆时针(ACW)90°				180	100

MS310–1–1

L型执手锁 L–Shape Handle Lock




MS310–1–1



K0200


MS310–1–2

- 材质：锌合金锁体、螺母，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~5mm
- Material:Zinc die–casting body、nut, Zinc plating cam
- Finish :Bright chrome plating
- Panel thickness:1~5mm




产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
有锁芯 With key	MS310–1–1	198	100
按钮型 Push button	MS310–1–2	201.5	100

L型执手锁 L–Shape Handle Lock



产品型号 Product Number	产品单重(g) Weight	装箱数 Lot
左手锁 Left hand use MS308–2A–1L	374	50
右手锁 Right hand use MS308–2A–1R	373	50


MS308–2A–1



K0200

- 材质：锌合金锁体,镀锌钢板，拉 杆盒
- 表面处理：镀亮铬
- 适用门板厚度：1~2.5mm
- Material:Zinc die–casting body, Zinc plating cam,rod control box
- Finish :Bright chrome plating
- Panel thickness:1~2.5mm

L型执手锁 L–Shape Handle Lock



产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
有锁芯 With key	MS318–1–1	606	40
无锁芯 w/o key	MS318–1–2	645	40

MS318



MS318–1–1　　MS318–1–2

- 材质：锌合金手柄、锁座、拉杆套，镀锌钢拉杆盒、锁片
- 表面处理：喷沙纹黑
- 适用门板厚度：1.2~3.5mm
- Material: zinc die–casting handle, zinc plating steel rod box and cam
- Finish :Matt black
- Remark:Panel thickness 1.2~3.5mm


MS309-1

L




- 材质：锌合金锁体、螺母，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~5mm
- 备注：锁片开孔□10x10
- Material:Zinc die-casting body、nut, Zinc plating cam
- Finish :Bright chrome plating
- Panel thickness:1~5mm
- Remark:cam cutout □10x10

T型执手锁 T-Shape Handle Lock



■开孔尺寸
Cut out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS309-1	102.2	200


MS309-2

R




- 材质：锌合金锁体、螺母，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~5mm
- 备注：锁片开孔□8x8
- Material:Zinc die-casting body、nut, Zinc plating cam
- Finish :Bright chrome plating
- Panel thickness:1~5mm
- Remark:cam cutout □8x8

T型执手锁 T-Shape Handle Lock




■开孔尺寸
Cut out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS309-2	214	100

L型执手锁 L-Shape Handle Lock




■开孔尺寸
Cut out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
AB803	160	100

T型执手锁 T-Shape Handle Lock



■开孔尺寸
Cut out



产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
有锁芯 With key	MS302-1-1.1	172.5	100
按钮型 Push button	MS302-1-2.1	170	100

AB803

R



- 材质：锌合金锁体、镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~2mm
- 备注：锁片开孔□8×8
- Material:Zinc die-casting body, Zinc plating cam
- Finish :Bright chrome plating
- Panel thickness:1~2mm
- Remark:cam emark: turn 90°， cam cutout 8x8

MS302-1-1

R




- 材质：锌合金锁体、螺母，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~3mm
- Material:Zinc die-casting body、nut， Zinc plating cam
- Finish :Bright chrome plating
- Panel thickness:1~3mm

A99

安全锁芯转舌锁 Secure Cylinder Cam Lock

RL





- 材质：锌合金锁体，螺母，镀锌锁片
- 表面处理：镀沙铬
- 适用门板厚度：1~5mm
- Material:Zinc die-casting body,Nut, Zinc plating cam
- Finish:Gray chrome plating
- Panel thickness:1~5mm

产品型号及特性 Product Number		基本尺寸L Dimensions	产品单重(g) Weight	装箱数 Lot
K0600锁芯 K0600 key	A99-1	46	108.5	200
十字槽锁芯 Double bit insert	A99-2	46	109.5	200
K0200锁芯 K0200 key	A99-3	24	393.5	200


MS238

安全锁芯转舌锁 Secure Cylinder Cam Lock

RL









- ●材质：锌合金锁座，手锁，锁芯，碳钢锁舌
- ●表面处理：电泳黑/无光黑
- ●适用门板厚度：1~5mm
- ●结构说明：锁芯旋转180，手柄旋转90° 实现开启或锁闭
- ●Material:Zinc din-casting body, zinc plating steel cam
- ●Finish: black powder coated
- ●Panel thickness:1~5mm

产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
有锁芯 With key	MS238-1-1	126	200
有锁芯 With key	MS238-1A-1	140	200
无锁芯 w/o key	MS238-1-2	113	200


安全锁芯转舌锁 Secure Cylinder Cam Lock





型号 Product no.	产品单重(g) Weight	装箱数 Lot
AB7007Z-1-1	83.8	150

安全锁芯转舌锁 Secure Cylinder Cam Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
AB7006Z-1-1	76.5	150

AB7007Z-1-1

RL



- ●材质:锌合金锁壳，锁芯，螺母，碳钢锁片,不锈钢防尘盖
- ●表面处理：镀亮铬
- ●结构功能：90° 旋转实现开启或锁闭
- ●适用门板厚度：1~5mm
- ●Material:zinc die-casting lock housing,cylinder and nut,zinc plating cam,stainless steel dustproof cap.
- ●Finish:bright chrome plating
- ●Function: 90° open
- ●Panel thickness:1~5mm

AB7006Z-1-1

RL



- ●材质:锌合金锁壳，锁芯，螺母,碳钢锁片
- ●表面处理：镀亮铬
- ●结构功能：90° 旋转实现开启或锁闭
- ●适用门板厚度：1~5mm
- ●Material:zinc die-casting lock body, cylinder and nut, zinc plating steel cam
- ●Finish:bright chrome plating
- ●Mechanism:90° open
- ●Panel thickness:1~5mm.

MS401-1

安全锁芯转舌锁 Secure Cylinder Cam Lock

RL



MS401-1



K0400




MS401-2



K8180

- 材质：锌合金和塑料两种锁体，镀锌钢螺母、锁片
- 表面处理：镀亮铬
- 适用门板厚：1~6mm
- Material:Zinc die-casting or Plastic body is available, zinc plating steel nut and cam
- Finish:Bright chrome plating,
- Panel thickness:1~6mm




基本尺寸 Dimensions		锁芯 Insert	产品型号及特性 Product Number		
H1	H2		锌合金锁壳 zinc die-casting body	产品单重(g) Weight	装箱数 Lot
20	20	K0400	MS401-1	62.5	200
21	16	K8180	MS401-2	100	200

MS402

安全锁芯转舌锁 Secure Cylinder Cam Lock

RL



MS402-1



MS402-2




K0400




MS402-3

- 材质：锌合金锁体、螺母，镀锌锁片
- 表面处理：镀亮铬,镀沙铬
- 适用门板厚：1~10mm
- Material:Zinc die-casting body, Nut, Zinc plating cam
- Finish: Bright chrome plating, Gray chrome plating
- Panel thickness:1~10mm



基本尺寸 Dimensions			产品型号及特性 Product Number		
L	H	∅	K0700锁芯 K0700 insert	产品单重(g) Weight	装箱数 Lot
39	30	23.5	MS402-1	64	300
29	20	22.5	MS402-2	45	500
29	16	22.5	MS402-3	46.5	400

安全锁芯转舌锁 Secure Cylinder Cam Lock



基本尺寸 Dimensions	产品型号及特性 Product Number			
H	包不锈钢表面 Stainless steel cover	K8180(锁芯) K8180 insert	产品单重(g) Weight	装箱数 Lot
20	MS403-1		50	500
16	MS403-2	MS403-2GT	43	500


MS403

RL



MS403-1





MS403-2




K8180



MS403-2GT

- 材质：锌合金锁体、螺母，包不锈钢面板，镀锌锁片
- 适用门板厚：1~10mm
- 备注：K8180铜锁芯型号为：MS403-2GT
- Material:Zinc die-casting body,Nut, stainless stee face cover Zinc plating cam
- Panel thickness:1~10mm
- Remark: The item No of K8180 brass cylinder is MS403-2GT

安全锁芯转舌锁 Secure Cylinder Cam Lock



基本尺寸 Dimensions				产品型号 Product No	产品单重(g) Weight	装箱数 Lot
H1	16	H2	24	MS7066Z-1-1	47.5	400
	25		33	MS7067Z-1-1	43.5	400

MS7066

RL



MS7066Z-1-1



MS7067Z-1-1

- 材质:锌合金锁体，锁芯，碳钢锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~4mm
- Material:Zinc die-casting body and insert steel cam
- Finish: Bright chrome plating
- Panel thickness:1~4mm

MS407-1

安全锁芯转舌锁 Secure Cylinder Cam Lock

RL









K0600

- 材质：锌合金锁体、螺母，镀锌钢垫圈、锁片
- 表面处理：喷无光黑,镀亮铬
- 适用门板厚：1~8mm
- Material:Zinc die-casting body，Nut, M.S. Zinc plating cam、fixing parts
- Finish: Black powder coated, Bright chrome plating
- Panel thickness:1~8mm.



■开孔尺寸
Cut Out



产品型号及特性 Product Number

锌合金锁壳 zinc die-casting housing						铝合金锁壳 Aluminium housing					
K0600 key	产品单重(g) Weight	装箱数 Lot	K0200 key	产品单重(g) Weight	装箱数 Lot	K0600 key	产品单重(g) Weight	装箱数 Lot	K0200 key	产品单重(g) Weight	装箱数 Lot
MS407-1	74	300	MS407-1C	72	300	MS407-1A	59	300	MS407-1CA	56	300
MS407-1T(turn90°)	74	300	MS407-1CT(turn90°)	72	300						

MS407-2

安全锁芯转舌锁 Secure Cylinder Cam Lock


RL







K0600

- 材质：锌合金锁体、螺母，镀锌钢垫圈、锁片
- 表面处理：喷无光黑
- 适用门板厚：1~8mm
- Material:Zinc die-casting body，Nut, M.S. Zinc plating cam、fixing parts
- Finish: Black powder coated
- Panel thickness:1~8mm.






■开孔尺寸
Cut Out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS407-2	53	300

安全锁芯转舌锁 Secure Cylinder Cam Lock




■开孔尺寸
Cut Out




产品型号及特性 Product Number

有锁芯 with key	产品单重(g) Weight	装箱数 Lot	无锁芯 without key	产品单重(g) Weight	装箱数 Lot	特制(锁片带定位点型) (different cam))	产品单重(g) Weight	装箱数 Lot
MS408-1-1	153	200	MS408-1-2	150	200	MS408-1-1T	145.5	200

安全锁芯转舌锁 Secure Cylinder Cam Lock



■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS408-2-1	77	300

MS408-1-1

RL





K333



- 材质：锌合金锁体、螺母，镀锌锁片
- 适用门板厚度：1~6mm
- 表面处理：喷无光黑
- Material:Zinc die-casting body，Nut, Zinc plating cam
- Finish:Black powder coated
- Panel thickness:1~6mm

MS408-2-1

RL






- 材质：锌合金锁体、螺母，镀锌锁片
- 适用门板厚度：1~6mm
- 表面处理：喷无光黑
- Material:Zinc die-casting body，Nut, Zinc plating cam
- Finish:Black powder coated
- Panel thickness:1~6mm

MS408-3-1

安全锁芯转舌锁 Secure Cylinder Cam Lock

RL





- 材质：锌合金锁体、螺母，镀锌锁片
- 适用门板厚度：1~6mm
- 表面处理：喷无光黑
- Material:Zinc die-casting body, Nut, Zinc plating cam
- Finish:Black powder coated
- Panel thickness:1~6mm


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS408-3-1	56.5	500

MS7068Z-1-1

安全锁芯转舌锁 Secure Cylinder Cam Lock

RL






- 材质:锌合金锁体，锁芯，碳钢锁片
- 表面处理：电泳黑
- 适用门板厚度：1~5mm
- Material:Zinc die-casting body and insert steel cam
- Finish:Electrophoresis Black
- Panel thickness:1~5mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7068Z-1-1	62.5	400

安全锁芯转舌锁 Secure Cylinder Cam Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7072Z-1-1	126.3	200

MS7072Z-1-1


RL IP65 NEW



K333

- 材质：锌合金锁壳，手柄,锁芯，碳钢锁片
- 表面处理：镀亮铬，配件镀蓝白锌
- 适用门板：1~8mm
- 备注：默认K333钥匙
- Material:zinc alloy for the housing, handle and cylinder, steel for the cam.
- Finish:bright chrome for the body, blue-whitezinc plating for the accessories.
- Panel thickness:1~8mm.
- Remark:with K333 keys.

安全锁芯转舌锁 Secure Cylinder Cam Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7081Z-1-1		

MS7081Z-1-1

RL IP65 NEW




- 材质:锌合金锁体,碳钢锁片
- 表面处理:喷无光黑
- 适用门板厚度:1~5mm
- 备注:锁片开孔□8 x 8
- Material:Zinc die body steel cam
- Finish :Black powder coated
- Panel thickness:1~5mm
- Remark:cam size □8 x 8

MS405–1–1

安全锁芯转舌锁 Secure Cylinder Cam Lock








- 材质:锌合金锁体，锁芯，镀锌钢栓。
- 表面处理：镀亮铬
- 适用门板厚：1–7mm
- Material:zinc die–casting body, cylinder， Nut,Zinc plating cam;
- Finish:bright chrome plating
- Panel thickness:1–7mm;

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS405–1–1	105.4	200

MS7079–2–1

安全锁芯转舌锁 Secure Cylinder Cam Lock






- 材质:锌合金锁体,螺母,碳钢锁片
- 表面处理:电泳黑
- 适用门板厚度:1~5mm
- 备注：锁片开孔□8 × 8
- Material: Zinc die body nut steel cam
- Finish: Electrophoresis black
- Panel thickness :1~5mm
- Remark:cam size □8 × 8

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7079–2–1		

安全锁芯转舌锁 Secure Cylinder Cam Lock



产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
镀亮铬 Bright chrome plating	MS721.1	87	200
无光黑 Black powder coated	MS721.3	87	200

MS721



K333

- 材质：锌合金锁体，镀锌螺母、锁片
- 表面处理：镀亮铬,无光黑
- 适用门板厚度：1~6mm
- Material:Zinc die–casting body, Zinc plating nut and cam
- Finish: Bright chrome plating Black powder coated
- Panel thickness:1~6mm


MS721–1S–1

安全锁芯转舌锁 Secure Cylinder Cam Lock





K333



- 材质:不锈钢锁体,锁片
- 表面处理:本色
- 适用门板厚度:1~5mm
- 备注：锁片开孔
- Material : sus body ,cam
- Finish :natural color
- Panel thickness :1~5mm
- Remark :cam size□8 × 8

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS721–1S–1		


MS410

安全锁芯转舌锁 Secure Cylinder Cam Lock

RL



K0200



■开孔尺寸
Cut Out

- 材质：锌合金锁体、螺母，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~9mm
- Material:Zinc die-casting body Nut, Zinc plating cam
- Finish:Bright chrome plating
- Panel thickness:1~9mm

锁芯类别 Insert type	产品型号及特性 Product Number	产品单重(g) Weight	装箱数 Lot
K097	MS410	47.5	400
K0200	MS410C	59	400


MS411

安全锁芯转舌锁 Secure Cylinder Cam Lock


RL








■开孔尺寸
Cut Out




- 材质：锌合金锁体、螺母，镀锌钢垫圈、锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~9mm
- Material:Zinc die-casting body,Nut, Zinc plating cam;washer
- Finish: Bright chrome plating
- Panel thickness:1~9mm

锁芯类别	型号 Product no.	产品单重(g) Weight	装箱数 Lot
K0120 key(普通型号)	MS411	61	400
K0200 key	MS411C	71	400

安全锁芯转舌锁 Secure Cylinder Cam Lock



■开孔尺寸
Cut Out



产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
圆形锁壳 Round housing	MS413Y	66	300
方形锁壳 square housing	MS413F	74	300

MS413

RL



K0200


MS413Y




MS413F

- 材质：锌合金锁体、螺母，镀锌钢垫圈、锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~6mm
- Material:Zinc die-casting body,Nut, Zinc plating cam;washer
- Finish: Bright chrome plating
- Panel thickness:1~6mm

安全锁芯转舌锁 Secure Cylinder Cam Lock



■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS415	60	300

MS415

RL






- 材质：锌合金锁体、螺母，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~6mm
- Material:Zinc die-casting body，Nut, Zinc plating cam
- Finish: Bright chrome plating
- Panel thickness:1~6mm

MS416


安全锁芯转舌锁 Secure Cylinder Cam Lock

RL





■开孔尺寸
Cut Out




- 材质：锌合金锁体、螺母，镀锌钢卡、锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~2mm
- Material:Zinc die-casting body,Nut, Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~2mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS416	53	200


MS417

安全锁芯转舌锁 Secure Cylinder Cam Lock


RL



K0200



■开孔尺寸
Cut Out




- 材质：锌合金锁体，镀锌钢卡、锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~4mm
- Material:Zinc die-casting body, Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~4mm


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS417	52	300

MS438-1-1


安全锁芯转舌锁 Secure Cylinder Cam Lock

RL





■开孔尺寸
Cut Out





型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS438-1-1	50	300

MS438-1A-1


安全锁芯转舌锁 Secure Cylinder Cam Lock

RL





■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS438-1A-1	30.5	300

目录 Category
A拉手系列 Handles series
B平面锁系列 Plane lock series
C连杆锁系列 Rod control series
D面板锁系列 Plane lock series
E执手锁系列 Handle lock series
F转舌锁系列 Cam lock seies
G铰链系列 Hinge series
H搭扣锁系列 Toggle lock series
I门锁系列 Door bolt series
J电子锁系列 Electronic lock series
K密封条系列 Gasketing series
L限 位系列 Door stop series
M附件系列 Accessories series
N不锈钢件系列 Stainless steel series
索引 Index

MS438-1-1

RL





- 材质：锌合金锁体,锁芯，碳钢锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~8mm
- Material: zinc die-casting lock housing and cylinder, zinc plating steel cam
- Finish: Bright chrome plating
- Panel thickness:1~8mm

MS438-1A-1

RL





- 材质：锌合金锁体,锁芯，碳钢锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~8mm
- Material: zinc die-casting lock housing and cylinder, zinc plating steel cam
- Finish: Bright chrome plating
- Panel thickness:1~8mm

MS425

安全锁芯转舌锁 Secure Cylinder Cam Lock

RL




MS425-2-1



圆钥匙 Circle the key　　方钥匙 The key to

- 材质：锌合金锁体，镀锌卡扣和锁片
- 表面处理：镀沙铬
- 适用门板厚度：1~5mm
- 备注：有方钥匙和圆钥匙可选
- Material:Zinc die-casting body, Zinc plating Buckle and cam
- Finish: Gray chrome plating
- Panel thickness：1~5mm
- Remark:Square and round keys are available



基本尺寸 Dimensions			产品型号及特性 Product Number	产品单重(g) Weight	装箱数 Lot
GH	BH	L			
38	9.5	24	MS425-1-1JC	130	200
	5	27	MS425-2-1JC	125	200
24.7	9.5	24	MS425-1-1	105	200
	5	27	MS425-2-1	102	200


MS427

安全锁芯转舌锁 Secure Cylinder Cam Lock

RL



- 材质：锌合金锁体，锁芯，镀锌锁片
- 表面处理：喷沙纹黑
- 适用门板厚度：1~2mm
- Material:Zinc die-casting body and insert,Zinc plating cam
- Finish: Matt black
- Panel thickness:1~2mm



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS427	16.5	200

MS441-1-1


安全锁芯转舌锁 Secure Cylinder Cam Lock

RL





- 材质：锌合金锁体、螺母，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~6mm
- Material:Zinc die-casting body，Nut, Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~6mm



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS441-1-1	17	500

MS428


安全锁芯转舌锁 Secure Cylinder Cam Lock

RL





- 材质：不锈钢面板，锌合金锁壳，锁芯，镀镍钢钥匙
- 表面处理：镀亮铬
- 适用门板厚度：1~4mm
- Material : Stainless steel panel ,Zinc die-casting housin&cylinder, nickel plating steel key
- Finish: Bright chrome plating
- Panel thickness: 1~4mm




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS428	63	200

MS432-1


安全锁芯转舌锁 Secure Cylinder Cam Lock

RL





■开孔尺寸
Cut Out



- 材质：锌合金锁壳、锁芯,镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~3mm
- 备注：默认钥匙K0432
- Material:Zinc die-casting housing、instert, Zinc plating cam
- Finish: bright chrome plating
- Panel thickness:1~3mm
- Remark:K0432


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS432-1	65	400


MS839-1A

安全锁芯转舌锁 Secure Cylinder Cam Lock


RL








■开孔尺寸
Cut Out




- 材质：锌合金锁壳，锁芯，碳钢锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~4mm
- Material:Zinc die-casting body steel cam
- Finsh:Bright chrome plating
- Panel:thickness:1~4mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS839-1A		

安全锁芯转舌锁 Secure Cylinder Cam Lock





■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS430-1-1	226.5	100

安全锁芯转舌锁 Secure Cylinder Cam Lock





型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7069Z-1-1	46	400
MS7069Z-1A-1	67.8	400

MS430-1-1

RL IP54



- 材质：锌合金锁壳、锁芯、镀锌锁片
- 表面处理：镀亮铬
- 适用厚板：1~20mm
- 备注：锁片开孔□8×8
- Material： Zinc die-casting body and cylinder， zinc plating cam
- Finish: Bright chorme plating
- Panel thickness: 1~20mm
- Remark: cutout □8×8

MS7069Z-1-1

RL







MS7069Z-1A-1

- 材质:锌合金锁体，锁芯，碳钢　锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~4mm
- Material:Zinc die-casting body and insert steel cam
- Finish Bright chrome plating
- Panel thickness:1~4mm

MS409

安全锁芯转舌锁 Secure Cylinder Cam Lock


RL




MS409-1



MS409-2



■开孔尺寸
Cut Out



- 材质：锌合金锁体，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~6mm
- Material:Zinc die-casting body Nut，Zinc plating cam
- Finish: Bright chrome plating
- Panel thickness:1~6mm


基本尺寸 Dimensions H	产品型号 Product Number	产品单重(g) Weight	装箱数 Lot
23	MS409-1	70	250
13	MS409-2	11.5	250

MS7070Z-1-1


安全锁芯转舌锁 Secure Cylinder Cam Lock

RL






■开孔尺寸
Cut Out




- 材质:锌合金锁壳，锁芯，螺母
- 表面处理：喷无光黑，配件镀蓝白锌
- 适用门板厚度：1-4mm
- Material:zinc alloy for the housing, cylinder and screw.
- Finish:matt black for the body, blue-white zinc plating for the accessories.
- Panel thickness:1-4mm.


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7070Z-1-1	13.6	400

安全锁芯转舌锁 Secure Cylinder Cam Lock




■开孔尺寸
Cut Out







型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS439-1-1	117.5	200

安全锁芯转舌锁 Secure Cylinder Cam Lock



■开孔尺寸
Cut Out





型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS440-1-1	116.5	100

MS439-1-1

RL






- 材质：锌合金锁体
- 表面处理：镀珍珠镍
- 适用门板厚度：4~8mm
- Material:Zinc die-casting body
- Finish: Nickel plating
- Panel thickness:4~8mm

MS440-1-1

RL






- 材质：锌合金锁体
- 表面处理：镀珍珠镍
- 适用门板厚度：1~19mm
- 备注：适用于类似抽屉的锁：钥匙旋转180° 开启状态下通过调节开关位置有防止锁闭功能。
- Material： Zinc alloy
- Finish: Nickel plating
- Panel thickness: 1~19mm


MS818-1

安全锁芯转舌锁 Secure Cylinder Cam Lock


RL







■开孔尺寸
Cut Out



- 材质：锌铝合金锁壳，锁芯，黑色乙缩醛锁舌
- 表面处理：镀亮铬
- 适用板厚：1~10mm
- 备注：左右通用
- Material: Zinc alloy housing and Cylinder, plastic tone
- Finish: Bright chrome plating
- Panel thickness:1~10mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS818-1	119	200


MS818-2


安全锁芯转舌锁 Secure Cylinder Cam Lock

RL











■开孔尺寸
Cut Out




- 材质：锌合金锁体，螺母，锁舌
- 表面处理：镀亮铬
- 适用门板厚度：1~8mm
- Material:Zinc die-casting body, nut,dead bolt
- Finish:Bright chrome plating
- Panel thickness:1~8mm


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS818-2	64.5	250

安全锁芯转舌锁 Secure Cylinder Cam Lock







■开孔尺寸
Cut Out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS750-1	39	500

安全锁芯转舌锁 Secure Cylinder Cam Lock





■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS819	121.5	200

MS750-1

RL





CH751

- 材质：PA6锁体
- 表面颜色：黑色
- 适用门板厚度：1~10mm
- Material: PA6 casting body.
- Finish: black
- Panel thickness:1~10mm

MS819

RL






K0200

- 材质：锌合金锁体，螺母，锁舌
- 表面处理：镀沙铬
- 适用门板厚度：1~5mm
- Material:Zinc die-casting body, nut,dead bolt
- Finish:Gray chrome plating
- Panel thickness:1~5m

MS-A-400


安全锁芯转舌锁 Secure Cylinder Cam Lock

RL






K8180



■开孔尺寸
Cut Out



- 材质：锌合金锁体，螺母，铜锁芯，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~8mm
- Material:Zinc die-casting body,Nut, Brass insert, Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~8mm


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS-A-400	93.5	200

MS-A-400D


安全锁芯转舌锁 Secure Cylinder Cam Lock

RL






■开孔尺寸
Cut Out



- 材质：锌合金锁体，螺母，铜锁芯，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~8mm
- Material:Zinc die-casting body,Nut, Brass insert, Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~8mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS-A-400D	90	200


安全锁芯转舌锁 Secure Cylinder Cam Lock




■开孔尺寸
Cut out


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS-A-403	96	200

安全锁芯转舌锁 Secure Cylinder Cam Lock





■开孔尺寸
Cut Out



基本尺寸 Dimensions		产品型号 Product Number	产品单重(g) Weight	装箱数 Lot
H	H1			
30.5	38	MS-W400-1	72	500

MS-A-403

RL





K8180

- 材质：锌合金锁体，螺母，铜锁芯镀锌锁片
- 表面处理：喷沙镀铬
- 适用门板厚度：1~5mm
- Material:Zinc die-casting body，Nut Brass insert, Zinc plating cam
- Finish:Pocked chrome plating
- Panel thickness:1~5mm

MS-W400

RL





- 材质：锌合金锁体，螺母，镀锌锁片、铜钥匙
- 表面处理：镀亮铬
- 适用门板厚度：1~10mm
- Material:Zinc die-casting body,Nut, Zinc plating cam,Brass key
- Finish:Bright chrome plating
- Panel thickness:1~10mm


MS-W400-2A

安全锁芯转舌锁 Secure Cylinder Cam Lock


RL







■开孔尺寸
Cut Out




- 材质：锌合金锁体，螺母
- 表面处理：镀亮铬
- 适用门板厚度：1~10mm；
- Material:Zinc die-casting body Nut, Zinc plating cam
- Finish:Bright chrome plating
- Panel thickness:1~10mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS-W400-2A	42	500


MS-W400-2B

安全锁芯转舌锁 Secure Cylinder Cam Lock


RL







■开孔尺寸
Cut Out




- 材质：锌合金锁体，螺母，镀锌锁片、铜钥匙
- 表面处理：喷沙镀铬
- 适用门板厚度：1~10mm
- Material:Zinc die-casting body,Nut, Zinc plating cam,Brass key
- Panel thickness:1~10mm
- Finish:Pocked chrome plating


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS-W400-2B	43.5	500

MS-W400-2D

安全锁芯转舌锁 Secure Cylinder Cam Lock

RL





■开孔尺寸
Cut Out

- 材质：锌合金锁体，螺母，镀锌锁片铜钥匙
- 表面处理：镀亮铬
- 适用门板厚度：1~12mm
- Material:Zinc die-casting body,Nut Zinc plating cam,Brass key
- Finish: Bright chrome plating

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS-W400-2D	67.5	500


MS-W400-6

安全锁芯转舌锁 Secure Cylinder Cam Lock

RL







■开孔尺寸
Cut Out


- 材质：锌合金锁壳、锁芯
- 表面处理：镀亮铬
- 适用门板厚度：1~12mm
- Material:Zinc die-casting
- Finish:Bright chrome plating
- Panel thickness:1~12mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS-W400-6	67.5	500

MS426–1–1

工具锁芯转舌锁 Tool Type Cam Lock





- 材　质：A3锁体，锁芯，螺母；
- 表面处理：镀亮铬
- 适用门板厚度：1–4mm;
- Material:steel housing,insert,nut
- Finish:Bright chrome plating
- Panel thickness:1–4mm


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS426–1–1		

MS702

工具锁芯转舌锁 Tool Type Cam Lock




K7010–11



- 材质：锌合金锁体，镀锌锁片
- 表面颜色：蓝绿色,沙纹黑
- 适用门板厚度：1~8mm
- Material:Zinc die–casting body Zinc plating cam
- Finish: Bluish green,Matt black powder coated
- Panel thickness:1~8mm


产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
蓝绿色 Bluish green	MS702.9	91	200
沙纹黑 Matt black powder coated	MS702.4	92	200

工具锁芯转舌锁 Tool Type Cam Lock



基本尺寸 Dimensions		产品型号及特性 Product Number					
L1	L2	一字锁芯 double bit insert	产品单重(g) Weight	装箱数 Lot	三角锁芯 triangular insert	产品单重(g) Weight	装箱数 Lot
28	18	MS704–1	102	400			
28.5	19.5	MS704–2	120	400			
35.8	19.3	MS704–4	110	400	MS704–3	105	400
37	20.5	MS704–5	103.5	400			

工具锁芯转舌锁 Tool Type Cam Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS707	120	300

MS704



K7010–11

- 材质：锌合金锁体，螺母、镀亮铬钢锁芯
- 表面处理：镀亮铬
- 适用门板厚度：1~5mm
- Material:Zinc die–casting body, Nut,steel insert
- Finish: Bright chrome plating
- Panel thickness:1~5mm

MS707



K7010–11

- 材质：锌合金锁体，镀锌钢锁芯
- 表面处理：镀亮铬
- 适用门板厚度：1~5mm
- Material:Zinc die–casting body zinc plating insert
- Finish: Bright chrome plating
- Panel thickness:1~5mm

MS705–1

工具锁芯转舌锁 Tool Type Cam Lock


RL IP54 Water Proof



MS705–1–1




MS705–1–2



注：锁芯选配规格如下





产品型号 Product no.	表面处理 Finish	锁芯类型 Insert type	产品单重(g) Weight	装箱数 Lot
MS705–1–1	镀亮铬 Chrome plating	直槽芯slot insert	80	500
MS705–1–4		2×4直槽防硬币型2×4 Slot coin proof	可以定制生产	
MS705–1–5		一字芯3mm Double Bit	可以定制生产	
MS705–1–2		一字芯4mm Double Bit	76	500
MS705–1–6		一字芯5mm Double Bit	可以定制生产	
MS705–1–3		S型芯 4.5mm insert	72	500
MS705–1–7		三角7mm Triangular	可以定制生产	
MS705–1–8		三角8mm Triangular	可以定制生产	
MS705–1–9		四方6mm Square	可以定制生产	
MS705–1–10		四方7mm Square	可以定制生产	
MS705–1–11		四方8mm Square	可以定制生产	
MS705–1–12		四方7mm 带槽Square 7mm with slot	可以定制生产	
MS705–1–13		四方8mm 带槽Square 8mm with slot	可以定制生产	
MS705–1–14		内四方8型Female square 8mm	可以定制生产	
MS705–1–15		内六角8mm Hexagon female 8mm	可以定制生产	
MS705–1–16		内六角9mm Hexagon female 9mm	可以定制生产	
MS705–1–17		内六角10mm Hexagon female 10mm	可以定制生产	
MS705–1–18		内六角8mm带销3mm Hexagon female 8mm with3mm pin	可以定制生产	
MS705–1–19		外六角10型Hexagon male 10mm	可以定制生产	
MS705–1–20		半圆型锁芯 13 Eastern E urope 13	可以定制生产	
MS705–1–21		三角带螺丝孔型 Triangular 10mm with M5 screw hole	可以定制生产	

- 材质:锌合金锁体、镀锌钢钢栓、螺母
- 适用门板厚度:1~5mm
- 表面处理：镀亮铬
- 备注：锁片开孔8X8
- Material:Zinc die–casting body,nut, Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~5m
- Remark: cam cutout □8×8

注：锁片选配规格见附件（锁片）P–M027

MS705–2

工具锁芯转舌锁 Tool Type Cam Lock


RL IP54 Water Proof



MS705–2–2



MS705–2–3



注：锁芯选配规格如下





产品型号 Product no.	表面处理 Finish	锁芯类型 Insert type	产品单重(g) Weight	装箱数 Lot
MS705–2–4	镀亮铬 Chrome plating	直槽芯slot insert	可以定制生产	
MS705–2–5		2×4直槽防硬币型2×4 Slot coin proof	可以定制生产	
MS705–2–6		一字芯3mm Double Bit	可以定制生产	
MS705–2–1		一字芯4mm Double Bit	74.5	500
MS705–2–7		一字芯5mm Double Bit	可以定制生产	
MS705–2–8		S型芯 4.5mm insert	可以定制生产	
MS705–2–9		三角7mm Triangular	可以定制生产	
MS705–2–2		三角8mm Triangular	77	500
MS705–2–10		四方6mm Square	可以定制生产	
MS705–2–11		四方7mm Square	可以定制生产	
MS705–2–3		四方8mm Square	74.5	500
MS705–2–12		四方7mm 带槽Square 7mm with slot	可以定制生产	
MS705–2–13		四方8mm 带槽Square 8mm with slot	可以定制生产	
MS705–2–14		内四方8型Female square 8mm	可以定制生产	
MS705–2–15		内六角8mm Hexagon female 8mm	可以定制生产	
MS705–2–16		内六角9mm Hexagon female 9mm	可以定制生产	
MS705–2–17		内六角10mm Hexagon female 10mm	可以定制生产	
MS705–2–18		内六角8mm带销3mm Hexagon female 8mm with3mm pin	可以定制生产	
MS705–2–19		外六角10型Hexagon male 10mm	可以定制生产	
MS705–2–20		半圆型锁芯 13 Eastern E urope 13	可以定制生产	
MS705–2–21		三角带螺丝孔型 Triangular 10mm with M5 screw hole	可以定制生产	

- 材质:锌合金锁体、镀锌钢钢栓、螺母
- 适用门板厚度:1~5mm
- 表面处理：镀亮铬
- 备注：锁片开孔8X8
- Material:Zinc die–casting body,nut, Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~5m
- Remark: cam cutout □8×8

注：锁片选配规格见附件（锁片）P–M027

MS705-2S

工具锁芯转舌锁 Tool Type Cam Lock

RL IP54 Water Proof



MS705-2S-1




MS705-2S-2



MS705-2S-3




MS705-2S-4




注：锁片选配规格见附件（锁片）


MS705-2S-1



MS705-2S-2



MS705-2S-3




MS705-2S-4

产品型号 Product no.	表面处理 Finish	锁芯形状 Insert	产品单重(g) Weight	装箱数 Lot
MS705-2S-1	不锈钢 Stainless steel	直槽芯slot insert	86	500
MS705-2S-2		一字芯double bit insert	80.5	500
MS705-2S-3		三角芯triangular insert	78	500
MS705-2S-4		四方芯square insert	80.5	500

- 材质：锌合金或不锈钢锁体、螺母，钢锌锁片
- 适用门板厚度：1~5mm
- 备注：锁片开孔8X8
- Material:stainlesssteel lock body are available
- Panel thickness:1~5mm
- Remark: cam cutout □8 × 8


注：锁片选配规格见附件（锁片）P-M027

工具锁芯转舌锁 Tool Type Cam Lock




注：锁片选配规格见附件（锁片）


MS705-2S-1A



MS705-2S-2A



MS705-2S-3A



MS705-2S-4A

产品型号 Product no.	表面处理 Finish	锁芯形状 Insert	产品单重(g) Weight	装箱数 Lot
MS705-2S-1A	不锈钢 Stainless steel	直槽芯slot insert	86	500
MS705-2S-2A		一字芯double bit insert	80.5	500
MS705-2S-3A		三角芯triangular insert	78	500
MS705-2S-4A		四方芯square insert	80.5	500

MS705

RL IP54 Water Proof




MS705-2S-1A



MS705-2S-2A



MS705-2S-3A



MS705-2S-4A

- 材质：锌合金或不锈钢锁体、螺母，钢锌锁片
- 适用门板厚度：1~5mm
- 备注：锁片开孔8X8
- Material:stainlesssteel lock body are available
- Panel thickness:1~5mm
- Remark: cam cutout □8 × 8

注：锁片选配规格见附件（锁片）P-M027

MS706–2

工具锁芯转舌锁　Tool Type Cam Lock

RL　IP54　NEW



MS706–2–1



MS706–2–2



MS706–2–3



MS706–2–4



MS706–2–5




MS706–2–6



K7010–05　K7030–07　K7040–01

- 材质：锌合金锁体，螺母，钥匙，镀锌锁片
- 表面处理：喷沙镀铬
- 适用门板厚度：1~5mm
- 备注：锁片开孔8X8
- Material:Zinc die–casting body,Nut and key, Zinc plating cam
- Finish:Pocked chrome plating
- Panel thickness:1~5mm
- Remark: cam cutout □8 × 8

注：锁片选配规格见附件（锁片）P–M027



注：锁芯选配规格如下



2X4直槽芯 2x4 Slot　2X4直槽防硬币型 2X4 Slot coin proof　一字芯3mm Double Bit 3mm　一字芯4mm Double Bit 4mm　一字芯4.5mm Double Bit 4.5mm　一字芯5mm Double Bit 5mm

三角锁芯 7mm Triangular 7mm　三角锁芯 8mm Triangular 8mm　内四方8mm Female Square 8mm　四方锁芯 7mm Square 7mm　四方锁芯 8mm Square 8mm　四方直槽7mm Square 7mm with slot

四方直槽8mm Square 8mm with slot　内六角8mm Hexagon female 8mm　外六角10mm Hexagon male 10mm　内六角8mm 带销3mm Hexagon female 8mm　三角带螺丝孔型 Triangular 10mm with　半圆型锁芯 Eastern Europe Ø13

产品型号 Product no.	表面处理 Finish	锁芯类型 Insert type	产品单重(g) Weight	装箱数 Lot
MS706–2–6	喷沙镀铬 Pocked chrome plating	直槽芯slot insert	86.5	200
MS706–2–7		2×4直槽防硬币型2×4 Slot coin proof	可以定制生产	
MS706–2–8		一字芯3mm Double Bit	可以定制生产	
MS706–2–1		一字芯4mm Double Bit	83.5	200
MS706–2–9		一字芯5mm Double Bit	可以定制生产	
MS706–2–10		S型芯 4.5mm insert	可以定制生产	
MS706–2–3		三角7mm Triangular	80	200
MS706–2–2		三角8mm Triangular	80	200
MS706–2–11		四方6mm Square	可以定制生产	
MS706–2–5		四方7mm Square	80.5	200
MS706–2–4		四方8mm Square	80.5	200
MS706–2–12		四方7mm 带槽Square 7mm with slot	可以定制生产	
MS706–2–13		四方8mm 带槽Square 8mm with slot	可以定制生产	
MS706–2–14		内四方8型Female square 8mm	可以定制生产	
MS706–2–15		内六角8mm Hexagon female 8mm	可以定制生产	
MS706–2–16		内六角9mm Hexagon female 9mm	可以定制生产	
MS706–2–17		内六角10mm Hexagon female 10mm	可以定制生产	
MS706–2–18		内六角8mm带销3mm Hexagon female 8mm with3mm pin	可以定制生产	
MS706–2–19		外六角10型Hexagon male 10mm	可以定制生产	
MS706–2–20		半圆型锁芯　13 Eastern E urope　13	可以定制生产	
MS706–2–21		三角带螺丝孔型　Triangular 10mm with M5 screw hole	可以定制生产	

MS706–3

工具锁芯转舌锁　Tool Type Cam Lock

RL　IP54　NEW



MS706–3–1



MS706–3–2



MS706–3–3



MS706–3–4



MS706–3–5




MS706–3–6

K7010–05　K7030–07　K7040–01

- 材质:锌合金锁体、镀锌钢钢栓、螺母
- 适用门板厚度:1~5mm
- 表面处理：镀亮铬
- 备注：锁片开孔8X8
- Material:Zinc die–casting body,nut, Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~5m
- Remark: cam cutout □8 × 8

注：锁片选配规格见附件（锁片）P–M027



注：锁芯选配规格如下



2X4直槽芯 2x4 Slot　2X4直槽防硬币型 2X4 Slot coin proof　一字芯3mm Double Bit 3mm　一字芯4mm Double Bit 4mm　一字芯4.5mm Double Bit 4.5mm　一字芯5mm Double Bit 5mm

三角锁芯 7mm Triangular 7mm　三角锁芯 8mm Triangular 8mm　内四方8mm Female Square 8mm　四方锁芯 7mm Square 7mm　四方锁芯 8mm Square 8mm　四方直槽7mm Square 7mm with slot

四方直槽8mm Square 8mm with slot　内六角8mm Hexagon female 8mm　外六角10mm Hexagon male 10mm　内六角8mm 带销3mm Hexagon female 8mm　三角带螺丝孔型 Triangular 10mm with　半圆型锁芯 Eastern Europe Ø13

产品型号 Product no.	表面处理 Finish	锁芯类型 Insert type	产品单重(g) Weight	装箱数 Lot
MS706–3–6	镀亮铬 Chrome plating	直槽芯slot insert	77.5	200
MS706–3–7		2×4直槽防硬币型2×4 Slot coin proof	可以定制生产	
MS706–3–8		一字芯3mm Double Bit	可以定制生产	
MS706–3–1		一字芯4mm Double Bit	75	200
MS706–3–9		一字芯5mm Double Bit	可以定制生产	
MS706–3–10		S型芯 4.5mm insert	可以定制生产	
MS706–3–3		三角7mm Triangular	72	200
MS706–3–2		三角8mm Triangular	72	200
MS706–3–11		四方6mm Square	可以定制生产	
MS706–3–5		四方7mm Square	72	200
MS706–3–4		四方8mm Square	72.5	200
MS706–3–12		四方7mm 带槽Square 7mm with slot	可以定制生产	
MS706–3–13		四方8mm 带槽Square 8mm with slot	可以定制生产	
MS706–3–14		内四方8型Female square 8mm	可以定制生产	
MS706–3–15		内六角8mm Hexagon female 8mm	可以定制生产	
MS706–3–16		内六角9mm Hexagon female 9mm	可以定制生产	
MS706–3–17		内六角10mm Hexagon female 10mm	可以定制生产	
MS706–3–18		内六角8mm带销3mm Hexagon female 8mm with3mm pin	可以定制生产	
MS706–3–19		外六角10型Hexagon male 10mm	可以定制生产	
MS706–3–20		半圆型锁芯　13 Eastern E urope　13	可以定制生产	
MS706–3–21		三角带螺丝孔型　Triangular 10mm with M5 screw hole	可以定制生产	

MS705-3


工具锁芯转舌锁 Tool Type Cam Lock

RL IP54 Water Proof



K7010-12

MS705-3



- 材质：塑料锁体、螺母、钥匙
- 表面颜色：灰白，黑色
- 适用门板厚度：1.5~2mm
- Material:Plastic lock body,nut.key
- Finish: grey, black
- Panel thickness:1.5~2mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS705-3	31.5	200

MS705-4


工具锁芯转舌锁 Tool Type Cam Lock

RL IP54 Water Proof



K7040-07


MS705-4-1



- 材质：锌合金锁体，镀锌螺母、锁片
- 适用门板厚度：1~5mm
- 表面处理：镀亮铬
- Material:Zinc die-casting body
  Zinc plating cam、nut;
- Finish: Bright chrome plating
- Panel thickness:1~5mm


基本尺寸 Dimensions H	产品型号 Product no.	产品单重(g) Weight	装箱数 Lot
18	MS705-4-1	46.5	300
35	MS705-4-2	75	300
42	MS705-4-3	95	300

工具锁芯转舌锁 Tool Type Cam Lock



基本尺寸 Dimensions 锁片类别 cam tpyes	H	L1	L2	产品型号及特性 Product Number 灰绿色 Sage green 四方芯 Square insert	产品单重(g) Weight	装箱数 Lot	一字芯 Double bit insert	产品单重(g) Weight	装箱数 Lot	无光黑 Black powder coated 四方芯 Square insert	产品单重(g) Weight	装箱数 Lot	一字芯 Double bit insert	产品单重(g) Weight	装箱数 Lot
折高2片 Height=2	16.4	15	30	MS705-4.9	112	300	MS705-2.9	115	300	MS705-4.3	112	300	MS705-2.3	115	300
折高32.5片 Height=32.5	51	22.5	34	MS705-3.9	120	300	MS705-1.9	125	300	MS705-3.3	120	300	MS705-1.3	125	300

工具锁芯转舌锁 Tool Type Cam Lock



注：锁片选配规格见附件（锁片）

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS705-7	108.7	500

MS705-5

RL IP54 Water Proof



MS705-5-2

- 材质：锌合金锁体，镀锌螺母、锁片
- 表面处理：灰绿色,无光黑
- 适用门板厚度：1~5mm
- Material:Zinc die-casting body
  Zinc plating cam
- Finish: Sage green
  Black powder coated
- Panel thickness:1~5mm

MS705-7

RL IP54 Water Proof



- 材质：锌合金锁体，螺母、碳钢锁片
- 适用门板厚度：1~5mm
- 表面处理：镀亮铬
- Material:Zinc die-casting body
  Zinc plating cam、nut;
- Finish: Bright chrome plating
- Panel thickness:1~5mm


MS705–8–1

工具锁芯转舌锁 Tool Type Cam Lock

RL IP54 Water Proof







- ●材质：锌合金锁壳，锁芯。
- ●表面处理：喷无光黑
- ●适用门板厚度：1~5
- ●Material:zinc alloy housing and cylinder.
- ●Finish:matt black.
- ●Panel thickness:1–5mm.


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS705–8–1	50.3	500

MS7060P–2–1

工具锁芯转舌锁 Tool Type Cam Lock

RL IP54 Water Proof






- ●材质：PA6锁壳，锌合金锁芯，不锈钢锁片
- ●表面颜色：黑色
- ●适用门板厚度：1~4mm
- ●Material: PA6 lock housing, zinc alloy lock cylinder stainless steel locking plate
- ●Finish: black
- ●Panel thickness :1~4mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7060P–2–1	43	500


工具锁芯转舌锁 Tool Type Cam Lock



锁芯形状 Insert	型号 Product no.	产品单重(g) Weight	装箱数 Lot
一字芯double bit insert	MS720–1–2	130	300
三角芯triangular insert △10.2	MS720–1–3	120	300
四方芯square insert □ 7	MS720–1–4	125	300

MS7076Z–1–1

工具锁芯转舌锁 Tool Type Cam Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7076Z–1–1	110.5	200

MS720

RL IP54 Water Proof



MS720–1–2



MS720–1–3

- ●材质:锌合金锁体、
- ●镀锌钢钢栓、螺母
- ●适用门板厚度:1–5mm
- ●表面处理：镀亮铬
- ●备注：锁片开孔8X8
- ● Material:Zinc die–casting body,nut, Zinc plating cam、fixing parts
- ● Finish: Bright chrome plating
- ● Panel thickness:1~5m
- ● Remark: cam cutout □8 × 8




- ●材质：锌合金锁壳，锁芯，锁舌，A3安装板，
- ●表面处理：喷塑（无光黑）锁壳，镀亮铬锁芯，配件镀三价五彩
- ●结构功能：锁芯旋转90° 开启或锁闭，更换安装板，锁舌安装方向可实现左右开门
- ●备注：适用门板厚度2mm
- ●Material: Zinc alloy
- ●Finish: Black powder coated housing,Bright chrome plated insert.
- ●Panel thickness: 2mm

MS7077Z-1-1

工具锁芯转舌锁 Tool Type Cam Lock

RL IP54





- ●材质：锌合金锁壳，螺母，铜锁芯，A3锁片，
- ●表面处理：镀亮铬锁壳，铜本色锁芯，配件镀三价五彩
- ●结构功能：钥匙旋转90° 开启或锁闭，
- ●备注：适用门板厚度1~4mm
- ●Material: Zinc alloy housing，nut; brass insert; steel cam
- ●Finish: Bright chrome plating
- ●Panel thickness: 1~4mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7077Z-1-1	89.5	500


MS708-1-1

工具锁芯转舌锁 Tool Type Cam Lock

RL








- ● 材质：锌合金锁体，钥匙，螺母，镀锌锁片
- ● 表面处理：镀亮铬
- ● 适用门板厚度：1~4mm
- ● Material:Zinc die-casting body key and nut, Zinc plating cam
- ● Finish: Bright chrome plating
- ● Panel thickness:1~4mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS708-1-1	45.6	500

工具锁芯转舌锁 Tool Type Cam Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS724	84	200

MS724

RL IP54






K7030-10

- ● 材质：锌合金锁体，螺母，钥匙，镀锌锁片
- ● 表面处理：镀亮铬
- ● 适用门板厚度：1~5mm
- ● Material:Zinc die-casting body，nut and key, Zinc plating cam
- ● Finish: Bright chrome plating
- ● Panel thickness:1~5mm

工具锁芯转舌锁 Tool Type Cam Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS725	91	300

MS725

RL IP54




- ● 材质：锌合金锁体，螺母,钥匙，镀锌锁片
- ● 表面处理：喷无光黑
- ● 适用门板厚度：1~5mm
- ● Material:Zinc die-casting body, nut and key, Zinc plating cam
- ● Finish:Black powder coated
- ● Panel thickness:1~5mm

MS7074Z-1-1

工具锁芯转舌锁 Tool Type Cam Lock

RL IP54 Water Proof





- ●材质：锌合金锁壳，锁芯，碳钢锁片
- ●表面处理：镀亮铬
- ●适用门板厚度：1~5
- ●Material: Zinc die-casting body steel cam
- ●Finish:Bright chrome plating
- ●Panel:thickness:1~5mm


型号 Producut no.	产品单重(g) Weight	装箱数 Lot
MS7074Z-1-1	48.5	

MS710

工具锁芯转舌锁 Tool Type Cam Lock

RL IP54 Water Proof






- ● 材质：锌合金锁体，镀锌钢螺母、钥匙
- ● 表面处理：镀亮铬
- ● 适用门板厚度：0.5~4mm
- ● Material:Zinc die-casting body steel nut and key
- ● Finish: Bright chrome plating
- ● Panel thickness:0.5~4mm


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS710	48	500

工具锁芯转舌锁 Tool Type Cam Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS711-2-1	76	300

工具锁芯转舌锁 Tool Type Cam Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS711-3-1	34.5	300

MS711-2-1

RL IP54 Water Proof





K7040-05

- ● 材质：锌合金锁体，螺母，PA手柄，镀锌锁片
- ● 表面处理：喷无光黑
- ● 适用门板厚度：1~8mm
- ● Material:Zinc die-casting body Nut, PA pull-tab,Zinc plating cam
- ● Finish: Black powder coated
- ● Panel thickness:1~8mm

MS711-3-1

RL IP54 Water Proof



- ● 材质：锌合金锁体，螺母PA手柄，镀锌锁片
- ● 表面处理：喷无光黑
- ● 适用门板厚度：1~4mm
- ● Material:Zinc die-casting body,Nut, PA pull-tab, Zinc plating cam
- ● Finish: Black powder coated
- ● Panel thickness:1~4mm


MS713-3

工具锁芯转舌锁 Tool Type Cam Lock


RL IP54 Water Proof



K7030-07



■开孔尺寸 Cut Out



- 材质：锌合金锁体，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~5mm；
- 备注:压缩式门锁,压缩量为3mm
- Material:Zinc die-casting body, Zinc plating cam
- Finish: Bright chrome plating
- Panel thickness:1~5mm
- Remark:compression lock,3mm pull up

产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
直槽芯 Slot insert	MS713-1	42	200
三角芯 Triangular insert	MS713-3	44.5	200


MS717-4

工具锁芯转舌锁 Tool Type Cam Lock


RL IP54 Water Proof



K7040-01



■开孔尺寸 Cut Out





注：任意方向90度定位

- 材质：锌合金锁体，螺母、钥匙，镀锌锁片
- 表面处理：喷无光黑
- 适用门板厚度：1~5mm
- 备注：防钢栓脱落结构
- Material:Zinc die-casting body,Nut and Key ,Zinc plating cam
- Finish: Black powder coated
- Panel thickness:1~5mm


产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
四方芯 Square insert	MS717-4	88	200
三角芯 Triangular insert	MS717-3	83	200

工具锁芯转舌锁 Tool Type Cam Lock







■开孔尺寸 Cut Out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7064Z-1-1	78	200

工具锁芯转舌锁 Tool Type Cam Lock





■开孔尺寸 Cut Out



基本尺寸 Dimensions		型号 Product no.	产品单重(g) Weight	装箱数 Lot
L1	L2			
39.5	41	MS719-1	192	200
37.5	39	MS719-2	159.5	200

MS7064Z-1-1


RL IP54 Water Proof



- 材质:锌合金锁体，锁芯，碳钢锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~5mm
- Material:Zinc die-casting body and insert steel cam
- Finish: Bright chrome plating
- Panel thickness:1~5mm

MS719-1

RL IP54 Water Proof



K7010-14

- 材质：锌合金锁体，螺母，镀锌钢垫圈、锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~5mm
- Material:Zinc die-casting body,Nut, Zinc plating cam
- Finish:Bright chrome plating
- Panel thickness:1~5mm

MS518


工具锁芯转舌锁 Tool Type Cam Lock


RL IP54






- 材质：锌合金锁体、螺母，镀锌钢垫圈、锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~15mm





■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS518	261	100

- Material:Zinc die-casting body Nut, Zinc plating cam,washer
- Finish: Bright chrome plating
- Panel thickness:1~15mm.

MS-A-401

工具锁芯转舌锁 Tool Type Cam Lock


RL







K7010-09

- 材质：锌合金锁体，钥匙，镀锌锁片、螺母
- 表面处理：镀亮铬
- 适用门板厚度：1~5mm
- Material:Zinc die-casting body key，Zinc plating cam;nut
- Finish: Bright chrome plating.
- Panel thickness:1~5mm






■开孔尺寸
Cut Out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS-A-401	145	200

工具锁芯转舌锁 Tool Type Cam Lock



锁片选配规格下表



图号	编号	折弯高度BH	中心距L	锁片成型方向
MS815-1A.S01/00	1D4500T30	0	45	0° 正成型
MS815-1A.S09/00	1D4504T30	4	45	90° 正成型
MS815-1A.S02/00	1D4508T30	8	45	
MS815-1A.S03/00	1D4510T30	10	45	
MS815-1A.S04/00	1D4512T30	12	45	
MS815-1A.S05/00	1D45F04T30	4	45	90° 反成型
MS815-1A.S06/00	1D45F08T30	8	45	
MS815-1A.S07/00	1D45F10T30	10	45	
MS815-1A.S08/00	1D45F12T30	12	45	

产品型号及特性 Product Number			产品单重(g) Weight	装箱数 Lot
直槽芯 Slot insert	短型	MS815-1	78.5	200
四方芯 Square insert		MS815-2	76	200
内四方芯 Square insert		MS815-2B	80	200
三角芯 Triangular insert		MS815-3	72.5	200
五角芯 Pentagonal inert		MS815-4	75	200
手柄型 Handle type		MS815-5		200
直槽芯 Slot insert	长型	MS815-1A	94.2	200
四方芯 Square insert		MS815-2A	90.6	200
三角芯 Triangular insert		MS815-3A	90	200
手柄型 Handle type		MS815-5A		200

MS815

RL IP54

客户定制产品 customized product



MS815-1



MS815-2



MS815-3



MS815-4



MS815-2B



MS815-1A



MS815-2A



MS815-3A

- 材质：锌合金锁盖，锁壳，碳钢锁片，不锈钢弹片
- 表面处理：喷砂纹黑，喷砂镀亮铬
- 结构功能：90° 旋转实现开启或锁闭。
- 适用门板厚度:1~10mm
- Material: zinc alloy lock, lock shell, carbon steel Lock plate, not embroidered shrapnel
- Finish: sand grain black, sandblasting bright plating chromium
- Remarks: 90 ° rotation to achieve open or Locking.
- Panel thickness: 1 ~ 10 mm

MS729

工具锁芯转舌锁 Tool Type Cam Lock

RL IP54




MS729-1-1




MS729-2-1

- 材质：锌合金锁壳、锁芯、A3锁片
- 表面处理：镀亮铬
- 适用厚板：1~10mm
- 备注：锁片开孔□8×8
- Material： Zinc alloy body, A3 cam
- Finish: Bright chorme plating
- Panel thickness: 1~10mm
- Remark: cutout □8×8



■开孔尺寸
Cut Out



型号 Product no.	基本尺寸(H) Dimensions	产品单重(g) Weight	装箱数 Lot
MS729-1-1	30	105	200
MS729-2-1	18	72	200

MS726

工具锁芯转舌锁 Tool Type Cam Lock


RL






K7030-8

- 材质：锌合金锁体，螺母，钥匙，不锈锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~5mm
- 备注：自动复位式门锁，锁片开孔口8×8
- Material:Zinc die-casting body,nut and key,stainless steel cam
- Panel thickness:1~5mm
- Finish: Bright chrome plating
- Remark:Auto reposition lock, cam cutout 口8×8





■开孔尺寸
Cut Out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS726	62	300

工具锁芯转舌锁 Tool Type Cam Lock






■开孔尺寸
Cut Out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS718	71.5	200


工具锁芯转舌锁 Tool Type Cam Lock



旋转角度



■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS727	86.5	200

MS718

RL IP54





K7030-07

- 材质：锌合金锁体，镀锌钢垫圈、锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~6mm
- 备注：带切口钢栓有左右之分
- Material:Zinc die-casting body Zinc plating cam
- Finish: Bright chrome plating
- Panel thickness:1~6mm

MS727

RL IP54



- 材质：锌合金锁体，镀锌锁片，防钢栓脱落结构
- 表面处理：喷无光黑
- 适用门板厚度：1~5mm
- Material:Zinc die-casting body, Zinc plating cam,Protection of steel bolt shedding structure
- Finish: Black powder coated
- Panel thickness: 1~5mm


MS-A-172-1

工具锁芯转舌锁 Tool Type Cam Lock


RL IP54







■开孔尺寸 Cut Out



- 材质：锌合金锁体，螺母，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1.5~8mm
- Material:Zinc die-casting body, nut, Zinc plating cam
- Finish:Bright chrome plating
- Panel thickness:1.5~8mm


产品型号 Product Number	产品单重(g) Weight	装箱数 Lot
MS-A-172-1	480	80


MS-A-172-3

工具锁芯转舌锁 Tool Type Cam Lock


RL IP54








■开孔尺寸 Cut Out




- 材质：锌合金锁体，螺母，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1.5~8mm
- Material:Zinc die-casting body, nut, Zinc plating cam
- Finish:Bright chrome plating
- Panel thickness:1.5~8mm

产品型号 Product Number	产品单重(g) Weight	装箱数 Lot
MS-A-172-3	252	200

工具锁芯转舌锁 Tool Type Cam Lock



■开孔尺寸 Cut Out



产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
三角锁芯 Triangular insert	MS-A-402	87.5	200

MS-A-402

RL IP54







K7030-07

- 材质：锌合金锁体，螺母，镀锌锁片
- 表面处理：喷沙镀铬
- 适用门板厚度：1~5mm
- Material:Zinc die-casting body, Nut, Zinc plating cam
- Finish:Pocked chrome plating
- Panel thickness:1~5mm

工具锁芯转舌锁 Tool Type Cam Lock



■开孔尺寸 Cut Out



产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
一字槽芯 Double bit insert	MS-A-402T	132	200

MS-A-402T

RL





K7010-09

- 材质：锌合金锁体，螺母，镀锌锁片
- 表面处理：喷沙镀铬
- 适用门板厚度：1~5mm
- Material:Zinc die-casting body, Nut, Zinc plating cam
- Finish:Pocked chrome plating
- Panel thickness:1~5mm

MS-A-404

工具锁芯转舌锁 Tool Type Cam Lock


RL






K7010-09

- 材质：锌合金锁体，螺母，钥匙，镀锌锁片
- 表面处理：喷沙镀铬
- 适用门板厚度：1~5mm
- Material:Zinc die-casting body,Nut and key, Zinc plating cam
- Finish:Pocked chrome plating
- Panel thickness:1~5mm



■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS-A-404	256	100


MS737-1-1

工具锁芯转舌锁 Tool Type Cam Lock


RL



- 材质：锌合金锁体
- 表面处理：镀沙铬
- 适用厚板：1~3mm
- Material:Zinc die-casting.
- Finish:Gray chrome plating
- Panel thickness: 1~3mm




■开孔尺寸
Cut Out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS737-1-1	75	200

工具锁芯转舌锁 Tool Type Cam Lock





■开孔尺寸
Cut Out




基本尺寸 Dimensions														产品型号 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2	L3	L4	L5	B1	B2	B3	H1	δ	∅1	∅2	∅3	□			
125	100	76	76.5	33	27.5	27	24	15.5	2.3	10	6	6.3	8.2	MS613-1-1	164.5	200
101	81	64	64.5	25	18.5	18	18	11	2	9	5	5.3	7.2	MS613-2-1	72	500

工具锁芯转舌锁 Tool Type Cam Lock





■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS614-1-1	345	200

MS613

RL



MS613-1-1

MS613-2-1

- 材质：A3锁壳、锁壳盖、锌合金锁舌
- 表面处理：镀蓝白锌
- Material:steel body,zinc alloy tone
- Finish :white zinc plating

MS614-1-1

RL



- 材质: 不锈钢锁壳、锁盖,锌合金锁座
- 表面处理：拉丝
- 适用门板厚度: 1~5mm
- Material:Stainless steel lock shell、Lock cover,Zinc die-casting seat
- Finsih: brushed
- Panel thickness:1~5mm


GGD–1

工具锁芯转舌锁 Tool Type Cam Lock

RL



K7010–11



- 材质：锌合金锁芯，钥匙，镀锌钢板拉杆盒、锁片
- 表面处理：镀彩锌
- 适用门板厚度：1.5~3mm
- Material:Zinc die–casting body Key,M.S. Zinc plating lock body cam、fixing parts
- Finish:yellow zinc
- Panel thickness:1.5~3mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
GGD–1	335.5	50


GGD–2

工具锁芯转舌锁 Tool Type Cam Lock

RL




K7010–11



- 材质：锌合金锁体，钥匙，镀锌锁片
- 适用门板厚度：1.5~3mm
- 表面处理：镀彩锌
- Material:Zinc die–casting body Key,M.S. Zinc plating cam;
- Finish:yellow zinc
- Panel thickness:1.5~3mm.


型号 Product no.	产品单重(g) Weight	装箱数 Lot
GGD–2	74	200

工具锁芯转舌锁 Tool Type Cam Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
GCS	85	500

工具锁芯转舌锁 Tool Type Cam Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS200	32	500

GCS

RL



K7010–11

- 材质：ABS锁壳，锌合金锁芯和钥匙
- 表面处理：黑色咬花面
- 适用门板厚度：1~8mm
- Material: Zinc die–casting cylinder and Key,M.S. Zinc plating lock body cam、fixing parts
- Finish:yellow zinc plating
- Panel thickness:1.5~3mm

MS200

RL





K7010–11


- 材质：ABS锁壳，螺母、锌合金锁芯和钥匙,镀锌锁片
- 表面处理：黑色细沙纹面
- 适用门板厚度：0.5~2.5mm
- Material:ABS housing,nut, zinc die–casting cylinder and key Zinc plating cam
- Finish: Matt black
- Panel thickness:0.5~2.5mm

MS1003Z-1-1

手柄型转舌锁 Handle Type Handle Lock

RL IP54 Water Proof






- 材质：锌合金手柄，不锈钢锁壳，锁片，螺母
- 表面处理：手柄喷无光黑
- 适用门板厚度：1~5
- 备注：锁片开孔口8X8
- Material :zinc die-casting handle , stainless steel housing ,cam and nut.
- Finish :black powder coated for the handle.
- Panel thickness:1-5mm.
- Remark:8X8 cut out

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS1003Z-1-1	136.3	160

MS404-1-2

手柄型转舌锁 Handle Type Handle Lock





- 材质：锌合金锁体、螺母、镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚：1~3mm
- Material:Zinc die-casting body, Nut, Zinc plating cam
- Finish:Bright chrome plating
- Panel thickness:1~3mm


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS404-1-2	78	400

MS406

手柄型转舌锁 Handle Type Handle Lock

RL IP54 Water Proof





- 材质：ABS把手，锌合金锁体、螺母，镀锌锁片
- 表面处理：黑
- 适用门板厚：1~7mm
- Material:ABS knob,zinc die-casting body, nut, Zinc plating cam
- Finish:black
- Panel thickness:1~7mm


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS406	83	200

MS412

手柄型转舌锁 Handle Type Handle Lock

RL IP54 Water Proof





- 材质：锌合金锁体、螺母，镀锌钢垫圈、锁片
- 表面处理：镀珍珠镍
- 适用门板厚度：1~20mm
- Material:Zinc die-casting body,Nut, Zinc plating cam;washer
- Finish: Nickel plating
- Panel thickness:1~20mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS412	73	300


MS414

RL IP54




- 材质：锌合金锁体，聚乙烯旋钮，镀锌锁片
- 表面颜色：灰色
- 适用门板厚度：1~6mm
- Material:Zinc die-casting body, plastic knob, M.S. Zinc plating cam
- Finish: gray
- Panel thickness:1~6mm

手柄型转舌锁 Handle Type Handle Lock



■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS414	91	200


MS424

RL IP54




- 材质：锌合金锁壳、手柄
- 表面处理:镀亮铬
- 适用门板厚度：1~12mm
- 备注：锁片开孔□8X8
- Material:Zinc die-casting housing and handle
- Finish:Bright chrome plating
- Panel thickness:1~12mm
- Remark:Cam cutout□8X8

手柄型转舌锁 Handle Type Handle Lock




■开孔尺寸
Cut Out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS424	63.5	400

手柄型转舌锁 Handle Type Handle Lock



■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS433-1	53	500


MS433

RL IP54




- 材质：锌合金锁壳、手柄、镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~4mm
- 备注：锁片开孔□7X7、可90°定位。
- Material:Zinc die-casting housing、handle, Zinc plating cam
- Finish: bright chrome plating
- Panel thickness:1~4mm
- Remark: cam cutout□7X7,90 Degree positioning

手柄型转舌锁 Handle Type Handle Lock



■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS434	25	500

MS434

RL IP54




- 材质：ABS锁壳、手柄、铝螺母、镀锌锁片
- 表面颜色：黑色
- 适用门板厚度：1~6mm
- 备注：默认锁片开孔□8×8
- Material:ABS housing、handle、Aluminum nut、Zinc plating cam
- Finish: black
- Panel thickness:1~6mm
- Remark：cam cutout □8×8

MS706


手柄型转舌锁 Handle Type Handle Lock

RL IP54 Water Proof





■开孔尺寸
Cut Out



- 材质：锌合金锁体，镀锌螺母、锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~5mm
- Material:Zinc die-casting body M.S. Zinc plating nut cam
- Finish: Bright chrome plating
- Panel thickness:1~5mm


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS706	98	200

MS722

手柄型转舌锁 Handle Type Handle Lock

RL IP54 Water Proof






■开孔尺寸
Cut Out


- 材质：锌合金锁体，PA手柄 镀锌螺母、锁片
- 表面颜色: 黑色
- 适用门板厚度：1~5mm
- Material:Zinc die-casting body, PA knob, Zinc plating nut and
- Finish: black
- Panel thickness:1~5mm

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS722	80.5	200

带挂型转舌锁 Padlockable Cam Lock



■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS722-2-1	112	200

MS722-2-1

RL IP54 Water Proof



- 材质：锌合金锁壳，锁舌，螺母，PA手柄，
- 表面处理:黑色沙纹面
- 适用门板厚：1~6mm
- 备注：锁片开孔□8x8
- Material:Zinc die-casting body PA handle
- Finish:Matt black
- Pannel:thickness:1~6mm
- Remark:Cam cutout□8x8


MS418

带挂型转舌锁 Padlockable Cam Lock


RL IP54 Water Proof



- 材质：锌合金锁体，镀锌钢板、锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~10mm
- 备注：与挂锁一起使用
- Material:Zinc die-casting body, Zinc plating cam、fixing parts
- Finish: Bright chrome plating
- Panel thickness:1~10mm
- Remark:padlockable lock.



■开孔尺寸 Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS418	78	300


MS429

带挂型转舌锁 Padlockable Cam Lock

RL IP54 Water Proof




- 材质：锌合金锁壳、锁芯、A3锁片
- 表面处理：镀亮铬
- 适用厚板：1~20mm
- 备注：锁片开孔□8×8
- Material： Zinc die-casting lock housing and cylinder ,zinc plating steel cam
- Finish: Bright chrome plating
- Panel thickness: 1~20mm
- Remark: cutout □8×8



■开孔尺寸 Cut Out

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS429	153	150


带挂型转舌锁 Padlockable Cam Lock



■开孔尺寸 Cut Out

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS431-1-1	185	150

带挂型转舌锁 Padlockable Cam Lock




■开孔尺寸 Cut Out

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7082Z-1-1	137	160

MS431-1-1

RL IP54 Water Proof



- 材质：锌合金手柄、锁壳；
- 表面处理：喷无光黑,镀沙铬
- 适用门板厚度：1~6mm
- 备注：锁片开孔□8×8
- Material:Zinc die-casting handle and housing
- Finish: Black powder coated Gray chrome plating
- Panel thickness:1~6mm
- Remark:cam cutout □8×8

MS7082Z-1-1

RL IP54 Water Proof



- 材质：锌合金锁体，碳钢锁片
- 表面处理:喷砂纹黑
- 适用门板厚度:1~5mm
- 备注：锁片开孔□8×8
- Material:zine die, steel cam
- Surface: sand grain black
- Door thickness:1~5mm
- Notes:cam size□8×8


MS7062Z-1-1R

压缩式转舌锁 Compression Cam Lock






K7040-01



■开孔尺寸
Cut Out



- 材质:锌合金锁体，锁芯，碳钢锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~8mm
- 备注：压缩式门锁，压缩量约为5mm，锁芯旋转180° 开锁。
- Material:Zinc die-casting body and insert steel cam
- Finish: Bright chrome plating
- Panel thickness:1~8mm
- Remarks:Compression type lock The amout is about 5mm Turn the insert 180° to open lock

产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
右旋（锁芯口8）	MS7062Z-1-1R	132	200
左旋（锁芯口8）	MS7062Z-1-1L	132	200
右旋（锁芯口7）	MS7062Z-1A-1R	130	200


MS7063Z-1-1L

压缩式转舌锁 Compression Cam Lock






K7040-01




■开孔尺寸
Cut Out




- 材质:锌合金锁体，锁芯，碳钢锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~8mm
- 备注：压缩式门锁，压缩量约为5mm，锁芯旋转180° 开锁。
- Material:Zinc die-casting body and insert steel cam
- Finish: Bright chrome plating
- Panel thickness:1~8mm
- Remarks:Compression type lock The amout is about 5mm Turn the insert 180° to open lock

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7063Z-1-1L	140	200

压缩式转舌锁 Compression Cam Lock



■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7065Z-1-1	137.5	200

MS7065Z-1-1






K7040-01


- 材质:锌合金锁体，锁芯，碳钢锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~8mm
- 备注：压缩式门锁，压缩量约为5mm，锁芯旋转180° 开锁。
- Material:Zinc die-casting body and insert steel cam
- Finish: Bright chrome plating
- Panel thickness:1~8mm
- Remarks:Compression type lock The amout is about 5mm Turn the insert 180° to opan lock

压缩式转舌锁 Compression Cam Lock






K7040-01



■开孔尺寸
Cut Out



产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
三角芯 Triangular insert	MS817-3	125	200
四方芯 Square insert	MS817-4	127	200

MS817



K7030-07

MS817-3



K7040-01

MS817-4

- 材质：锌合金锁体，螺母，钥匙，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~18mm
- 备注：压缩式门锁，压缩为6mm 四方芯顺时针开锁时型号为: MS817-4R. 锁芯旋转180°
- Material:Zinc die-casting body，nut and key, Zinc plating cam
- Finish: Bright chrome plating
- Panel thickness:1~18mm
- Remark:compression latch,6mm pull-up

MS817-2A-1


RL IP54 Water Proof




K7030-07

- 材质：锌合金锁体，锁芯，螺母，镀锌钢栓，带防水盖
- 适用门板厚度：1-18mm；
- 备注：压缩式门锁，压缩为6mm
- Material:zinc die-casting body, nut and key,M.S. Zinc plating cam;
- Panel thickness:1-18mm;
- Remark:compression latch, 6mm pull-up

压缩式转舌锁 Compression Cam Lock



■开孔尺寸 Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS817-2A-1	146.5	200

MS712


RL IP54 Water Proof




K7030-07


- 材质：锌合金锁壳，锁芯，不锈钢芯轴，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~8mm
- 结构功能: 压缩式门锁,压缩量为6mm 锁芯旋转180° 开锁。
- 备注：锁片开孔□8×8
- Material:Zinc die-casting body, Zinc plating steel cam
- Finish: Bright chrome plating
- Panel thickness:1~8mm
- Function:compression lock,6mm pull up Turn the insert 180 ° to open lock
- Remark: Cam Cutout □8×8

压缩式转舌锁 Compression Cam Lock






■开孔尺寸 Cut Out




基本尺寸 Dimensions		产品型号 Product Number	产品单重(g) Weight	装箱数 Lot
A	B			
22	19.5	MS712-1	115	200
21	19	MS712-2	140	200

压缩式转舌锁 Compression Cam Lock




■开孔尺寸 Cut Out




型号 Producut no.	产品单重(g) Weight	装箱数 Lot
MS7071Z-1-1	122.1	200

压缩式转舌锁 Compression Cam Lock



■开孔尺寸 Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7075S-1	99.5	200

MS7071Z-1-1

RL IP54 Water Proof



MS7071Z-1-1

- 材质:锌合金锁体，锁芯，碳钢锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~8mm
- 结构功能：压缩式门锁，压缩量约为6mm，锁芯旋转180° 开锁。
- 备注：锁片开孔□8×8
- Material:Zinc die-casting body and insert steel cam
- Finish Bright chrome plating
- Panel thickness:1~8mm
- Function:Compression type lock The amout is about 6mm Turn the insert 180 ° to open lock
- Remark: Cam Cutout □8×8

MS7075S-1-1

RL IP54 INOX AISI 3.. NEW



客户定制产品
customized product

- 材质：全不锈钢
- 表面处理：本色
- 结构功能：压缩式门锁，压缩量约为6mm,锁芯旋转180° 开锁
- 适用门板厚度：1~15mm
- 备注：锁片开孔□8×8
- Material: Stainless steel
- Finish: Raw
- Function:Compression type lock The amout is about 6mm Turn the insert 180 ° to open lock
- Panel thickness: 1~15mm
- Remark: Cam Cutout □8×8

MS711-1-1


压缩式转舌锁 Compression Cam Lock



K7030-07

MS711-1-1L

- 材质：锌合金锁体，钥匙，PA手柄 镀锌钢止动垫圈、锁片
- 表面处理：镀亮铬
- 适用门板厚度：1.5~8mm
- 备注：此锁为压缩式门锁压缩量为6mm 锁芯旋转180° ,MS711-4-1L为四方锁芯
- Material:Zinc die-casting body and key,PApull-tab, Zinc plating cam、 fixing parts;
- Finish: Bright chrome plating
- Panel thickness:1.5~8mm
- Remark: compression latch 6mm pull-up



■开孔尺寸 Cut Out

产品型号及特性 Product Number												
无光黑 Black powder coated						镀亮铬 Bright chrome plating					
逆时针开锁 open by turn left	产品单重(g) Weight	装箱数 Lot	顺时针开锁 open by turn right	产品单重(g) Weight	装箱数 Lot	逆时针开锁 open by turn left	产品单重(g) Weight	装箱数 Lot	顺时针开锁 open by turn right	产品单重(g) Weight	装箱数 Lot
MS711-1-1L.3	95.5	200	MS711-1-1R.3	98.5	200	MS711-1-1L.1	95.5	200	MS711-1-1R.1	98.5	200
MS711-4-1L.3	98.5	200				MS711-4-1L.3	98.5	200			


MS711-5-1

压缩式转舌锁 Compression Cam Lock




K7030-05

- ●材质:锌合金锁体，锁芯，碳钢锁片
- ●表面处理：喷无光黑
- ●适用门板厚度：1~8mm
- ●备注：压缩式门锁，压缩量约为5mm，锁芯旋转180° 开锁。
- ●Material:Zinc die-casting body steel cam
- ●Finish Black powder coated
- ●Panel thickness:1~8mm
- ●Remarks:Compression lock 5mm Pull-up



■开孔尺寸 Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS711-5-1	110.5	200


压缩式转舌锁 Compression Cam Lock

MS816-1



K7030-07

- 材质：锌合金锁体，镀锌钢止动垫圈、锁片
- 表面处理：喷无光黑
- 适用门板厚度：1~8mm
- 备注：压缩式门锁，压缩量约7mm, 锁芯旋转210°
- Material:Zinc die-casting body, Zinc plating cam;
- Finish: Black powder coated
- Panel thickness:1~8mm
- Remark:compression latch,7mm pull-up



■开孔尺寸 Cut Out


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS816-1	106.5	200

压缩式转舌锁 Compression Cam Lock


MS816-3



- 材质：锌合金锁体，镀锌钢止动垫、锁片
- 表面处理：喷无光黑
- 适用门板厚度：1~8mm
- 备注：压缩式门锁,压缩量约7mm. 锁芯旋转210°
- Material:Zinc die-casting body, Zincplating stopping pad、cam
- Panel thickness:1~8mm
- Finish: Black powder coated
- Remark:Compression Latch.7mm pull-up



■开孔尺寸 Cut Out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS816-3	130.5	200


MS816-2-2

压缩式转舌锁 Compression Cam Lock




K7030-07





■开孔尺寸
Cut Out



- 材质：锌合金锁体，镀锌钢止动垫圈、锁片
- 表面处理：喷无光黑
- 适用门板厚度：1~8mm
- 备注：压缩式门锁，压缩量约7mm，锁芯旋转210°
- Material:Zinc die-casting body, Zinc plating cam;
- Finish: Black powder coated
- Panel thickness:1~8mm
- Remark:compression latch,7mm pull-up


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS816-2-2R		
MS816-2-2L		


MS816-2

压缩式转舌锁 Compression Cam Lock




K7030-07





■开孔尺寸
Cut Out



- 材质：锌合金锁体，镀锌钢止动垫圈、锁片
- 表面处理：喷无光黑
- 适用门板厚度：1~8mm
- 备注：压缩式门锁，压缩量约为7mm钢栓有平片、折高12mm和27mm之分，锁芯旋转210°
- Material:Zinc die-casting body, Zinc plating cam
- Finish: Black powder coated
- Panel thickness:1~8mm
- Remark:compression Latch,7mm pull-up

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS816-2-1R	110	200
MS816-2-1L	110	200

备注:


MS714

压缩式转舌锁 Compression Cam Lock





K7030-07



■开孔尺寸
Cut Out

开启方向，锁芯旋转角度180，锁闭是点对点；

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS714		200

- 材质:锌合金锁壳,锁芯,
- 镀锌钢栓,芯轴;
- 适用门板厚度:1~35mm;
- 备注:压缩式门锁,压缩量7mm.
- Material:zinc die-casting body,insert
- M.S. Zinc plating cam
- Panel thickness:1~35mm


MS728-1-1

压缩式转舌锁 Compression Cam Lock






K7040-01




■开孔尺寸
Cut Out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS728-1-1	105	200

- 材质：锌合金锁体，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~25mm；
- 备注：压缩式门锁
  伸缩量为7mm,锁芯旋转180°
- Material:Zinc die-casting body, Zinc plating cam
- Finish: Bright chrome plating
- Panel thickness:1~25mm
- Remark: compression latch, 7mm pull-up

工具锁芯转舌锁 Tool Type Cam Lock




■开孔尺寸
Cut Out





型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS728-2-1	102	200

工具锁芯转舌锁 Tool Type Cam Lock



■开孔尺寸
Cut Out





型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS728-2-2		

MS728-2-1





K7040-01

- 材质：锌合金锁体，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~15mm；
- Material:Zinc die-casting body, Zinc plating cam
- Finish: Bright chrome plating
- Panel thickness:1~15mm

MS728-2-2





K7040-01

- 材质：锌合金锁体，镀锌锁片
- 表面处理：镀亮铬
- 适用门板厚度：1~15mm；
- Material:Zinc die-casting body, Zinc plating cam
- Finish: Bright chrome plating
- Panel thickness:1~15mm

MS715


压缩式转舌锁 Compression Cam Lock



















- 材质：锌合金锁壳、锁芯，镀锌钢螺杆、螺栓
- 表面处理：喷无光黑
- 适用门板厚度：1~8mm
- 备注: 锁芯旋转180°
- Material:Zinc die-casting housing and insert, Zinc plating Screw Bolt
- Finish: Black powder coated
- Panel thickness:1~8mm

型号 Product no.	锁芯形状 (Insert)	产品单重(g) Weight	装箱数 Lot
MS715-1-1	一字槽型 Slotted recess	45	500
MS715-1-2	工具操纵型 Tool-operated	50	500
MS715-1-3	把手型 Knob style	可定制生产	
MS715-1-4	钥匙操纵型 Key operated	可定制生产	


压缩式转舌锁 Compression Cam Lock





型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS814	183	100

压缩式转舌锁 Compression Cam Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS816-4	165	200

MS814



- 材质：锌合金锁体，螺母，钥匙，镀锌锁片
- 适用门板厚度：1~4mm
- 备注：压缩式门锁，压缩量为6mm，锁芯旋转180°
- Material:Zinc die-casting body, nut and key, Zinc plating cam;
- Panel thickness:1~4mm
- Remark: compression latch6mm pull-up

MS816-4




- 材质：锌合金锁体，镀锌钢止动垫、锁片
- 表面处理：镀亮铬
- 适用门板厚度:1~8mm
- 备注：压缩式门锁,压缩量约7mm
- Material:Zinc die-casting body, Zincplating stopping pad、cam
- Finish:Bright chrome plating
- Panel thickness:1~8mm
- Remark:Compression Latch.7mm pull-up

HL009–1A

平面安装外露式铰链 Flat Mounting Exposed Hinge






- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子及镶嵌螺钉；
- 备注：转动约180°，可加铜垫片。
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available.
- Remark:180° hinge.

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL009–1A	108	200

HL009–2

平面安装外露式铰链 Flat Mounting Exposed Hinge






- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子及镶嵌螺钉；
- 备注：转动约180°，可加铜垫片。
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available.
- Remark:180° hinge.


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL009–2	85	250

平面安装外露式铰链 Flat Mounting Exposed Hinge



型号 Product no.	基本尺寸Dimensions L1	基本尺寸Dimensions L2	产品单重(g) Weight	装箱数 Lot
HL021–1	90	12.5	232	100
HL021–2	50	12.5	137	200
HL021–2A(带垫)	50	12.5	128.7	200

平面安装外露式铰链 Flat Mounting Exposed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL135	20.5	500

HL021



HL021–1



HL021–2A HL021–2

- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Black powder coated
- Remark:180° hinge.

HL135



- 材质：锌合金铰链，不锈钢销子，垫片
- 表面处理：镀亮铬,镀沙铬，喷无光黑
- 备注：旋转约180°
- Material: Zinc die–casting hinge stainless steel pins, washers
- Finish: Bright chrome plating, Gray chrome plating Black powder coated
- Remarks: 180° hinge

HL050

平面安装外露式铰链 Flat Mounting Exposed Hinge



HL050–1





HL050–2



HL050–3

- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Remark:180° hinge





基本尺寸 Dimensions								产品型号及特性 Product Number			
L1	L2	L3	L4	H	∅C	∅D	H1	喷无光黑 Black powder coated	镀亮铬 Bright chrome plating	产品单重(g) Weight	装箱数 Lot
60	36	36	60	15	15.5	8.5	8	HL050–1.3	HL050–1.1	142	200
50	30	30	51	12	12.5	6.3	6	HL050–2.3	HL050–2.1	89.5	400
40	25	25	40	9	10	5.3	5	HL050–3.3	HL050–3.1	45	500
50	30	56	76	12	12.5	6.5	6	HL050–2G.3	HL050–2G.1	120.5	200
70	40	60	90	15	16.5	8.7	8	HL050–1G.3	HL050–1G.1	350	500

HL050–S

平面安装外露式铰链 Flat Mounting Exposed Hinge



HL050–1S



HL050–2S





HL050–3S



HL050–2GS


- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约180°。
- Material: stainless steel hinge、stainless steel pin
- Remark:180° hinge
- Finish: wire drawing






基本尺寸 Dimensions								产品型号及特性 Product Number		
L1	L2	L3	L4	H	∅C	∅D	H1	不锈钢 Stainless steel	产品单重(g) Weight	装箱数 Lot
60	36	36	60	15	15	8.5	8	HL050–1S	168.2	200
50	30	30	51	12	12.5	6.3	6	HL050–2S	102	200
40	25	25	40	9	10	5.3	5	HL050–3S	50	500
50	30	56	76	12	12.5	6.5	6	HL050–2GS	145	200


平面安装外露式铰链 Flat Mounting Exposed Hinge





基本尺寸 Dimensions						产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
L1	L2	H1	H2	M	H3	喷无光黑 Black powder coated	镀亮铬 Bright chrome plating		
60	36	29	15	8	8	HL051–1.3	HL051–1.1	208	150
51	30	25	12	6	6	HL051–2.3	HL051–2.1	119.5	200
40	25	21	9	5	5	HL051–3.3	HL051–3.1	62	400

平面安装外露式铰链 Flat Mounting Exposed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL051–1A		

HL051





HL051–1





HL051–2 HL051–3

- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子及镶嵌螺钉；
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available.
- Remark:180° hinge

HL051–1A




可定制产品
Customizable products

- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子及镶嵌螺钉；
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available.
- Remark:180° hinge

HL050–2A

平面安装外露式铰链 Flat Mounting Exposed Hinge






- 材质：锌合金铰链，A3销子，
- 表面处理：镀亮铬
- 结构功能：可开启度180°
- Material:zinc alloy hinge,A3 for the pin
- Finish:bright chrome
- Funtion:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL050–2A	112.9	200

HL050–2B

平面安装外露式铰链 Flat Mounting Exposed Hinge






- 材质：锌合金铰链，A3销子，
- 表面处理：镀亮铬
- 结构功能：可开启度180°
- Material:zinc alloy hinge,A3 for the pin
- Finish:bright chrome
- Funtion:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL050–2B	101.5	200

平面安装外露式铰链 Flat Mounting Exposed Hinge




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL133	201	100

HL133



- 材质：锌合金铰链，碳钢销子
- 表面处理：喷无光黑
- 备注：可开启角度180°
- Material: zinc alloy hinge, steel for the pin.
- Finish: matt black.
- Remark:180° hinge.

平面安装外露式铰链 Flat Mounting Exposed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL133S	223	200

HL133S




- 材质：不锈钢铰链、销子
- 表面处理：拉丝
- 备注：旋转约180°
- Material:Stainless steel hinge and pin
- Finish: drawing
- Remark:180° hinge

HL045

带隐藏螺钉盖外露式铰链 Exposed Hinge With Hidden Screw Cover






- 材质：锌合金动、静铰链，带塑料防水盖，分不锈钢和镀镍钢销子及镶嵌螺钉
- 表面处理：喷沙纹黑
- 备注：转动约165°
- Material:Zinc die-casting hinge, plastic waterproof cap,stainless steel and nickel plating steel pin are available
- Finish: Matt black
- Remark:165° hinge.

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL045	143	200

HL042

带隐藏螺钉盖外露式铰链 Exposed Hinge With Hidden Screw Cover






- 材质：锌合金动、静铰链，带塑料防水盖，分不锈钢和镀镍钢销子及镶嵌螺钉
- 表面处理：喷沙纹黑
- 备注：转动约180°
- Material:Zinc die-casting hinge, plastic waterproof cap,stainless steel and nickel plating steel pin are available
- Finish: Matt black
- Remark:180° hinge


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL042	77.5	200

带隐藏螺钉盖外露式铰链 Exposed Hinge With Hidden Screw Cover



基本尺寸 Dimensions										产品型号及特性 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2	L3	B1	B2	B3	H1	H2	R	∅D	喷沙镀铬 Matt gray chrome plating		
104	48	75	100	82	30	17	4.5	2.9	8	HL058-1	558	60
86	42	62	80	55	25	14.5	2.8	2.6	8	HL058-2	321	100
63	30.4	45.4	60	40	20	11.5	1.3	2.1	6	HL058-3	146	200

带隐藏螺钉盖外露式铰链 Exposed Hinge With Hidden Screw Cover



基本尺寸 Dimensions							产品型号及特性 Product Number	产品单重(g) Weight	装箱数 Lot
A	B	C	∅D	∅E	L1	L2			
62.5	58	20.8	∅6.5	∅20	36	36	HL091-1	46	400
44.6	41	14.5	∅4.5	∅14	25	24	HL091-2	18	500

HL058



HL058-1




HL058-3

- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子，镜面不锈钢盖板、铜垫圈；
- 备注：转动约180° 。
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available，Mirror surface stainless steel cover,brass washer.
- Remark:180° hinge.

HL091



HL091-1



HL091-2

- 材质：PA-6动静铰链
- 表面处理：黑色沙纹面
- 备注：明铰链，左右开门通用，门板转动约为180°
- Material:PA-6 hinge
- Finish:Matt black
- Remark:180° prominent hinge both left and right use

HL023

平面安装外露式铰链 Flat Mounting Exposed Hinge



HL023–1




HL023–2



HL023–3

- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Remark:180° hinge



基本尺寸 Dimensions									产品型号及特性 Product Number			
L1	L2	L3	B1	B2	B3	B4	H	M	喷无光黑 Black powder coated	镀沙铬 Gray chrome plating	产品单重(g) Weight	装箱数 Lot
59.5	50	45	34	19.5	17.5	13.5	17.5	5	HL023–1.3	HL023–1.2	165	200
30	22	22	28.5	18.5	15.5	10	13	4	HL023–2.3	HL023–2.2	42.5	400
30	22	22	22	13	9	10	13	4	HL023–3.3	HL023–3.2	43	500

HL096


平面安装外露式铰链 Flat Mounting Exposed Hinge



HL096–1




HL096–2




HL096–3

- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Remark:180° hinge



基本尺寸 Dimensions									产品型号及特性 Product Number			
L1	L2	B1	B2	B3	B4	H1	H2	M	喷无光黑 Black powder coated	镀沙铬 Gray chrome plating	产品单重(g) Weight	装箱数 Lot
59.5	50	29	15	14	11	18	16	5	HL096–1.3	HL096–1.2	166	300
50	40	24.5	12.5	12	9.5	15	13	4	HL096–2.3	HL096–2.2	82	400
30	22	21.5	12.5	10	9	13	11.5	4	HL096–3.3	HL096–3.2	39	500

平面安装外露式铰链 Flat Mounting Exposed Hinge



HL054





- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：喷无光黑
- 备注：转动约180° 。
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Black powder coated
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL054	40	500

HL055


平面安装外露式铰链 Flat Mounting Exposed Hinge



HL055-1



HL055-2



基本尺寸 Dimensions								产品型号及特性 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2	L3	L4	H	C	D	E			
71	60	41	30	5	12.5	6.5	13	HL055-1	154	500
51	40	32.5	20	4.3	10.5	5.5	10	HL055-2	59	500

- 材质：不锈钢
- 表面处理：拉丝
- 备注：转动约为180°
- Material:Stainless steel hinge
- Finish: drawing
- Remark:180° hinge

HL151


平面安装外露式铰链 Flat Mounting Exposed Hinge



HL151-1S




HL151-2S



基本尺寸 Dimensions						产品型号及特性 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2	L3	L4	4-∅D	4-∅C			
42	62	37	63	6.5	13	HL151-1S	290.5	500
32	47	30	46.5	5.5	11	HL151-2S	95	500

- 材质：不锈钢铰链
- 表面处理：镜面抛光
- 备注：旋转约270°
- Material:Stainless steel hing
- Finish: Mirror polished or brushed
- Remark:270° hinge

平面安装外露式铰链 Flat Mounting Exposed Hinge




基本尺寸 Dimensions											产品型号 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2	L3	L4	L5	L6	H1	H2	T	∅A	∅B			
90	70	60	70	19	19	12	7	3	6.1	7	HL115-1	170.5	200
75	54	50	54	15	15	12	6	2	4.6	5.5	HL115-2	77	300

HL115




- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：转动约180°
- Material: stainless hinge, Stainless steel pin
- Finish: drawing
- Remark:180° hinge.

平面安装外露式铰链 Flat Mounting Exposed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL118	142	200

HL118




- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约180°
- Material: stainless hinge,stainless steel pin
- Finish: drawing
- Remark:180° hinge

HL063


平面安装外露式铰链 Flat Mounting Exposed Hinge



HL063-1/-2



HL063-3




基本尺寸 Dimensions		产品型号及特性 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2			
35	25.4	HL063-1	30	500
60	47	HL063-2	39	500
47.5	36.2	HL063-3	35	500


- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180°
- Material: Stainless Steel Hinge
- Finish: drawing
- Remark:180° hinge

HL070

平面安装外露式铰链 Flat Mounting Exposed Hinge








型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL070	31.5	500


- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180°
- Material:Stainless Steel Hinge
- Finish: drawing
- Remark:180° hinge.

平面安装外露式铰链 Flat Mounting Exposed Hinge




基本尺寸 Dimensions									产品型号及特性 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2	L3	B1	B2	⌀	H	T	N			
100	78	26	60	38	6.4	6	3	8	HL072-1	191	200
90	70		60	38	6.4	6	3	6	HL072-2	175	200
75	54		50	30	5.3	4.3	1.5	6	HL072-3	62	200

平面安装外露式铰链 Flat Mounting Exposed Hinge




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL077	37	500

HL072



HL072-1



HL072-3

- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180°
- Material: Stainless Steel Hinge
- Finish: drawing
- Remark:180° hinge.

HL077




- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180°
- Material:Stainless Steel Hinge
- Finish: drawing
- Remark:180° hinge.

HL071


平面安装外露式铰链 Flat Mounting Exposed Hinge




HL071–1




HL071–2




HL071–3




HL071–1



HL071–2




HL071–3




- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180° 。
- Material: stainless steel body
- Finish: drawing
- Remark:180° hinge.

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL071–1	79	300
HL071–2	68	300
HL071–3	91	300


平面安装外露式铰链 Flat Mounting Exposed Hinge



HL087–1



HL087–2



HL087–3

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL087–1	75	300
HL087–2	69	300
HL087–3	90.5	300

HL087



HL087–1



HL087–2




HL087–3

- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子，不锈钢垫片
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available,stainless steel washer
- Finish: Black powder coated
- Remark:180° hinge.

HL076

平面安装外露式铰链 Flat Mounting Exposed Hinge







- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180°
- Material: stainless steel body
- Finish: drawing
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL076	52.5	400

HL094

平面安装外露式铰链 Flat Mounting Exposed Hinge






- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180° 。
- Material: stainless steel body
- Finish: drawing
- Remark:180° hinge.

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL094	83	500

平面安装外露式铰链 Flat Mounting Exposed Hinge




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL098	70.5	500

HL098



- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180°
- Material: stainless steel body
- Finish: drawing
- Remark:180° hinge.

平面安装外露式铰链 Flat Mounting Exposed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL099	46	500

HL099




- 材质：不锈钢铰链
- 备注：转动约为180°
- 表面处理：拉丝
- Material: stainless steel body
- Finish: drawing
- Remark:180° hinge

HL116

平面安装外露式铰链 Flat Mounting Exposed Hinge



- 材质：PA铰链、镀锌钢销子
- 表面处理：黑色沙纹面
- 备注：旋转约180°
- Material:PA hinge、Zinc plating steel pin
- Finish:Matt black
- Remark:180° hinge




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL116	60	200

HL121

平面安装外露式铰链 Flat Mounting Exposed Hinge




- 材质：PA塑料动、静铰链，镀锌钢销子
- 表面颜色:白色
- 备注：旋转约180°
- Material: PAPlastic hinge,zinc plating steel pin
- Finish: White
- Remark:180° hinge




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL121	7	1000

平面安装外露式铰链 Flat Mounting Exposed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL041–1	80	500

平面安装外露式铰链 Flat Mounting Exposed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL084	100	300

HL041–1



- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：镀亮铬
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Bright chrome plating
- Remark:180° hinge


HL084




- 材质：镀锌钢铰链
- 表面处理：镀蓝白锌
- 备注：转动约180°
- Material:Zinc plating steel hinge
- Finish: white zinc plating
- Remark:180° hinge.

HL106

平面重型外露式铰链 Flat heavy duty exposed hinge






- 材质：锌合金动、静铰链，不锈钢销子
- 表面处理：喷沙纹黑
- 备注：转动角度约为180°
- Material:Zinc die-casting hinge, stainless steel pin
- Finish: Matt black
- Remark:180° hinge


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL106	600	50

HL131S


平面重型外露式铰链 Flat heavy duty exposed hinge



HL131SL




HL131SR



- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：旋转约180°
- Material:Stainless steel hinge
- Finish:drawing
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL131SL	523	40
HL131SR	523	40

平面安装外露式铰链 Flat heavy duty exposed hinge




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL114	100	120

HL114



- 材质：PA 动、静铰链、不锈钢销子
- 表面处理：黑色沙纹面
- 备注：旋转约180°
- Material:PA hinge、stainless steel pin
- Finish:Matt black
- Remark:180° hinge

平面安装外露式铰链 Flat heavy duty exposed hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL143	77.3	240


HL143-1




- 材质：PA铰链、镀锌钢销子
- 表面处理：黑色(沙纹面).
- 备注：旋转约180°
- Material:PA hinge、Zinc plating steel pin
- Finish:Matt black
- Remark:180° hinge

HL059

平面安装外露式铰链 Flat Mounting Exposed Hinge






- 材质：镀锌钢板铰链
- 表面处理：镀蓝白锌
- 备注：转动约180°
- Material:Zinc plating steel hinge
- Finish: white zinc plating
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL059	84	400

HL105

平面安装外露式铰链 Flat Mounting Exposed Hinge






- 材质：A3铰链，镀锌钢销子
- 表面处理：镀蓝白锌
- 备注：转动约180°
- Material:A3 hinge,zinc plating steel pin
- Finish: white zinc plating
- Remark:180° hinge.


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL105	51.5	500

平面安装外露式铰链 Flat Mounting Exposed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL102	1300	50

平面安装外露式铰链 Flat Mounting Exposed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL153S	20	500

HL102



- 材质：铝合金铰链
- 备注：转动约为180°
- Material:Aluminum Alloy body
- Remark:180° hinge

HL153S




- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约180° 。
- Material: stainless steel hinge、stainless steel pin
- Remark:180° hinge
- Finish: wire drawing

HL038

阶梯面安装外露式铰链 Stepped surface mounting exposed hinge






- 材质：镜面不锈钢铰链，不锈钢销子
- 表面处理：拉丝
- Material:Mirror surface stainless steel body,stainless steel pin
- Finish: drawing
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL038	35.5	500

HL074

阶梯面安装外露式铰链 Stepped surface mounting exposed hinge






- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180°
- Material: stainless steel body
- Finish: drawing
- Remark:180° hinge


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL074	42	500

阶梯面安装外露式铰链 Stepped surface mounting exposed hinge




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL086	65	300

HL086



- 材质：镀锌钢板铰
- 备注：转动约180°
- Material:Zinc plating steel hinge
- Remark:180° hinge

阶梯面安装外露式铰链 Stepped surface mounting exposed hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL101	92	200


HL101




- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180°
- Material: stainless steel body
- Finish: drawing
- Remark:180° hinge.

HL013

阶梯面安装外露式铰链 Stepped surface mounting exposed hinge






- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子，镀锌钢压板
- 表面处理：喷沙镀铬
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available,Zinc plating .fixing parts
- Finish: Pocked chrome plating
- Remark:180° hinge.


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL013	140	200

HL065

阶梯面安装外露式铰链 Stepped surface mounting exposed hinge








- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子，塑料垫圈
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available,plastic washer
- Finish: Black powder coated
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL065	73	200

阶梯面安装外露式铰链 Stepped surface mounting exposed hinge



产品型号及特性 Product Number		基本尺寸 Dimensions			产品单重(g) Weight	装箱数 Lot
		H1	∅A	∅B		
HL111–1-1	喷无光黑	8	5.5	10.5	161	200
HL111–1A-1	喷沙镀铬	10	5.3	10.7	166.4	200

HL111–1






- 材质：锌合金动、静铰链、分不锈钢和镀镍钢销子
- 表面处理：喷无光黑,喷砂镀亮铬
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are avaiable
- Finish: Black powder coated, Sandblasting bright chrome plating Pocked chrome plating
- Remark:180° hinge

HL002


可摘卸式外露铰链 Lift-Off Hinges




HL002R



HL002L






- 材质：锌合金动、静铰链
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die-casting hinge.
- Finish: Black powder coated
- Remark:180° hinge


产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
右铰链 Right hinge	HL002R	25	500
左铰链 Left hinge	HL002L	25	500

HL019

可摘卸式外露铰链 Lift-Off Hinges









- 材质：锌合金
- 备注：转动约180°
- Material:Zinc die-casting hinge
- Remark:180° hinge

特性 Characteristic	产品型号及表面处理 Product no and surface treatment				
	喷无光黑 Black powder coated	镀沙铬 Gray chrome plating	沙纹黑 Matt black powder coated	产品单重(g) Weight	装箱数 Lot
右铰链 Right hinge	HL019R.3	HL019R.2	HL019R.1	136	200
左铰链 Left hinge	HL019L.3	HL019L.2	HL019L.1	136	200


可摘卸式外露铰链 RLift-Off Hinges






型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL052	127.5	200

可摘卸式外露铰链 Lift-Off Hinges





型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL081	89	200

HL052



- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Black powder coated
- Remark:180° hinge

HL081




- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available
- Finish:Black powder coated
- Remark:180° hinge

HL093

可摘卸式外露铰链 Lift-Off Hinges






- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子及镶嵌螺钉
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available
- Finish:Black powder coated
- Remark:180° hinge

产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
左铰链 Left hinge	HL093L	186	150
右铰链 Right hinge	HL093R		

HL139

可摘卸式外露铰链 Lift-Off Hinges






- 材质：锌合金铰链，碳钢销子
- 表面处理：喷沙纹黑
- 备注：旋转约90°
- Material:Zinc die-casting hinge steel pin
- Finish:Matt black
- Remarks: 90° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL139	271	100

可摘卸式外露铰链 Lift-Off Hinges




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL120	73.5	200

HL120



- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约180° 。
- Material: stainless steel hinge、stainless steel pin
- Remark:180° hinge
- Finish: wire drawing

可摘卸式外露铰链 Lift-Off Hinges



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL141R	103	300
HL141L	103	300

HL141R




- 材质：中碳钢铰链，不锈钢销子，
- 表面处理：镀蓝白锌
- 备注：可开启角度180~240°
- Material:medium-carbon steel hinge,stainless steel for the pin.
- Finish:white zinc plating
- Remark:180~240° hinge.

HL069-1

可摘卸式外露铰链 Lift-Off Hinges







- 材质：全不锈钢铰链
- 表面处理：拉丝
- 备注：转动约180°
- Material:Stainless steel hinge
- Finish: drawing
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL069-1	217	100

HL069-2

可摘卸式外露铰链 Lift-Off Hinges






- 材质：全不锈钢铰链
- 表面处理：拉丝
- 备注：转动约180°
- Material:Stainless steel hinge
- Finish: drawing
- Remark:180° hinge


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL069-2	217	100

可摘卸式外露铰链 Lift-Off Hinges




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL031	144	200

可摘卸式外露铰链 Lift-Off Hinges



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL157-1R	196	100
HL157-1L	196	100

HL031



- 材质：镀锌钢板铰链
- 表面处理：镀蓝白锌
- Material:Zinc plating steel hinge
- Finish: white zinc plating

HL157-1



HL157-1R




HL157-1L

- 材质：全不锈钢铰链
- 表面处理：拉丝
- 备注：转动约180°
- Material:Stainless steel hinge
- Finish: drawing
- Remark:180° hinge

HL079

阻尼外露式铰链 Prominent Torque Hinge






- 材质：PA动静铰链，销子为聚碳酸酯
- 表面处理：黑色沙纹面
- 备注：可调阻尼式明铰链，门板转动约180°
- Material: plastic hinge
- Finish: Matt black
- Remark:Adjustable damp 180° torque hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL079	12	2500

HL127

阻尼外露式铰链 Prominent Torque Hinge






- 材质：PA6铰链、镀锌螺钉
- 表面处理：黑色沙纹面
- 结构功能:可调节六角螺栓调整扭力
- 备注:转角约为180° 。
- Material:PA6 hinge、Zinc plating steel Screw
- Finish: Matt black
- Function: adjustable hex bolt torque adjustment
- Remark:180° hinge


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL127	50	200

阻尼外露式铰链 Prominent Torque Hinge



基本尺寸 Dimensions						产品型号及特性 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2	L3	L4	B1	B2			
75	54	34	50	20	11	HL088-1.R/L	274	100
60	59.5	40	40	19	10	HL088-2.R/L	236	200

阻尼外露式铰链 Prominent Torque Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL104	109	200

HL088



HL088-1R



HL088-2L

- 材质：锌合金动、静铰链，不锈钢销子
- 表面处理：喷沙镀铬
- 备注：阻尼式铰链，转动约100°
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Pocked chrome plating
- Remark:100° hinge

HL104



- 材质：锌合金动、静铰链，不锈钢销子
- 表面处理：镀沙铬；
- 备注：转动角度约为120°,阻尼铰链。
- Material:Zinc die-casting hinge, stainless steel pin;
- Finish: Gray chrome plating
- Remark:180° torque hinge

HL023

阻尼外露式铰链 Prominent Torque Hinge




HL023–1Z




HL023–2Z



HL023–3Z






- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Remark:180° hinge

基本尺寸 Dimensions									产品型号及特性 Product Number			
L1	L2	L3	B1	B2	B3	B4	H	M	喷无光黑 Black powder coated	镀沙铬 Gray chrome plating	产品单重(g) Weight	装箱数 Lot
59.5	50	45	34	19.5	17.5	13.5	17.5	5	HL023–1Z.3	HL023–1Z.2	165	200
30	22	22	28.5	18.5	15.5	10	13	4	HL023–2Z.3	HL023–2Z.2	42.5	400
30	22	22	22	13	9	10	13	4	HL023–3Z.3	HL023–3Z.2	43	500

HL124–1R/L

阻尼隐藏式铰链 Concealed Torque Hinge




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL124–1R	87	200
HL124–1L	87	200




- 材质：锌合金动、静铰链，A3销子
- 表面处理：本色
- 备注：带阻尼铰链，可开启角度180°
- Material :zinc alloy hinge ,steel pin
- Finish :ecru
- Remark: friction hinge 180° hinge

HL056

阻尼外露式铰链 Prominent Torque Hinge






- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：镀亮铬
- 备注：可90° 或180° 定位
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Bright chrome plating
- Remark:The hinge can stop at 90 and 180°

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HI056	70	400

阻尼隐藏式铰链 Concealed Torque Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL124–2R	75	400
HL124–2L	75	400

HL124–2R/L




- 材质：锌合金动静铰链，A3销子
- 表面处理：本色
- 备注：带阻尼铰链，可开启角度180°
- Material :zinc alloy hinge ,steel pin
- Finish :ecru
- Remark: friction hinge 180° hinge

HL161–1

阻尼外露式铰链 Prominent Torque Hinge





- 材质：锌合金动、静铰链，不锈钢销子
- 结构功能：. 3Nm对称扭矩，
  静态扭矩规格 ± 20%，超过25,000次循环使用寿命
  左开门和右开门通用
  M5螺钉安装
- 表面处理：电泳黑
- 备注：阻尼式铰链，转动约270°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Structure and function: 3 Nm symmetric torque,
  Static torque specification ± 20%
  over 25,000 times cycle life
  Both Left and right applicable
  With M5 screw for assemble
- Finish: Pocked chrome plating
- Remark:270° hinge


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL161–1	40.5	150


备注:


HL001

侧边安装外露式铰链 Side prominent Hinge









- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available.
- Finish: Black powder coated
- Remark:180° hinge.

基本尺寸 Dimensions							产品型号 Product Number	产品单重(g) Weight	装箱数 Lot
H1	H2	H3	H4	L1	L2	δ			
11.5	15.8	6.5	29	35	58	2	HL001-1	101	200
10	9.8	4.8	22	25	48	2.2	HL001-2	75	300

HL003

侧边安装外露式铰链 Side prominent Hinge





HL003-1



HL003-2 HL003-2S


- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理: 镀亮铬，喷无光黑
- 备注：转动约180°
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Bright chrome plating Black powder coated
- Remark:180° hinge







基本尺寸 Dimensions										产品型号及特性 Product Number			
H1	H2	H3	H4	H5	H6	L1	L2	L3	δ	喷无光黑 Black powder coated	镀亮铬 Bright chrome plating	产品单重(g) Weight	装箱数 Lot
17.2	5.7	18.5	17.7	23	13	40	26.5	16	2.5	HL003-1.3	HL003-1.1	67	300
16	5.2	17	16.5	21	12	30	19.5	12	2.3	HL003-2.3	HL003-2.1	44	400
16	5.2	17	16.5	21	12	30	19.5	12	2.3	不锈钢Stainless steel	HL003-2S	50	400

侧边安装外露式铰链 Side prominent Hinge








基本尺寸 Dimensions											产品型号及特性 Product Number			
H1	H2	H3	H4	L1	L2	L3	L4	∅C	δ	∅	喷无光黑 Black powder coated	镀亮铬 Bright chrome plating	产品单重(g) Weight	装箱数 Lot
18	15.5	27.5	5.5	52	40	35	33	6.2	2.3	12	HL004-1.3	HL004-1.1	140	200
16	13	27	5.5	42	24.5	25	32.7	5.3	2.2	11.5	HL004-2.3	HL004-2.1	135	200
17.5	14	28	6.2	42	25	25	33	6.2	3.2	12	HL004-3.3	HL004-3.1	129	200


HL004





HL004-1 HL004-2

- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：,镀亮铬，喷无光黑
- 备注：转动约180°
- Material:Zinc die-casting hinge stainless steel and nickel plating steel pin are available
- Finish: Bright chrome plating Black powder coated
- Remark:180° hinge.

侧边安装外露式铰链 Side prominent Hinge








产品型号及特性 Product Number									
左铰链 Left hinge						右铰链 Right hinge					
静铰链为6.3沉孔 fixed hinge with 6.3 counterbore	产品单重(g) Weight	装箱数 Lot	静铰链带M10镶件 fixed hinge with M10 screw	产品单重(g) Weight	装箱数 Lot	静铰链为∅6.3沉孔 fixed hinge with 6.3counterbore	产品单重(g) Weight	装箱数 Lot	静铰链带M10镶件 fixed hinge with M10 screw	产品单重(g) Weight	装箱数 Lot
HL006L-1	157	150	HL006L-2	218	150	HL006R-1	218	150	HL006R-2	218	150

HL006



HL006L-1




HL006L-2

- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子，铜垫圈
- 表面处理：喷无光黑，喷沙纹黑
- 备注：转动约180°
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available,brass washer
- Finish:Matt black，Black powder coated
- Remark:180° hinge


HL008


侧边安装外露式铰链 Side prominent Hinge





- 材质：锌合金动铰链，镀锌钢板静铰链和压板，分不锈钢和镀镍钢销子；
- 备注：转动约180°
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available.
- Remark:180° hinge.





基本尺寸 Dimensions			产品型号及特性 Product Number			
H1	H2	H3	喷无光黑 Black powder coated	喷塑灰 Gray paint sprayed	产品单重(g) Weight	装箱数 Lot
42	27	26.5	HL008-1.3	HL008-1.8	166	150
39	24	23.5	HL008-2.3	HL008-2.8	71	150


HL044


侧边安装外露式铰链 Side prominent Hinge






- 材质：锌合金静铰链,镀锌钢动铰链和安装板，分不锈钢和镀镍钢销子
- 备注：转动约为180°
- Material:Zinc die-casting hinge,stainless steel and nickel plating steel pin are available.
- Remark:180° hinge







基本尺寸 Dimensions											产品型号及特性 Product Number			
L1	L2	L3	L4	L5	L6	B1	B2	∅A	∅B	∅C	R	喷无光黑 Black power coated	喷蓝绿色 Bluish green	产品单重(g) Weight	装箱数 Lot
25	46	43	22.5	15.5	25	34	24.5	6	11	5.1	5.5	HL044-1.3	HL044-1.9	142	200
20	46	43	22.5	18	25.5	32	22.5	7	11.5	5.1	5.5	HL044-1B.3	HL044-1B.9	126	200
25	46	43	22.5	18	25	24.5	15	6		5.1	5.5	HL044-7.3	HL044-7.9	135	200

侧边安装外露式铰链 Side prominent Hinge










型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL015	147	200

侧边安装外露式铰链 Side prominent Hinge







型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL016	85	300

HL015



- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Black powder coated
- Remark:180° hinge.

HL016





- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Black powder coated
- Remark:180° hinge


HL017-1

侧边安装外露式铰链 Side prominent Hinge










- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子及镶嵌螺钉；
- 备注：转动约180°
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available
- Remark:180° hinge


基本尺寸 Dimensions	产品型号及特性 Product Number			
L1	喷无光黑 Black powder coated	镀沙铬 Gray chrome plating	产品单重(g) Weight	装箱数 Lot
15	HL017-1.3	HL017-1.2	50.5	400
12	HL017-2.3	HL017-2.2	48.5	400


HL026

侧边安装外露式铰链 Side prominent Hinge












- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子，镀锌钢压板
- 备注：转动约180°
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available，Zinc plating.fixing parts.
- Remark:180° hinge

产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
喷无光黑 Black powder coated	HL026.3	61.5	400
镀亮铬 Bright chrome plating	HL026.1		

侧边安装外露式铰链 Side prominent Hinge








基本尺寸 Dimensions											产品型号及特性 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2	L3	L4	B1	B2	B3	B4	B5	H				
46.8	29.5	18.5	13.5	34.3	30.7	23.3	17.5	14.3	1.6		HL033-1R/L	147.5	200
46.5	29.5	19.2	11.7	28.5	24.8	17.1	11.6	8.6	1.9		HL033-2R/L	140	200


HL033-1R




- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子及镶嵌螺钉
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Black powder coated
- Remark:180° hinge

侧边安装外露式铰链 Side prominent Hinge







型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL073	181	200

HL073




- 材质：锌合金动、静铰链，PA-66销子
- 表面处理：喷沙纹黑
- 备注：转动约180° 。
- Material:Zinc die-casting hinge, PA-66 pin
- Finish:Matt black
- Remark:180° hinge.

HL089

侧边安装外露式铰链 Side prominent Hinge






- 材质：锌合金动、静铰链，A3销子、安装卡板。
- 表面处理：喷无光黑
- 备注：转动约为180°
- Material: Zinc alloy hinge, steel pin
- Finish: Black powder coated
- Remark: 180 hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL089	285	200

HL089-2A

侧边安装外露式铰链 Side prominent Hinge






- 材质：锌合金铰链，碳钢销子
- 表面处理：喷无光黑
- 备注：旋转约180°
- Material:Zinc die-casting hinge steel pin
- Finsh:black powder coated
- Remark:180° hinge

型号 Product no.	基本尺寸 Dimensions	适用门板厚度Ts Panel thickness	产品单重(g) Weight	装箱数 Lot
	A			
HL089-2A	4.6	1.5 mm	111.5	200

侧边安装外露式铰链 Side prominent Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL130-2	73	400

HL130-2




- 材质：锌合金动、静铰链，A3销子
- 表面处理：喷亚光黑
- 适用板厚：1~2.3mm
- 备注：可开启角度130°
- Material :zinc alloy hinge steel pin
- Finish: Black powder coated
- Panel thickness：2.3mm
- Remark: :130° hinge

HL136

侧边安装外露式铰链 Side prominent Hinge






- 材质：锌合金铰链，碳钢销子
- 表面处理：喷无光黑
- 备注：可开启角105°
- Materia l: Zinc die–casting hinge
- Finish: black powder coated
- Remarks: 105° hinge

型号 Product no.	基本尺寸 Dimensions	产品单重(g) Weight	装箱数 Lot
HL136–1	Ts=1.5	86.5	200
HL136–2	Ts=2	85.3	200

HL137

侧边安装外露式铰链 Side prominent Hinge







- 材质：锌合金铰链，碳钢销子
- 表面处理：喷塑灰
- 适用门板厚度：1~3mm
- 备注：旋转约105°
- Material: Zinc die–casting hinge steel pin
- Finish: Pensu ash
- Panel thickness:1~3mm
- Remarks: 105° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL137	370	60

侧边安装外露式铰链 Side prominent Hinge





门板开孔尺寸
Cut out for door

型号 Producut no.	产品单重(g) Weight	装箱数 Lot
HL150–1	128.5	200

HL150–1





- 材质：锌合金铰链，碳钢销子
- 表面处理:镀镍
- 适用门板厚度：2mm
- 备注：开启角度180°
- Material : Zinc die–casting hinge, steel pin
- Finish : Nickel plating
- Panel thickness : 2mm
- Remark:180° hinge


HL046

侧边安装外露式铰链 Side prominent Hinge










- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：喷沙镀铬
- 备注：转动约180°
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Pocked chrome plating
- Remark:180° hinge


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL046	48	500


HL047-1

侧边安装外露式铰链 Side prominent Hinge











- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Black powder coated
- Remark:180° hinge.

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL047-1	65	400


侧边安装外露式铰链 Side prominent Hinge







型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL047-2	239.5	100

侧边安装外露式铰链 Side prominent Hinge







型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL053	97	300

HL047-2



- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Black powder coated
- Remark:180° hinge.

HL053





- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Black powder coated
- Remark:180° hinge


HL062

侧边安装外露式铰链 Side prominent Hinge










- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Black powder coated
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL062	57	500

HL123

侧边安装外露式铰链 Side prominent Hinge





- 材质：锌合金静铰链，A3动铰链，销子安装板。
- 表面处理：喷无光黑
- 备注：转角约为180°
- Material :zinc alloy hinge steel pin and mounting panel
- Finish :black powder cauted
- Remark:180° hinge


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL123	175	200


备注:

HL005

可摘卸式外露铰链 Detachable Exposed Hinge








- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Black powder coated
- Remark:180° hinge


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL005	73	400

HL018–1

可摘卸式外露铰链 Detachable Exposed Hinge








- 材质：锌合金动静铰链
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die–casting hinge
- Finish: Black powder coated
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL018–1	70.5	400

可摘卸式外露铰链 Detachable Exposed Hinge




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL022	106	300


HL022



- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Black powder coated
- Remark:180° hinge

可摘卸式外露铰链 Detachable Exposed Hinge





型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL027	47.5	500

HL027





- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：镀亮铬
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Bright chrome plating
- Remark:180° hinge

HL028

可摘卸式外露铰链 Detachable Exposed Hinge








- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：镀亮铬
- 备注：转动约180° 。
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Bright chrome plating
- Remark:180° hinge.

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL028	43.5	500

HL032

可摘卸式外露铰链 Detachable Exposed Hinge







- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：镀亮铬
- 备注：转动约180°
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Bright chrome plating
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL032	97	300


可摘卸式外露铰链 Detachable Exposed Hinge




HL030–1



HL030–2





HL030–3



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL030–1	163.5	150
HL030–2	155	200
HL030–2S(不锈钢)		200
HL030–3	175	200

HL030





- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：镀亮铬
- 备注：转动约180°
- Material:Zinc die-casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Bright chrome plating
- Remark:180° hinge

HL057

可摘卸式外露铰链 Detachable Exposed Hinge




HL057–1




HL057–1A

HL057–1/2



HL057–1A





基本尺寸 Dimensions				产品型号及特性 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2	L3	L4	表面包不锈钢 stainless steel cover		
95	47	30	10.5	HL057–1	85	300
95	47	30	10.5	HL057–1A	85	300


- 材质：镀锌钢铰链表面包不锈钢；
- 备注：转动约为180° 。
- Material:Zinc plating steel body with stainless steel cover.
- Remark:180° hinge.

HL057–2

可摘卸式外露铰链 Detachable Exposed Hinge








基本尺寸 Dimensions				产品型号及特性 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2	L3	L4	表面包不锈钢 stainless steel cover		
55	27.5	15	6.5	HL057–2	46	300

- 材质：镀锌钢铰链表面包不锈钢；
- 备注：转动约为180° 。
- Material:Zinc plating steel body with stainless steel cover.
- Remark:180° hinge.

可摘卸式外露铰链 Detachable Exposed Hinge




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL066–1	59	500


HL066



- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：镀亮铬
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Bright chrome plating
- Remark:180° hinge

可摘卸式外露铰链 Detachable Exposed Hinge





型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL075–1	113.5	300

HL075–1




- 材质：锌合金动、静铰链
- 表面处理：喷无光黑
- 备注：转动约为180° ，全铸钢型号为HL075A
- Material:Zinc die–casting hinge
- Finish: Black powder coated
- Remark:180° hinge.

HL080

可摘卸式外露铰链 Detachable Exposed Hinge






- 材质：全不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180°
- Material:Stainless steel hinge
- Finish: drawing
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL080	150	500

HL085

可摘卸式外露铰链 Detachable Exposed Hinge






- 材质：镀锌钢铰链
- 表面处理：镀蓝白锌
- 备注：转动约180°
- Material:Zinc plating steel hinge
- Finish: white zinc plating
- Remark:180° hinge.

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL085	42	500

HL097

可摘卸式外露铰链 Detachable Exposed Hinge






- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Finish:Black powder coated
- Remark:180° hinge.

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL097	176.5	200

HL107–2

可摘卸式外露铰链 Detachable Exposed Hinge






- 材质：锌合金动、静铰链，镀锌钢销子
- 表面处理：喷沙纹黑
- 备注：转动约180°
- Material:Zinc die–casting hinge, zinc plating steel pin
- Finish:Matt black
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL107–2	33	300

HL012

侧面安装外露式铰链 Side prominent Hinge







- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Black powder coated
- Remark:180° hinge.

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL012	82	400

HL020

侧面安装外露式铰链 Side prominent Hinge






- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：镀亮铬
- 备注：转动约270°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Bright chrome plating
- Remark:270° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL020	165.5	200

侧面安装外露式铰链 Side prominent Hinge

HL024






- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Black powder coated
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL024	54	500

侧面安装外露式铰链 Side prominent Hinge

HL025–1






- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子，塑料垫圈
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available,plastic washer.
- Remark:180° hinge


产品型号及特性 Product Number					
镀沙铬 Gray chrome plating	产品单重(g) Weight	装箱数 Lot	喷无光黑 Black powder coated	产品单重(g) Weight	装箱数 Lot
HL025–1.2	127.5	300	HL025–1.3	127.5	300


HL025–2

侧面安装外露式铰链 Side prominent Hinge









- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子，塑料垫圈
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available,plastic washer.
- Remark:180° hinge

产品型号及特性 Product Number					
镀沙铬 Gray chrome plating	产品单重(g) Weight	装箱数 Lot	喷无光黑 Black powder coated	产品单重(g) Weight	装箱数 Lot
HL025–2.2	68.5	400	HL025–2.3	68.5	400

HL029


侧面安装外露式铰链 Side prominent Hinge





HL029–1



HL029–2










- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：镀亮铬
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Bright chrome plating
- Remark:180° hinge

基本尺寸 Dimensions		产品型号及特性 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2			
20	19.8	HL029–1	228	150
15	18	HL029–2	170	150

侧面安装外露式铰链 Side prominent Hinge










基本尺寸 Dimensions		产品型号及特性 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2			
14.2	16	HL029–3		

侧面安装外露式铰链 Side prominent Hinge









型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL039	116.5	200

HL029–3



- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：镀亮铬
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Bright chrome plating
- Remark:180° hinge


HL039





- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子及镶嵌螺钉
- 表面处理：镀亮铬
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Bright chrome plating
- Remark:180° hinge.

HL061

侧面安装外露式铰链 Side prominent Hinge









- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子\
- 表面处理：镀亮铬
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Bright chrome plating
- Remark:180° hinge.

产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
右铰链 Right hinge	HL061R	164	200
左铰链 left hinge	HL061L	164	200

侧面安装外露式铰链 Side mounting exposed hinge





型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL064–1	163	200

HL064–1



- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：镀沙铬
- 备注：转动约180° 。
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Gray chrome plating
- Remark:180° hinge


HL126



HL126–1 HL126–2


- ●材质：锌合金铰链，镀锌钢销子
- ●表面处理：镀亮铬
- ●备注：转动约180°
- ●Material:Zinc die–casting hinge,Zinc plating steel pin;
- ●Finish:Bright chrome plated
- ●Remark:180° hinge


侧面安装外露式铰链 Side prominent Hinge



型号 Product no.	基本尺寸 Dimensions		产品单重(g) Weight	装箱数 Lot
	H1	L1		
HL126–1	25	20	182.5	50
HL126–2	18	18	195.3	100

侧面安装外露式铰链 Side prominent Hinge





型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL064–2	122	300


HL064–2



- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：镀沙铬
- 备注：转动约180° 。
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Gray chrome plating
- Remark:180° hinge

HL103

侧面安装外露式铰链 Side prominent Hinge





HL103–1



HL103–2

- 材质：不锈钢
- 表面处理：拉丝
- 备注：转动约180°
- Material:Mirror surface stainless steel body
- Finish: drawing
- Remark:180° hinge





产品型号及特性 Product Number	基本尺寸 Dimensions								产品单重(g) Weight	装箱数 Lot
	L1	L2	B	B1	B2	B3	B4	M		
HL103–1	49	33	10	14	22	18	16	8	135	200
HL103–2	39	27	7.5	10	14	13.5	12	6	120	200


HL103–1A


侧面安装外露式铰链 Side prominent Hinge



HL103–1A


- 材质：不锈钢
- 表面处理：拉丝
- 备注：转动约180°
- Material:Mirror surface stainless steel body
- Finish: drawing
- Remark:180° hinge






型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL103–1A	183	200

侧面安装外露式铰链 Side prominent Hinge




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL132	70	100


HL132



- 材质：镀锌钢铰链
- 表面处理：镀亮铬
- 备注：旋转约180°
- Material:Zinc plating steel hinge
- Finish:Bright chrome plating
- Remark:180° hinge.

侧面安装外露式铰链 Side prominent Hinge





型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL134	136	100

HL134





- 材质：铝合金动、静铰链，A3销子
- 表面处理：喷无光黑
- 备注：可开启角度180°
- Material : aluminium alloy hinge steel pin
- Finish: Black powder coated
- Remark: 180° hinge

HL010

隐藏式铰链 Concealed Hinge







- 材质：锌合金动、静铰链，分不锈钢和镀镍钢销子
- 表面处理：喷无光黑
- 备注：转动约110°
- Material:Zinc die–casting hinge, stainless steel and nickel plating steel pin are available
- Finish: Black powder coated
- Remark:110° hinge.

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL010	188	150

HL011


隐藏式铰链 Concealed Hinge




HL011–1



HL011–1A HL011–2







- 材质：锌合金静铰链，镀锌钢板动铰链，镀镍钢销子
- 备注：转动约90°
- Material:Zinc die–casting fixed hinge, Zinc plating moving hinge,nickel plating steel pin are available.
- Remark:90° hinge

基本尺寸 Dimensions								产品型号及特性 Product Number			
A	B	H1	H2	H3	M	∅D	∅E	喷无光黑 Black powder coated	喷灰色漆 Gray paint sprayed	产品单重(g) Weight	装箱数 Lot
33.6	11	20.5	28	23.5	6	12	7	HL011–1.3	HL011–1.8	153	200
33.6	11	20	25.5	20.5	6	12	7	HL011–1A.3	HL0011–1A.8	142	200
32	8	16.5	20.5	18	4	9	5	HL011–2.3	HL011–2.8	102	300

隐藏式铰链 Concealed Hinge




HL036–1




HL036–2

产品型号及特性 Product Number					
喷无光黑 Black powder coated	产品单重(g) Weight	装箱数 Lot	镀沙铬 Gray chrome plating	产品单重(g) Weight	装箱数 Lot
HL036–1.3	51.5	400	HL036–1.2	51.5	400
HL036–2.3	43	400	HL036–2.2	43	400

隐藏式铰链 Concealed Hinge





型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL078	46	500


HL036



HL036–1 HL036–2

- 材质：锌合金静铰链，镀锌钢动铰链，分不锈钢和镀镍钢销子
- 备注：转动约180°
- Material:Zinc die–casting hinge, stainlesssteel and nickel plating steel pin are available.
- Remark:180° hinge

HL078




- 材质：锌合金静铰链，镀锌钢动铰链，销子
- 表面处理：镀亮铬
- 备注：暗铰链，左右开门通用，门板转动约为90° 至100°
- Material:Zinc die–casting hinge
- Finish: Bright chrome plating
- Remark:rorate angle 90° ~100° hinge,both left and right use

HL090

隐藏式铰链 Concealed Hinge



- 材质：锌合金动、静铰链，镀镍钢销子
- 表面处理：喷无光黑
- 备注：转动约100°
- Material:Zinc die-casting hinge nickel plating steel pin
- Finish:Black powder coated
- Remark:100° hinge.




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL090	106	200

HL095

隐藏式铰链 Concealed Hinge



- 材质：锌合金静铰链，分不锈钢和镀镍钢销子
- 表面处理：喷无光黑
- 备注：转动约180°
- Material:Zinc die-casting fixed hinge,stainless steel and nickel plating steel pin are available
- Finish:Black powder coated
- Remark:180° hinge




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL095	105	200

HL007-1

隐藏式铰链 Concealed Hinge




- 材质：镀锌钢板铰链
- 表面处理：镀蓝白锌
- 备注：转动约为90°
- Material:Zinc plating steel hinge
- Finish: white zinc plating
- Remark:90° hinge




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL007-1	90	200

HL007-2

隐藏式铰链 Concealed Hinge



- 材质：镀锌钢板铰链
- 表面处理：镀蓝白锌
- 备注：转动约为90°。
- Material:Zinc plating steel hinge
- Finish: white zinc plating
- Remark:90° hinge.




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL007-2	66.5	200

HL034–1

隐藏式铰链 Concealed Hinge






- 材质:分镜面不锈钢铰链,A3钢铰链
- 备注：转动约为120°
- Material:Mirror surface stainless steel body.
- Remark:120° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL034–1	110.8	200

HL034–2

隐藏式铰链 Concealed Hinge






- 材质:分镜面不锈钢铰链,A3钢铰链
- 备注：转动约为120°
- Material:Mirror surface stainless steel body.
- Remark:120° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL034–2	107	200

隐藏式铰链 Concealed Hinge




HL040



- 材质：镀锌钢板铰链
- 表面处理：镀蓝白锌
- 备注：转动约120°
- Material:Zinc plating steel hinge
- Finish: white zinc plating
- Remark:120° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL040	58	200

隐藏式铰链 Concealed Hinge



HL043




- 材质：镀锌钢板铰链，镀镍钢销子
- 表面处理：镀蓝白锌
- 备注：转动约为120°
- Material:Zinc plating steel hinge
- Finish: white zinc plating
- Remark:120° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL043	129	200

HL083-1

隐藏式铰链 Concealed Hinge







- 材质：镀锌钢板铰链
- 表面处理：镀蓝白锌
- 备注：转动约180°
- Material:Zinc plating steel hinge
- Finish: white zinc plating
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL083-1	65	400

HL125

隐藏式铰链 Concealed Hinge






- 材质：铝合金铰链，A3销子。
- 表面处理：镀蓝白锌
- Material :aluminium alloy hinge steel pin
- Finish :white zinc platting


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL125	45	400

隐藏式铰链 Concealed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL108	102	200

隐藏式铰链 Concealed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL122	32	500

HL108



- 材质：锌合金铰链，分不锈钢、镀锌钢销子
- 表面处理：镀沙铬
- 备注：只适合右开门，门板转动角度约为90°
- Material:Zinc hinge,stainless steel and nickel plating steel pin are avaiable;
- Finish:Gray chrome plating
- Remark:Only for the right door,90° hinge.

HL122





- 材质：镀蓝白锌钢板
- 表面处理：镀蓝白锌
- 备注：转动约为180° 。
- Material : white zinc plating steel hinge
- Finish:t white zinc plating
- Remark : 180° hinge

HL048

隐藏式铰链 Concealed Hinge








- 材质：镀锌钢板铰链
- 表面处理：镀蓝白锌
- 备注：转动约120°
- Material:Zinc plating steel hinge
- Finish: white zinc plating
- Remark:120° hinge.


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL048	180	200

HL060-1

隐藏式铰链 Concealed Hinge









- 材质：镀锌钢板铰链
- 表面处理：镀蓝白锌
- 备注：转动约90°
- Material:Zinc plating steel hinge
- Finish: white zinc plating
- Remark:90° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL060-1	91	200


隐藏式铰链 Concealed Hinge





基本尺寸 Dimensions								产品型号及特性 Product Number	产品 单重(g) Weight	装箱数 Lot
L1	L2	L3	L4	L5	L6	H	∅D			
80	66	26.5	28.5	22	15.5	20	6.3	HL068-1	102	200
60	48	18.2	32.5	26.8	12.5	24.2	5.3	HL068-2	93	200

隐藏式铰链 Concealed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL082	154	200
HL082S	154	200

HL068



HL068-1



HL068-2

- 材质：镀锌钢板铰链
- 表面处理：镀蓝白锌
- 备注：转动约120°
- Material:Zinc plating steel hinge
- Finish: white zinc plating
- Remark:120° hinge

HL082S



HL082S



HL082


- 材质:不锈钢铰链，A3钢铰链
- 表面处理：拉丝
- 备注：转动约为120°
- Material:Zinc plating steel and Stainless steel are available
- Finish: drawing
- Remark:120° hinge


HL092

隐藏式铰链 Concealed Hinge



HL092 HL092S






- 材质：镀锌钢板或不锈钢铰链；镀镍钢销子或不锈钢
- 备注：转动约为120°
- Material:Zinc plating steel and Stainless steel are available
- Remark:120° hinge

产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
镀锌钢板 Zinc plating steel	HL092	53	500
不锈钢 Stainless steel	HL092S	65	500

HL109

隐藏式铰链 Concealed Hinge






- 材质：全不锈钢铰链
- 表面处理：拉丝
- Material:Stainless steel hinge
- Finish: drawing


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL109	78	200

隐藏式铰链 Concealed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL129–1	129	

隐藏式铰链 Concealed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL142–1	77.3	240

HL129–1



- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：旋转约120°
- Material:Stainless steel hing
- Finish:drawing
- Remark:120° hinge

HL142–1




- 材质：A3钢铰链，销子
- 表面处理：镀蓝白锌
- 备注：旋转约120°
- Material:
- Finish:
- Remark:120° hinge.

HL049 –1

隐藏式铰链 Concealed Hinge





- 材质：镀锌钢板铰链，镀镍钢销子
- 表面处理：镀蓝白锌
- 备注：转动约为100°
- Material:Zinc plating steel hinge, nickel plating steel pin
- Finish: white zinc plating
- Remark:100° hinge.


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL049 –1	28	500

HL146/147

隐藏式铰链 Concealed Hinge



HL146–1 HL147–1




- 材质：镀锌钢板铰链
- 表面处理：镀蓝白锌
- Material:Zinc plating steel hinge
- Finish: white zinc plating

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL146–1	154.5	200
HL147–1	43.5	400

隐藏式铰链 Concealed Hinge

HL119






- 材质及表面处理：A3材料、表面镀锌处理
- 性能：最大径向静载荷：625N
  平均径向极限载荷：420N
  最大轴向静载荷：205N
  平均轴向极限载荷：204N
  最大保持力矩：18.2N.m
- Material and surface treatment:A3、Zinc plating
- Performance:
  The maximum radial static load:625N
  The average radial limit load:420N
  The maximum axial static load:205N
  The average axial limit load:204N
  Maximum holding torque:18.2N.m

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL119	70.5	200

隐藏式铰链 Concealed Hinge

HL128






- 材质：镀锌钢铰链
- 表面处理：镀蓝白锌
- 备注：旋转约93°
- Material:Zinc plating steel hinge
- Finish:white zinc plating
- Remark:93° hinge.

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL128	46	400


HL035–1


隐藏销式铰链 Hidden Pin Hinge



HL035–1R　HL035–1L

HL035–2R　HL035–2L





注：选配
附件可替代插销式铰链，
一般用于门板底部，
以便承重固定门板。

基本尺寸 Dimensions					产品型号及特性 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2	L3	L4	∅D			
94	62	16.5	20	6	HL035–1R/L	52	500
90	63	16	22.5	4	HL035–2R/L	36	500


- 材质：镀锌钢板铰链
- 表面处理：镀蓝白锌
- 备注：转动约120°
- Material:Zinc plating steel hinge
- Remark:120° hinge
- Finish: white zinc plating

HL035–1A

隐藏销式铰链 Hidden Pin Hinge




HL035-1AR



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL035-1AR	49	500
HL035-1AL	49	500

- 材质：镀锌钢板铰链
- 表面处理：镀蓝白锌
- 备注：转动约120°
- Material:Zinc plating steel hinge
- Remark:120° hinge
- Finish: white zinc plating

隐藏销式铰链 Hidden Pin Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL035-1BR	5.2	500
HL035-1BL	5.2	500


HL035–1B



HL035-1BR

- 材质：镀锌钢板铰链
- 表面处理：镀蓝白锌
- 备注：转动约120°
- Material:Zinc plating steel hinge
- Remark:120° hinge
- Finish: white zinc plating

隐藏销式铰链 Hidden Pin Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL149–1R	5.3	200
HL149–1L	5.3	200

HL149–1




- 材质：镀锌钢板铰链
- 表面处理：镀蓝白锌
- Material:Zinc plating steel hinge
- Finish: white zinc plating

HL037

隐藏销式铰链 Hidden Pin Hinge






- 材质：镀锌钢铰链，镀锌渗碳钢销子
- 表面处理：镀蓝白锌
- Material:Zinc plating steel hinge and pin
- Finish: white zinc plating

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL037	70	200

HL110

隐藏销式铰链 Hidden Pin Hinge






- 材质：镀锌钢铰链
- 表面处理：镀蓝白锌
- Material:Zinc plating steel hinge
- Finish: white zinc plating

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL110	173	200

隐藏销式铰链 Hidden Pin Hinge




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL117	35	500

HL117



- 材质：镀锌钢插销、销套、固定销，65Mn弹簧
- 表面处理：镀蓝白锌
- Material: Zinc plating steel,65Mn spring
- Finish: white zinc plating

隐藏销式铰链 Hidden Pin Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL140	90.3	300

HL140




- 材质：锌合金铰链，碳钢销子
- 表面处理：喷无光黑
- 备注：可开启角度180°
- Material: zinc alloy hinge, steel for the pin.
- Finish: matt black.
- Remark:180° hinge.

DKS

搭扣锁 Clasp lock






基本尺寸 Dimensions					产品型号及特性 Product Number					
L1	L2	B1	B2	H	有锁芯 With key	产品单重(g) Weight	装箱数 Lot	无锁芯 w/o key	产品单重(g) Weight	装箱数 Lot
80	35.5	32.5	16	21.5	DKS-1-1.1	126.5	200	DKS-1-2.1	117.5	200
65	30	26.5	12	17.5	DKS-2-1.1	69	250	DKS-2-2.1	63.5	250

- 材质：锌合金锁体、其他零件为不锈钢
- 表面处理：镀亮铬,镀沙铬，无光黑
- 适用门板厚度：1~4mm
- Material:Zinc-die casting body
- Finish:Bright chrome plating, Gray chrome plating, Black powde coated
- panel thickneel:1~4mm

DK102

搭扣 Latch up






型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK102	247	50

- 材质：PVC手柄套，镀锌钢手柄
- Material:PVC Handle

搭扣 Latch up



型号 Product no.	产品单重(g) Weight	装箱数 Lot
DKS103-2	62.5	400


DKS103-2

INOX AISI 3..



- 材质：不锈钢
- Material:Stainless steel

搭扣 Latch up



型号 Product no.	产品单重(g) Weight	装箱数 Lot
DKS104-2	41	400


DKS104-2

INOX AISI 3..




- 材质：不锈钢
- Material:Stainless steel

MS733



MS733-1



MS733-2




MS733-2B


- 材质：PA锁体
- 适用门板厚度：1mm
- 备注：颜色为黑色、灰白色
- Material: PA lock body
- Panel thickness:1mm
- Remark:Black、gray

搭扣 Latch up


MS733-1




MS733-2B



MS733-2





■开孔尺寸
Cut Out





型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS733-1	12	1000
MS733-2	10	1000
MS733-2B	10.5	1000

搭扣锁 Clasp lock









MS9008P



CH751

MS9008P-1-1

- 材质：ABS锁体 锁芯
- 表面处理:黑色咬花面
- 适用门板厚度：1~1.2mm
- Material: ABS lock core
- Finish: color (black)
- Panel thickness:1~1.2mm

MS733-3

NEW







K0200


- 材质：PA锁体，锁芯。
- 适用门板厚度：1~1.2mm
- 结构功能：锁芯旋转180°，实现锁闭或开启，锁舌压缩行程6mm.
- 表面处理：火花纹。
- 备注：颜色为黑色
- Material: PA lock body, a lock core.
- Panel thickness:1~1.2mm
- Finish :Matt black.

搭扣锁 Clasp lock






安装示意图
installation diagram




■开孔尺寸
Cut Out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS733-3	20.5	300


■开孔尺寸
Cut Out



1、滑动锁的前部穿过孔洞，按压向前
Sliding down the latch to pass through the hole



2、将锁的后端卡入位
Put the back of latch to catch on the panel



MS9008P-1-2




- 材质：ABS锁体 锁芯
- 表面处理:黑色咬花面
- 适用门板厚度：1~1.2mm
- Material: ABS lock core
- Finish: color (black)
- Panel thickness:1~1.2mm

产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
有锁芯 With key	MS9008P-1-1	15	500
无锁芯No lock core	MS9008P-1-2	17	500

MX01

门销 Door pin






- 材质：锌合金
- 表面处理:镀亮铬
- Material: zinc alloy
- Finish: Bright chrome plating

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MX01	60.3	200

MX02R

门销 Door pin






- 材质：锌合金基座，不锈钢销子 弹簧
- 表面处理：喷砂镀镍
- Material:Zinc die–casting body stainless steel pin,spring
- Finish: Sand nickel plating


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MX02R	63	300
MX02L	63	300

门销碰锁 Door pin lock



型号 Produt no.	产品单重(g) Weight	装箱数 Lot
MX03–1	45	200
MX03–2	45	200

门销 Door pin



型号 Produt no.	产品单重(g) Weight	装箱数 Lot
MX04	122.5	300

MX03



- 材质：A3固定座、锌合金锁舌
- 表面处理：镀蓝白锌
- Material:A3 body、zinc die–casting lock tongue;
- Finish: white zinc plated.

MX04


INOX AISI 3..




- 材质：不锈钢。
- 表面处理：拉丝
- Material:Stainless steel
- Finish: Sand nickel plating

MX05

门销碰锁 Door pin lock







- 材质：A3固定座、锌合金锁舌
- 表面处理：镀蓝白锌
- Material:A3 body、zinc die-casting lock tongue
- Finish: white zinc plated


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MX05	162	140

MX06

门销碰锁 Door pin lock








- 材质：A3固定座、锌合金锁舌
- 表面处理：镀蓝白锌
- Material:A3 body、zinc die-casting lock tongue;
- Finish: white zinc plated


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MX06	150	160
MX06（平锁舌）	151.2	160

门销碰锁 Door pin lock



型号 Product no.	L1	L2	L3	W1	W2	H1	H2	(H3)	t1	t2	P1	P2	M1	M2	产品单重(g) Weight	装箱数 Lot
MX07-1	70	42	10.5	13	10	17	19	23	4	4	60	30	M4	M4	68.8	250
MX07-2	50	30	7	10	9	12	13	16	2.5	2.5	40	20	M4	M4	25.4	500
MX07-3	43	25	6	8	7.5	10	11	13.5	2.5	2.5	35	16	M3	M3	15.4	600

门销碰锁 Door pin lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MX08	35.5	200

MX07

NEW



MX07-1 MX07-2 MX07-3


- 材质：锌合金静门碰、动门碰，SUS304钢珠， 65MN弹簧，Hpb59-1紧定螺钉.
- 表面处理：镀亮铬,镀镍紧定螺钉.
- 用途：小型配电箱，测量仪器，工程机械.
- Material:zinc alloy for the body,SUS304 for the steel ball,65MN for the spring, Hpb59-1 for the screw.
- Finish:bright chrome for the body,nickel plating for the screw.
- Application:small-version distribution box,measuring instrument, engineering machinery.


MX08


NEW





- 材质：锌合金锁座，按钮，锁舌
- 结构功能：当按钮按下行程6.5mm时，锁舌往里缩7mm
- 表面处理：喷砂镀镍
- Material: Zinc alloy
- Finish: Sand nickel plating











1.材质：主体为锌合金+不锈钢+ABS(电子），配件为不锈钢
2.表面处理：电泳黑
3.适用门板厚度：1~4mm
4.锁片开孔:口10x10

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS8017Z-1-1	795	30



■ 产品使用 Product Instructions

钢芯或钢丝编织带的选择 ---------- K03

产品装配步骤、说明： ---------- K04

开口度产品的正确使用方法 ---------- K05

背胶产品的使用说明 ---------- K06

泡棉切割胶条尺寸 ---------- K07

工厂生产产品所采用的公差等级 ---------- K08 ~ K09

产品系列：密封条、密封垫规格齐全，可来样定做 ---------- K010

■ 自夹紧式钢带密封条 Self-gripping Sealing Strip W ith Steel Sheet

MFT-001--MFT-023 ---------- K011-K016

■ 自夹紧式钢丝密封条 Self-gripping Sealing Strip W ith Steel Wire

MF-001--MF-018 ---------- K016-K020

■ PVC橡塑装饰条 PVC Trim Strip

MF-019--MF-030 ---------- K021-K023

■ 密封胶条 Rubber Sealing Strip

MF-031--MF-032 ---------- K024

■ 挤出型三元乙丙海绵胶条 Extruded EPDM Sponge Strip

MFT-025--MFT-054 ---------- K025-K033

■ 挤出型三元乙丙密实胶条 Extruded EPDM Dense Strip

MFT-055--MFT-078 ---------- K033-K039

■ 常用产品 Common Products

海绵发泡方形密封条/海绵发泡圆形密封条 ---------- K039-K040


观察窗胶条/电缆穿线护套 ---------- K041


发泡半圆胶条/过线胶圈 ---------- K042

钢芯或钢丝编织带的选择

当使用钢芯或者钢丝编织带时，在不使用接续胶带的情况下，棱边保护部分可以紧紧抓住物体，但是，钢芯的夹持效果要比金属丝线送装置更好。

对于带有一个不间断的钢芯的异型材而言，它的缺点是在测刃上弯曲半径会受到限制，这个问题可以通过去掉连续用桥件的方法得到解决。但是，这样又会使绳股上的压力出现轻微的不均匀的现象，对于大多数工程应用而言，这种外观并不会对实际造成太大影响。选择钢芯还是钢丝编辑带是由每一种应用情况以及所要求的外观所决定的。







钢丝编织带
Wire Carrier







单桥冲切钢片
Steel Carrier





双桥冲切钢片
Steel Carrier







双桥滚压钢片
Steel Carrier


产品装配步骤、说明：


产品系列






90° 直角需要把密封条弯曲安装，如下图：









此款密封条主要用于工业机箱柜密封作用，唇形设计，只需稍微压缩便可以完全起到密封作用。
独特的设计可以防止在开门时脱落，并能保持均匀的密封压力。
主要性能如下：温度范围：+120℃至-40℃，耐老化，耐紫外线，臭氧和海洋性气候。
设计参数：钢板尺寸：1.5mm，2.0mm,钢板间距需考虑压缩量。

1



2



错误的使用方法描述：
图1、不合理的钢板设计（钢板有料度）;图2、钢板平面呈波浪形。
如果这两种情况，能达到最大压缩量的50%，也是可以达到密封的作用。
类似这样使用是不对的，需要专业的技术指导。

开口度产品的正确使用方法


对于有些密封条基底软胶开口部分内嵌钢丝或钢带（钢芯）将产品卡入其内不但保护产品边缘锐利部分，此密封条的泡胶部分还起到了密封作用，此类开口处内嵌钢丝的密封条开口度的确定要进过插入里（N）、拔出里（N）的检测设备进行开口度的数据检测，不可凭借手感。

图例：产品开口度的大小会因装配方式和人员力度的不同而产生误区。

1.内嵌钢丝带的密封条开口度尺寸要使用不同拔插力（N）来检测确定开口度的适用性。
如下表

产品开口度	板厚	插入力	拔出力
1.50mm	2.00mm	40N–60N	120N–160N


2.以下是内嵌钢丝带的产品安装图示：




图一 ✓



图三 ✓



图二 ✗



图四 ✗

背胶产品的使用说明

使用方法


1.清洁粘接基体，保证基体表面清洁、干燥
2.对齐粘接基体，将产品平稳粘接于基体表面，请勿用尖锐物体重击表面。
3.为增强粘接效果，建议在粘接基体上涂上底涂剂。

注意事项

1.粘接基体表面需干净、干燥
2.贴附时压力不可太大
3.当产品贴于客户基体时不可取下再次利用
4.产品在收盘储存时不要随意堆放，以防起皱（如右图所示）

底涂使用

1.使用底涂可以有效改善胶带的初粘性和终粘性。
2.底涂涂布要均匀。
3。涂上底涂后要进行充分的晾干
（室温下＞5分钟），然后才能进行胶带粘接。



正常储存



起皱



底涂剂

黏贴注意事项



弯曲弧度小粘贴不被推荐
原因：橡胶弧度小伸缩性拉力大，导致双面胶粘不牢翘起。



弯曲弧度大勉强可以
原因：弧度大，伸缩性拉力小，粘力大于伸缩力。

泡棉切割胶条尺寸

品名	尺寸		材质						
切割海绵条	厚度	宽度	三元乙丙/EPDM	氯丁/CR	EVA	PE	PVC保温板	Pu海绵	奥普塞罗海绵
切割海绵条	1	10	EPDM–1×10	CR–1×10	EVA–1×10	PE–1×10			
切割海绵条	1	15	EPDM–1×15	CR–1×15	EVA–1×15	PE–1×15			
切割海绵条	1	20	EPDM–1×20	CR–1×20	EVA–1×20	PE–1×20			
切割海绵条	2	10	EPDM–2×10	CR–2×10	EVA–2×10	PE–2×10			
切割海绵条	2	15	EPDM–2×15	CR–2×15	EVA–2×15	PE–2×15			
切割海绵条	2	18	EPDM–2×18	CR–2×18	EVA–2×18	PE–2×18			
切割海绵条	2	20	EPDM–2×20	CR–2×20	EVA–2×20	PE–2×20			
切割海绵条	3	8	EPDM–3×8	CR–3×8	EVA–3×8	PE–3×8			奥普–3×8
切割海绵条	3	10	EPDM–3×10	CR–3×10	EVA–3×10	PE–3×10	PVC–3×10	PU–3×10	奥普–3×10
切割海绵条	3	12	EPDM–3×12	CR–3×12	EVA–3×12	PE–3×12	PVC–3×12	PU–3×12	奥普–3×12
切割海绵条	3	15	EPDM–3×15	CR–3×15	EVA–3×15	PE–3×15	PVC–3×15	PU–3×15	奥普–3×15
切割海绵条	3	20	EPDM–3×20	CR–3×20	EVA–3×20	PE–3×20	PVC–3×20	PU–3×20	奥普–3×20
切割海绵条	3	25	EPDM–3×25	CR–3×25	EVA–3×25	PE–3×25	PVC–3×25	PU–3×25	奥普–3×25
切割海绵条	3	30	EPDM–3×30	CR–3×30	EVA–3×30	PE–3×30	PVC–3×30	PU–3×30	奥普–3×30
切割海绵条	4	10	EPDM–4×10	CR–4×10	EVA–4×10	PE–4×10	PVC–4×10	PU–4×10	奥普–4×10
切割海绵条	4	15	EPDM–4×15	CR–4×15	EVA–4×15	PE–4×15	PVC–4×15	PU–4×15	奥普–4×15
切割海绵条	4	20	EPDM–4×20	CR–4×20	EVA–4×20	PE–4×20	PVC–4×20	PU–4×20	奥普–4×20
切割海绵条	4	25	EPDM–4×25	CR–4×25	EVA–4×25	PE–4×25	PVC–4×25	PU–4×25	奥普–4×25
切割海绵条	4	30	EPDM–4×30	CR–4×30	EVA–4×30	PE–4×30	PVC–4×30	PU–4×30	奥普–4×30
切割海绵条	5	10	EPDM–5×10	CR–5×10	EVA–5×10	PE–5×10	PVC–5×10	PU–5×10	奥普–5×10
切割海绵条	5	15	EPDM–5×15	CR–5×15	EVA–5×15	PE–5×15	PVC–5×15	PU–5×15	奥普–5×15
切割海绵条	5	20	EPDM–5×20	CR–5×20	EVA–5×20	PE–5×20	PVC–5×20	PU–5×20	奥普–5×20
切割海绵条	5	25	EPDM–5×25	CR–5×25	EVA–5×25	PE–5×25	PVC–5×25	PU–5×25	奥普–5×25
切割海绵条	5	30	EPDM–5×30	CR–5×30	EVA–5×30	PE–5×30	PVC–5×30	PU–5×30	奥普–5×30
切割海绵条	6	10	EPDM–6×10	CR–6×10	EVA–6×10	PE–6×10	PVC–6×10	PU–6×10	奥普–6×10
切割海绵条	6	15	EPDM–6×15	CR–6×15	EVA–6×15	PE–6×15	PVC–6×15	PU–6×15	奥普–6×15
切割海绵条	6	20	EPDM–6×20	CR–6×20	EVA–6×20	PE–6×20	PVC–6×20	PU–6×20	奥普–6×20
切割海绵条	6	25	EPDM–6×25	CR–6×25	EVA–6×25	PE–6×25	PVC–6×25	PU–6×25	奥普–6×25
切割海绵条	6	30	EPDM–6×30	CR–6×30	EVA–6×30	PE–6×30	PVC–6×30	PU–6×30	奥普–6×30
切割海绵条	8	10	EPDM–8×10	CR–8×10	EVA–8×10	PE–8×10	PVC–8×10	PU–8×10	奥普–8×10
切割海绵条	8	15	EPDM–8×15	CR–8×15	EVA–8×15	PE–8×15	PVC–8×15	PU–8×15	奥普–8×15
切割海绵条	8	20	EPDM–8×20	CR–8×20	EVA–8×20	PE–8×20	PVC–8×20	PU–8×20	奥普–8×20
切割海绵条	8	25	EPDM–8×25	CR–8×25	EVA–8×25	PE–8×25	PVC–8×25	PU–8×25	奥普–8×25
切割海绵条	8	30	EPDM–8×30	CR–8×30	EVA–8×30	PE–8×30	PVC–8×30	PU–8×30	奥普–8×30
切割海绵条	10	10	EPDM–10×10	CR–10×10	EVA–10×10	PE–10×10	PVC–10×10	PU–10×10	奥普–10×10
切割海绵条	10	15	EPDM–10×15	CR–10×15	EVA–10×15	PE–10×15	PVC–10×15	PU–10×15	奥普–10×15
切割海绵条	10	20	EPDM–10×20	CR–10×20	EVA–10×20	PE–10×20	PVC–10×20	PU–10×20	奥普–10×20
切割海绵条	10	25	EPDM–10×25	CR–10×25	EVA–10×25	PE–10×25	PVC–10×25	PU–10×25	奥普–10×25
切割海绵条	10	30	EPDM–10×30	CR–10×30	EVA–10×30	PE–10×30	PVC–10×30	PU–10×30	奥普–10×30

备注：

一、以上尺寸为常用规格，可按照客户需求定制其他尺寸。

二、胶条背面可贴白色棉质胶带、纤维网格胶带、皇冠513胶带和3M9448A等，另可根据客户需求定制。

三、在有量的情况下，EPDM、CR、EVA、PE、PVC、PU海绵（10毫米以下）可做成10米长；少量的情况下只可做成2米长。PU海绵（10毫米以上）和奥普塞罗海绵只可做成2米长。

四、以上材质都可以冲压成圆环、圆、方块、椭圆等各种异性产品，具体详见产品图。

工厂生产产品所采用的公差等级

下列从各种不同标准中汇编而成的公差等级主要用于快速指定允许的尺寸偏差。这些公差等级不适用于公差已经固定的图纸。

根据DIN ISO 3302–1E2标准固化软橡胶异型材（横截面）

标称范围 单位：毫米				+/–毫米
		up to	1.5	0.25
>	1.5	to	2.5	0.35
>	2.5	to	4.0	0.40
>	4.0	to	6.3	0.50
>	6.3	to	10.0	0.70
>	10.0	to	16.0	0.80
>	16.0	to	25.0	1.00
>	25.0	to	40.0	1.30
>	40.0	to	63.0	1.60
>	63.0	to	100.0	2.00

根据DIN ISO 3302–1L3标准,用于订制长度（橡胶）的公差

标称范围 单位：毫米				+/–毫米
		up to	40	1.6
>	40	to	63	2.0
>	63	to	100	2.5
>	100	to	160	3.2
>	160	to	250	4.0
>	250	to	400	5.0
>	400	to	630	6.3
>	630	to	1000	10.0
>	1000	to	1600	12.5
>	1600	to	2500	16.0
>	2500	to	4000	20.0
>	4000			0.50%

根据DIN ISO 3302–1E2标准的海绵橡胶（横截面）

标称范围 单位：毫米				+/–毫米
		up to	1.5	0.40
>	1.5	to	2.5	0.50
>	2.5	to	4.0	0.70
>	4.0	to	6.3	0.80
>	6.3	to	10.0	1.00
>	10.0	to	16.0	1.30
>	16.0	to	25.0	1.60
>	25.0	to	40.0	2.00
>	40.0	to	63.0	2.50
>	63.0	to	100.0	3.2

下列从各种不同标准中汇编而成的公差等级主要用于快速指定允许的尺寸偏差。这些公差等级不适用于公差已经固定的图纸。


根据DIN 16941 3A and 3B 标准的 PVC 异型材（横截面）

标称范围 单位：毫米				+/−毫米
		up to	3	0.4
>	3	to	6	0.6
>	6	to	10	0.7
>	10	to	18	0.8
>	18	to	30	1.0
>	30	to	50	1.2
>	50	to	80	1.5
>	80	to	120	1.9
>	120	to	180	2.3
>	180	to	250	2.8
>	250	to	320	3.5
>	320			1.4%


根据DIN 16941 4B 标准，用于订制长度（PVC）的公差


标称范围 单位：毫米				+/−毫米
		up to	400	5.0
>	400	to	1000	10.0
>	1000	to	2500	20.0
>	2500	to	6000	30.0
>	6000	to		2%

产品系列：密封条、密封垫规格齐全，可来样定做













MFT–001

自夹紧式钢带密封条 Self–gripping Sealing Strip with Steel Sheet







MFT–001	黑色三元乙丙钢带密封条 Black EPDM sealing strip(with steel sheet)

MFT–002

自夹紧式钢带密封条 Self–gripping Sealing Strip with Steel Sheet







MFT–002	黑色三元乙丙钢带密封条 Black EPDM sealing strip(with steel sheet)

MFT–003

自夹紧式钢带密封条 Self–gripping Sealing Strip with Steel Sheet







MFT–003	黑色三元乙丙钢带密封条 Black EPDM sealing strip(with steel sheet)

MFT–005

自夹紧式钢带密封条 Self–gripping Sealing Strip with Steel Sheet







MFT–005	黑色三元乙丙钢带密封条 Black EPDM sealing strip(with steel sheet)

K011

MFT–006

Self–gripping Sealing Strip with Steel Sheet 自夹紧式钢带密封条







MFT–006	黑色三元乙丙钢带密封条 Black EPDM sealing strip(with steel sheet)

MFT–007

Self–gripping Sealing Strip with Steel Sheet 自夹紧式钢带密封条







MFT–007	黑色三元乙丙钢带密封条 Black EPDM sealing strip(with steel sheet)

MFT–008

Self–gripping Sealing Strip with Steel Sheet 自夹紧式钢带密封条







MFT–008	黑色三元乙丙钢带密封条 Black EPDM sealing strip(with steel sheet)

MFT–009

Self–gripping Sealing Strip with Steel Sheet 自夹紧式钢带密封条







MFT–009	黑色三元乙丙钢带密封条 Black EPDM sealing strip(with steel sheet)

K012

MFT–010

自夹紧式钢带密封条 Self–gripping Sealing Strip with Steel Sheet







MFT–010	黑色三元乙丙钢带密封条 Black EPDM sealing strip(with steel sheet)

MFT–011

自夹紧式钢带密封条 Self–gripping Sealing Strip with Steel Sheet







MFT–011	黑色三元乙丙钢带密封条 Black EPDM sealing strip(with steel sheet)

MFT–012

自夹紧式钢带密封条 Self–gripping Sealing Strip with Steel Sheet







MFT–012	黑色三元乙丙钢带密封条 Black EPDM sealing strip(with steel sheet)

MFT–013

自夹紧式钢带密封条 Self–gripping Sealing Strip with Steel Sheet







MFT–013	黑色三元乙丙钢带密封条 Black EPDM sealing strip(with steel sheet)

K013

MFT–014

Self–gripping Sealing Strip with Steel Sheet 自夹紧式钢带密封条







MFT–014	黑色三元乙丙钢带密封条 Black EPDM sealing strip(with steel sheet)

MFT–015

Self–gripping Sealing Strip with Steel Sheet 自夹紧式钢带密封条







MFT–015	黑色三元乙丙钢带密封条 Black EPDM sealing strip(with steel sheet)

MFT–017

Self–gripping Sealing Strip with Steel Sheet 自夹紧式钢带密封条







MFT–017	黑色三元乙丙钢带密封条 Black EPDM sealing strip(with steel sheet)

MFT–018

Self–gripping Sealing Strip with Steel Sheet 自夹紧式钢带密封条







MFT–018	黑色三元乙丙钢带密封条 Black EPDM sealing strip(with steel sheet)

K014

MFT–019

自夹紧式钢带密封条 Self–gripping Sealing Strip with Steel Sheet







MFT–019	黑色三元乙丙钢带密封条 Black EPDM sealing strip(with steel sheet)

MFT–020

自夹紧式钢带密封条 Self–gripping Sealing Strip with Steel Sheet







MFT–020	黑色三元乙丙钢带密封条 Black EPDM sealing strip(with steel sheet)

MFT–021

自夹紧式钢带密封条 Self–gripping Sealing Strip with Steel Sheet







MFT–021	黑色三元乙丙钢带密封条 Black EPDM sealing strip(with steel sheet)

MFT–022


自夹紧式钢带密封条 Self–gripping Sealing Strip with Steel Sheet






MFT–022	黑色三元乙丙钢带密封条 Black EPDM sealing strip(with steel sheet)

Self–gripping Sealing Strip with Steel Sheet 自夹紧式钢片密封条




MFT–023	黑色三元乙丙钢片密封条 Black EPDM sealing strip(with steel sheet)

Self–gripping Sealing Strip with Steel wire 自夹紧式钢丝密封条




MF–001	黑色三元乙丙钢丝胶条 Black EPDM steel wire strip

Self–gripping Sealing Strip with Steel wire 自夹紧式钢丝密封条




MF–002	黑色三元乙丙钢丝胶条 Black EPDM steel wire strip

Self–gripping Sealing Strip with Steel wire 自夹紧式钢丝密封条




MF–003	黑色三元乙丙钢丝胶条 Black EPDM steel wire strip


MF–001



MF–002





MF–003



MF–004

自夹紧式钢丝密封条 Self–gripping Sealing Strip with Steel wire







MF–004	黑色三元乙丙钢丝胶条	Black EPDM steel wire strip

MF–005

自夹紧式钢丝密封条 Self–gripping Sealing Strip with Steel wire







MF–005	黑色三元乙丙钢丝胶条	Black EPDM steel wire strip

MF–006

自夹紧式钢丝密封条 Self–gripping Sealing Strip with Steel wire







MF–006	黑色三元乙丙钢丝胶条	Black EPDM steel wire strip

MF–007

自夹紧式钢丝密封条 Self–gripping Sealing Strip with Steel wire







MF–007	黑色三元乙丙钢丝胶条	Black EPDM steel wire strip

K017

MF–008

Self–gripping Sealing Strip with Steel wire 自夹紧式钢丝密封条







MF–008	黑色三元乙丙钢丝胶条	Black EPDM steel wire strip

MF–009

Self–gripping Sealing Strip with Steel wire 自夹紧式钢丝密封条







MF–009	黑色三元乙丙钢丝胶条	Black EPDM steel wire strip

MF–010

Self–gripping Sealing Strip with Steel wire 自夹紧式钢丝密封条







MF–010	黑色三元乙丙钢丝胶条	Black EPDM steel wire strip

MF–011

Self–gripping Sealing Strip with Steel wire 自夹紧式钢丝密封条







MF–011	黑色三元乙丙钢丝胶条	Black EPDM steel wire strip

K018

MF–012

自夹紧式钢丝密封条 Self–gripping Sealing Strip with Steel wire







MF–012	黑色三元乙丙钢丝胶条 Black EPDM steel wire strip

MF–013

自夹紧式钢丝密封条 Self–gripping Sealing Strip with Steel wire







MF–013	黑色三元乙丙钢丝胶条 Black EPDM steel wire strip

MF–014

自夹紧式钢丝密封条 Self–gripping Sealing Strip with Steel wire







MF–014	黑色三元乙丙钢丝胶条 Black EPDM steel wire strip

MF–015

自夹紧式钢丝密封条 Self–gripping Sealing Strip with Steel wire







MF–015	黑色三元乙丙钢丝胶条 Black EPDM steel wire strip

K019

MF–016

Self–gripping Sealing Strip with Steel wire 自夹紧式钢丝密封条







MF–016	黑色三元乙丙钢丝胶条 Black EPDM steel wire strip

MF–017

Self–gripping Sealing Strip with Steel wire 自夹紧式钢丝密封条







MF–017	黑色三元乙丙钢丝胶条 Black EPDM steel wire strip

MF–018

Self–gripping Sealing Strip with Steel wire 自夹紧式钢丝密封条







MF–018	黑色三元乙丙钢丝胶条 Black EPDM steel wire strip

K020

MF–019

PVC橡塑装饰条 PVC Trim Strip







MF–019	PVC橡塑装饰条 PVC trim strip

MF–020

PVC橡塑装饰条 PVC Trim Strip







MF–020	PVC橡塑装饰条 PVC trim strip

MF–021

PVC橡塑装饰条 PVC Trim Strip







MF–021	PVC橡塑装饰条 PVC trim strip

MF–022

PVC橡塑装饰条 PVC Trim Strip






MF–022	PVC橡塑装饰条 PVC trim strip


K021

PVC Trim Strip PVC橡塑装饰条

MF–023




PVC Trim Strip PVC橡塑装饰条




MF–023	PVC橡塑装饰条 PVC trim strip

MF–024




PVC Trim Strip PVC橡塑装饰条




MF–024	PVC橡塑装饰条 PVC trim strip

MF–025




PVC Trim Strip PVC橡塑装饰条




MF–025	PVC橡塑装饰条 PVC trim strip

MF–026



PVC Trim Strip PVC橡塑装饰条





MF–026	PVC橡塑装饰条 PVC trim strip

K022

MF–027

PVC橡塑装饰条 PVC Trim Strip







MF–027	PVC橡塑装饰条 PVC trim strip

MF–028

PVC橡塑装饰条 PVC Trim Strip







MF–028	PVC橡塑装饰条 PVC trim strip

MF–029

PVC橡塑装饰条 PVC Trim Strip







MF–029	PVC橡塑装饰条 PVC trim strip

MF–030

PVC橡塑装饰条 PVC Trim Strip







MF–030	PVC橡塑装饰条 PVC trim strip

Rubber Sealing Strip 密封胶条

MF–031







黑色发泡EPDM唇型密封胶条，肖氏硬度25°					
代号	AH	高度H	代号	AH	高度H
MF–031	16	18.5	MF–031	22	24.5
MF–031	18	20.5	MF–031	24	26.5
MF–031	20	22.5	MF–031	26	28.5

Rubber Sealing Strip 密封胶条

MF–032







黑色CR EPDM唇型密封胶条，肖氏硬度A 55°									
代号	AH	H	h	个数	代号	AH	H	H	个数
MF–032	16	17	9.5	1	MF–032	20	21	13.5	2
MF–032	18	19	11.5	1	MF–032	26	27	19.5	3

MFT–004

黑色三元乙丙无钢带密封条 Black EPDM sealing strip(no steel sheet)







MFT–004	黑色三元乙丙无钢带密封条 Black EPDM sealing strip(no steel sheet)

MFT–016

黑色三元乙丙密实发泡密封条 Black EPDM sealing strip







MFT–016	黑色三元乙丙密实发泡密封条 Black EPDM sealing strip

MFT–024

黑色三元乙丙密封条 Black EPDM sealing strip







MFT–024	黑色三元乙丙密封条 Black EPDM sealing strip

MFT–025

挤出型三元乙丙海绵胶条 Extruded EPDM Sponge Strip







MFT–025	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip

K025


Extruded EPDM Sponge Strip 挤出型三元乙丙海绵胶条 MFT–026






MFT–026	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip


Extruded EPDM Sponge Strip 挤出型三元乙丙海绵胶条 MFT–027






MFT–027	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip


Extruded EPDM Sponge Strip 挤出型三元乙丙海绵胶条 MFT–028






MFT–028	Black EPDM Sponge Strip

Extruded EPDM Sponge Strip 挤出型三元乙丙海绵胶条 MFT–029







MFT–029	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip

K026

MFT–030

挤出型三元乙丙海绵胶条 Extruded EPDM Sponge Strip







MFT–030	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip

MFT–031

挤出型三元乙丙海绵胶条 Extruded EPDM Sponge Strip







MFT–031	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip

MFT–032

挤出型三元乙丙海绵胶条 Extruded EPDM Sponge Strip







MFT–032	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip

MFT–033

挤出型三元乙丙海绵胶条 Extruded EPDM Sponge Strip







MFT–033	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip

K027

MFT–034

Extruded EPDM Sponge Strip 挤出型三元乙丙海绵胶条







MFT–034	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip

MFT–035

Extruded EPDM Sponge Strip 挤出型三元乙丙海绵胶条







MFT–035	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip

MFT–036

Extruded EPDM Sponge Strip 挤出型三元乙丙海绵胶条







MFT–036	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip

MFT–037

Extruded EPDM Sponge Strip 挤出型三元乙丙海绵胶条






MFT–037	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip


K028

目录 Category
A拉手系列 Handles series
B平面锁系列 Plane lock series
C连杆锁系列 Rod control series
D面板锁系列 Plane lock series
E执手锁系列 Handle lock series
F转舌锁系列 Cam lock series
G铰链系列 Hinge series
H搭扣锁系列 Toggle lock series
I门销系列 Door bolt series
J电子锁系列 Electronic lock series
K密封条系列 Gasketing series
L限 位系列 Door stop series
M附件系列 Accessories series
N不锈钢件系列 Stainless steel series
索引 Index

MFT–038

挤出型三元乙丙海绵胶条　Extruded EPDM Sponge Strip







MFT–038	黑色三元乙丙海绵胶条　Black EPDM Sponge Strip

MFT–039

EPDM密封胶圈　EPDM Sealing O–ring







MFT–039	EPDM密封胶圈　EPDM Sealing O-ring

MFT–040

挤出型三元乙丙海绵胶条　Extruded EPDM Sponge Strip







MFT–040	黑色三元乙丙海绵胶条　Black EPDM Sponge Strip

MFT–041

挤出型三元乙丙海绵胶条　Extruded EPDM Sponge Strip







MFT–041	黑色三元乙丙海绵胶条　Black EPDM Sponge Strip

K029

MFT–042

Extruded EPDM Sponge Strip　挤出型三元乙丙海绵胶条







MFT–042	黑色三元乙丙海绵胶条　Black EPDM Sponge Strip

MFT–043

EPDM door nail buffer　EPDM门用缓冲钉






MFT–043	EPDM门用缓冲钉　EPDM door nail buffer

MFT–044

EPDM door nail buffer　EPDM门用缓冲钉







MFT–044	EPDM门用缓冲钉　EPDM door nail buffer

MFT–045

Extruded EPDM Sponge Strip　挤出型三元乙丙海绵胶条







MFT–045	黑色三元乙丙海绵胶条　Black EPDM Sponge Strip

K030

MFT–046

挤出型三元乙丙海绵胶条 Extruded EPDM Sponge Strip







MFT–046	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip

MFT–047

挤出型三元乙丙海绵胶条 Extruded EPDM Sponge Strip







MFT–047	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip

MFT–048

挤出型三元乙丙海绵胶条 Extruded EPDM Sponge Strip







MFT–048	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip

MFT–049

挤出型三元乙丙海绵胶条 Extruded EPDM Sponge Strip







MFT–049	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip

K031

MFT–050

Extruded EPDM Sponge Strip 挤出型三元乙丙海绵胶条







MFT–050	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip

MFT–051

Extruded EPDM Sponge Strip 挤出型三元乙丙海绵胶条







MFT–051	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip

MFT–052

Extruded EPDM Sponge Strip 挤出型三元乙丙海绵胶条







MFT–052	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip

MFT–053

Extruded EPDM Sponge Strip 挤出型三元乙丙海绵胶条







MFT–053	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip

K032

MFT–054

挤出型三元乙丙海绵胶条 Extruded EPDM Sponge Strip







MFT–054	黑色三元乙丙海绵胶条 Black EPDM Sponge Strip

MFT–055

黑色三元乙丙密实胶条 Black EPDM Dense Strip







MFT–055	黑色三元乙丙密实胶条 Black EPDM Dense Strip

MFT–056

黑色三元乙丙密实胶条 Black EPDM Dense Strip







MFT–056	黑色三元乙丙密实胶条 Black EPDM Dense Strip

MFT–057

黑色三元乙丙密实胶条 Black EPDM Dense Strip







MFT–057	黑色三元乙丙密实胶条 Black EPDM Dense Strip

K033

MFT–058

Black EPDM Dense Strip 黑色三元乙丙密实胶条







MFT–058	黑色三元乙丙密实胶条 Black EPDM Dense Strip

MFT–059

Black EPDM Dense Strip 黑色三元乙丙密实胶条







MFT–059	黑色三元乙丙密实胶条 Black EPDM Dense Strip

MFT–060

Black EPDM Dense Strip 黑色三元乙丙密实胶条







MFT–060	黑色三元乙丙密实胶条 Black EPDM Dense Strip

MFT–061

Black EPDM Dense Strip 黑色三元乙丙密实胶条







MFT–061	黑色三元乙丙密实胶条 Black EPDM Dense Strip

K034

MFT–062

黑色三元乙丙密实胶条 Black EPDM Dense Strip







MFT–062	黑色三元乙丙密实胶条 Black EPDM Dense Strip

MFT–063

黑色三元乙丙密实胶条 Black EPDM Dense Strip







MFT–063	黑色三元乙丙密实胶条 Black EPDM Dense Strip

MFT–064

黑色三元乙丙密实胶条 Black EPDM Dense Strip







MFT–064	黑色三元乙丙密实胶条 Black EPDM Dense Strip

MFT–065

PVC密封胶条 PVC gasketing







MFT–065	PVC密封胶条 PVC gasketing

K035

MFT–066

Black EPDM Dense Strip 黑色三元乙丙密实胶条







MFT–066	黑色三元乙丙密实胶条 Black EPDM Dense Strip

MFT–067

Black EPDM Dense Strip 黑色三元乙丙密实胶条







MFT–067	黑色三元乙丙密实胶条 Black EPDM Dense Strip

MFT–068

Black EPDM Dense Strip 黑色三元乙丙密实胶条







MFT–068	黑色三元乙丙密实胶条 Black EPDM Dense Strip

MFT–069

Black EPDM Dense Strip 黑色三元乙丙密实胶条







MFT–069	黑色三元乙丙密实胶条 Black EPDM Dense Strip

K036

MFT–070

黑色三元乙丙密实胶条 Black EPDM Dense Strip







MFT–070	黑色三元乙丙密实胶条 Black EPDM Dense Strip

MFT–071

黑色三元乙丙密实胶条 Black EPDM Dense Strip







MFT–071	黑色三元乙丙密实胶条 Black EPDM Dense Strip

MFT–072

黑色三元乙丙密实胶条 Black EPDM Dense Strip







MFT–072	黑色三元乙丙密实胶条 Black EPDM Dense Strip

MFT–073

黑色三元乙丙密实胶条 Black EPDM Dense Strip







MFT–073	黑色三元乙丙密实胶条 Black EPDM Dense Strip

K037

MFT–074

Black EPDM Dense Strip 黑色三元乙丙密实胶条







MFT–074	黑色三元乙丙密实胶条 Black EPDM Dense Strip

MFT–075

Black EPDM Dense Strip 黑色三元乙丙密实胶条







MFT–075	黑色三元乙丙密实胶条 Black EPDM Dense Strip

MFT–076

Black EPDM Dense Strip 黑色三元乙丙密实胶条







MFT–076	黑色三元乙丙密实胶条 Black EPDM Dense Strip

MFT–077

Black EPDM Dense Strip 黑色三元乙丙密实胶条







MFT–077	黑色三元乙丙密实胶条 Black EPDM Dense Strip

K038

MFT–078

黑色三元乙丙密实胶条 Black EPDM Dense Strip







MFT–078	黑色三元乙丙密实胶条 Black EPDM Dense Strip

MFT–111–118

海绵发泡密封条 Sponge Foam Sealing Strip







海绵发泡圆形密封条

代号	Ø
MFT-111	3
MFT-112	4
MFT-113	5
MFT-114	6
MFT-115	7
MFT-116	8
MFT-117	9
MFT-118	10

Sponge Foam Sealing Strip 海绵发泡密封条

MFT–079–110





海绵发泡方形密封条


注：背面胶带可选择进口综研胶带、网格纤维胶带、3M胶带或者其他品牌胶带。


代号	C	D
MFT–079	1.5	18
MFT–080	2	10
MFT–081	2	12
MFT–082	2	15
MFT–083	2	20
MFT–084	3	6
MFT–085	3	10
MFT–086	3	12
MFT–087	3	15
MFT–088	3	18
MFT–089	3	20
MFT–090	3	22
MFT–091	3	30
MFT–092	3	35
MFT–093	4	10
MFT–094	4	12


代号	C	D
MFT-095	4	15
MFT-096	4	20
MFT-097	4	25
MFT-098	4	30
MFT-099	5	10
MFT-100	5	12
MFT-101	5	14
MFT-102	5	15
MFT-103	5	20
MFT-104	5	30
MFT-105	6	10
MFT-106	6	15
MFT-107	6	17
MFT-108	6	20
MFT-109	6	25
MFT-110	6	30

MFT–119–123

观察窗密封条 Observation W indow Sealing Strip









观察窗胶条

代号	B	H	H1	H2	H3
MFT-119	29	23	5	2	8
MFT-120	26	18	5	2	5
MFT-121	21	17	5	2	5
MFT-122	19	14	4	1.5	4
MFT-123	15	10	3	3	3

Sponge Foam Tape 海绵发泡胶条






发泡半圆胶条

注：背面胶带可选择进口综研胶带、网格纤维胶带、3M胶带或者其他品牌胶带。

代号	A	B
MFT-129	16	3
MFT-130	16	5
MFT-131	16	6.5
MFT-132	16	7
MFT-133	16	8

代号	A	B
MFT-134	12	10
MFT-135	10	12
MFT-136	10	6.5
MFT-137	11	7
MFT-138	11	12


MFT–129–138




MFT–124–128

电缆穿线护套 Cable threading sheath









电缆穿线护套

代号	A	B	C
MFT-124	28	38	36
MFT-125	50	60	46
MFT-126	60	70	46
MFT-127	80	88	60
MFT-128	110	122	66

Over line apron 过线胶圈





过线胶圈

代号	D	D1	D2	D3	开口尺寸(I)
MFT-139	8	29	18	8	22
MFT-140	22	15	8	9	8
MFT-141	30	38	22	8	32
MFT-142	33	45	29	8	34
MFT-143	35	40	24	8	29
MFT-144	40	51	36	8	44
MFT-145	45	50	36	8	40
MFT-146	50	71		8	60
MFT-147	60	100		8	80
MFT-148	80	120		8	100
MFT-149	100	58		8	50
MFT-150	110	116		9	110

MFT–139–150




XW02

限位滑动支撑Telescopic Cover Stay



XW02-1R　　XW02-1L




型号 Producut no.	产品单重(g) Weight	装箱数 Lot
XW02-1L	30.5	150
XW02-1R	30.5	150

- 材质：镀锌钢
- Material:Zinc plating steel

XW03

限位滑动支撑Telescopic Cover Stay







型号 Producut no.	产品单重(g) Weight	装箱数 Lot
XW03-1L		
XW03-1R		

- 材质：镀锌钢
- Material:Zinc plating steel

限位滑动支撑Telescopic Cover Stay



左开
Left opening



右开
Right opening

型号及特性 Producut Number		产品单重(g) Weight	装箱数 Lot
XW04-1L	镀锌钢Zinc plating steel		
XW04-1R			
XW04-1SL	不锈钢304 SUS 304		
XW04-1SR			

XW04



可定制产品
Customizable products


- 材质：镀锌钢/不锈钢304
- Material:Zinc plating steel/SUS304

XW05




限位滑动支撑Telescopic Cover Stay


长型Long size




固定座
Mounting bracket



短型Short size



固定座
Mounting bracket




型号及特性 Producut Number			产品单重(g) Weight	装箱数 Lot
长型Long size	XW05-1L	左开Left opening		
	XW05-1R	右开Right opening		
短型Short size	XW05-2L	左开Left opening		
	XW05-2R	右开Right opening		



可定制产品
Customizable products


- 材质：镀锌钢
- Material:Zinc plating steel

限位滑动支撑Telescopic Cover Stay



型号及特性 Producut Number		产品单重(g) Weight	装箱数 Lot
XW06-1L	左开Left opening		
XW06-1R	右开Right opening		

限位滑动支撑Telescopic Cover Stay



型号及特性 Producut Number		产品单重(g) Weight	装箱数 Lot
XW07-1L	左开Left opening		
XW07-1R	右开Right opening		

XW06



可定制产品
Customizable products

- 材质：镀锌钢
- Material:Zinc plating steel

XW07




可定制产品
Customizable products


- 材质：镀锌钢
- Material:Zinc plating steel

XW08


限位滑动支撑Telescopic Cover Stay



长型Long size



短型Short size






可定制产品
Customizable products

- 材质：镀锌钢
- Material:Zinc plating steel


型号及特性 Producut Number			产品单重(g) Weight	装箱数 Lot
长型Long size	XW08-1	镀锌钢Zinc plating steel		
	XW08-1S	不锈钢304 SUS 304		
短型Short size	XW08-2	镀锌钢Zinc plating steel		
	XW08-2S	不锈钢304 SUS 304		

限位滑动支撑Telescopic Cover Stay

XW09



W	X	Y	minimal door width
90°	140	180	403
105°	120	166	389
120°	110	150	373
135°	100	146	369



可定制产品
Customizable products

- 材质：镀锌钢
- Material:Zinc plating steel


型号及特性 Producut Number		产品单重(g) Weight	装箱数 Lot
XW09-1	镀锌钢Zinc plating steel		
XW09-1S	不锈钢304 SUS 304		

XW10

限位滑动支撑Telescopic Cover Stay




长型Long size



安装块
Mounting bracket (screw and selflocking not included)

短型Short size



安装块
Mounting bracket (screw and selflocking not included)


型号及特性 Producut Number			产品单重(g) Weight	装箱数 Lot
长型Long size	XW10-1	镀锌钢Zinc plating steel		
短型Short size	XW10-2	镀锌钢Zinc plating steel		




可定制产品
Customizable products


- 材质：镀锌钢
- Material:Zinc plating steel

限位滑动支撑Telescopic Cover Stay





止口 Stop	长型Long size L 伸出 L Extended	短型Short size L 伸出 L Extended
1.	234.5	164
2.	248	177
3.	261	189.5
4.	274.5	202
5.	288	214.5
6.	301	
7.	314.5	
8.	327	
9.	340.5	
10.	354	



Mounting bracket (screw and selflocking not include)
Note: The cover stay is sold with mounting bracket and related accessories togehter as standard.

型号及特性 Producut Number		止口数 Stops q.ty	产品单重(g) Weight	装箱数 Lot
长型Long size	XW11-1	10		
短型Short size	XW11-2	5		

XW11






可定制产品
Customizable products

- 材质：镀锌钢
- Material:Zinc plating steel

绝缘子 insulator






- 绝缘子
- Isolator
- Material：PPO

产品型号及特性 Product Number		
1	∅30-M6×30	灰色
2	∅45-M8×48	黄色
3	∅50-M10×49	灰色
4	∅30-M8×30	灰色
5	SGR-50-M10×49	粉红色
6	SGR-50-M8×48	粉红色
7	SGR-30-M10×30	粉红色
8	SGR-30-M8×30	粉红色

DH-M 吊环Ring






型号 / 尺寸	L	H1	H2	∅D1	∅D2	∅D3	∅D4	M
DH-M8	15	33.3	17	32.6	20	6.3	16	8
DH-M10	18	41.5	21	41	25	8	20	10
DH-M12	22	51	26	50	30	10	25	12
DH-M16	27	60	30	60	35	12.5	30	16
DH-M20	30	71	35	72	40	16	35	20
DH-M22	34	84	43	81	44	18	40	22
DH-M24	38	90	45	90	50	20	45	24
DH-M30	45	110	55	110	60	25	60	30
DH-M36	55	131.5	65	133	70	31.5	70	36

- 材质：A3
- 表面处理：镀蓝白锌
- Material: Rolled steel
- Finish: white zinc plating


双排母线夹Double row busbar clamp



ZMJ型主母线夹型号及规格 Model and specification

型号 Producut no.	外形尺寸(mm)	母线规格(mm)
ZMJ1-100	360x35x180	单排10x100
ZMJ1-80	360x35x180	单排10x80
ZMJ1-60A	360x35x180	单排10x60
ZMJ1-60	360x35x180	单排6x60
ZMJ1-50	360x35x180	单排5x50
ZMJ1-40A	360x35x180	单排5x40
ZMJ1-40	360x35x180	单排4x40
ZMJ2-100	420x35x180	双排10x100
ZMJ2-80	420x35x180	双排10x80
ZMJ2-60A	420x35x180	双排10x60
ZMJ2-60	420x35x180	双排6x60

单排母线夹Single row busbar clamp



LMJ型零母线夹 Type model and specification

型号 Producut no.	外形尺寸(mm)	母线规格(mm)
LMJ-100	360x35x180	单排10x100
LMJ-80	360x35x180	单排10x80
LMJ-60A	360x35x180	单排10x60
LMJ1-60	360x35x180	单排6x60
LMJ1-50	360x35x180	单排5x50
LMJ1-40A	360x35x180	单排5x40
LMJ1-40	360x35x180	单排4x40

ZMJ



ZMJ-1



ZMJ-2

- 材质：PPO
- 注：括号中360为单排尺寸。

LMJ




- 材质：PPO

FJ01

防水盖Waterproof cover






- 材质：热塑性橡胶黑色。
- Material:Plastic black

PT01–1


拉攀Pull tab






- 材质：阻燃尼龙，黑色。
- Material:PA,black.


拉攀Pull tab






PT02

拉攀Pull tab









- 材质：阻燃尼龙，黑色。
- Material:PA,black.


RG01



RG01–1




RG01–2



RG01–3


- 材质:PA，黑色
- Material:PA,black

圆拉杆导向件Round rod guide




型号 Producut no.	基本尺寸Dimensions			
	L1	L2	L3	L4
RG01–1	44	30	9	12
RG01–2	38	24	4.5	12
RG01–3	32	19	4.5	6

扁拉杆导向件Flat tie rod guide



型号 Producut no.	产品单重(g) Weight	装箱数 Lot
RG03–3	9	

RG03–3



- 黑色PA6导向件，
- 可用M6×16~20焊柱螺钉固定
- Material: Pa6
- Remark: Match with M6×16~20 screw

RG03




RG03–1




RG03–2

- 材质:PA，黑色
- Material:PA,black

扁拉杆导向件Flat tie rod guide



拉杆固定扣Tie rod fixing buckle



RG04




- 材质：锌合金
- 表面处理：镀蓝白锌：
- Material:zinc–die casting
- Finish: white zinc plating

RG05

拉杆固定扣Tie rod fixing buckle






- 材质：锌合金
- 表面处理：喷沙纹黑
- Material:zinc-die casting
- Finish:Matt black

RG06

拉杆导向件Pull rod guid






型号 Producut no.	产品单重(g) Weight	装箱数 Lot
RG10		

- 材质：锌合金
- 表面处理：镀蓝白锌：
- Material:zinc-die casting
- Finish: white zinc plating

拉杆固定扣Tie rod fixing buckle




型号 Producut no.	产品单重(g) Weight	装箱数 Lot
RG08-2	55	

RG08-2




- 喷沙纹黑锌合金固定扣，
- 适用于带锁销扁连杆
- Material:Zinc alloy
- Finish: Matte balck

拉杆导向件Pull rod guid



型号 Producut no.	产品单重(g) Weight	装箱数 Lot
RG10		


RG10




- 材质:ABS，白色
- Material:ABS,white

RG11

拉杆固定扣Tie rod fixing buckle



客户定制产品
customized product




型号 Producut no.	产品单重(g) Weight	装箱数 Lot
RG11	24.5	600

- ●镀三价五彩锌合金固定扣，不锈钢销子，用M6沉头螺钉固定
- ●Material:Zinc alloy, stainless steel pin

RA01


圆形拉杆接头Round tie rod joint





- ● 材质：锌合金
- ● 表面处理：镀蓝白锌：
- ● Material:zinc-die casting
- ● Finish: white zinc plating

圆形拉杆接头Round tie rod joint




RA02



- ● 材质：锌合金
- ● 表面处理：镀蓝白锌：
- ● Material:zinc-die casting
- ● Finish: white zinc plating

圆形拉杆接头Round tie rod joint



RA03




- ● 材质：锌合金
- ● 表面处理：镀蓝白锌：
- ● Material:zinc-die casting
- ● Finish: white zinc plating

MB01

齿轮盒组件 Gear box assembly

NEW






- 材质：PA齿轮盒，长短齿条夹，拉杆夹A3长，短齿条
- 表面处理：细火花齿轮盒，镀蓝白锌齿条
- Material: PA gear box, long and short rack clamp ,Tie rod clamp A3 long, short rack
- Surface treatment: fine spark gear box.Blue-white zinc-plated rack


型号 Product no.	连接方式 Connection mode	备注
MB01	快捷卡扣 Quick buckle	

Gear box assembly 齿轮盒组件



型号 Product no.	连接方式 Connection mode	备注
MB02A	带圆铆钉Round Studs	
MB02B	带方铆钉Square Studs	
MB02C	带5.2孔 5.2 Hole	

MB02




- 材质：锌合金齿轮盒，A3长短齿条，
- 表面处理：喷砂镀铬，镀蓝白锌齿条

MB03

齿轮盒组件 Gear box assembly






型号 Product no.	连接方式 Connection mode	备注
MB03A	带圆铆钉Round Studs	
MB03B	带方铆钉Square Studs	
MB03C	带5.2孔 5.2 Hole	


● 材质：锌合金齿轮盒，A3长短齿条，
● 表面处理：喷砂镀铬，镀蓝白锌齿条

Gear box assembly 齿轮盒组件



型号 Product no.	连接方式 Connection mode	备注
MB04A	带圆铆钉Round Studs	
MB04B	带方铆钉Square Studs	
MB04C	带5.2孔 5.2 Hole	
MB04D	T形铆钉 TshapeStuds	


MB04




● 材质：锌合金齿轮盒，A3长短齿条，
● 表面处理：喷砂镀铬，镀蓝白锌齿条

LG01F–1–8 × L

圆拉杆 Round Pull rod







代号 \ 名称	L1	L2	H
LG01F–1–8x365	365	50	35
LG01F–1A–8x767	767	60	35
LG01F–1–8x670	670	47	32

LG01F–2–8 × L

圆拉杆 Round Pull rod






代号 \ 名称	L1	L2
LG01F–2–8x506	506	493.7
LG01F–2–8x398	398	387
LG01F–2–8x1000	1000	989
LG01F–2–8x394	394	383

LG02F–1–8 × L

圆拉杆 Round Pull rod






代号 \ 名称	L1	L2	L3	t	R	B
LG02F–1–8x600	600	4	21.5	3	R4	8
LG02F–1–8x800	800	5.5	23	3	R5	10

M017

圆拉杆 Round Pull rod




代号 \ 名称	L1	展开长度	代号 \ 名称	L1	展开长度
LG02F–2–8x699	699	709	LG02F–2–8x549	549	559
LG02F–2–8x749	749	759	LG02F–2–8x660	660	670
LG02F–2–8x898	898	908	LG02F–2–8x835	835	845
LG02F–2–8x585	585	595	LG02F–2–8x524	524	834
LG02F–2–8x649	649	659	LG02F–2–8x710	710	720
LG02F–2–8x760	760	770	LG02F–2–8x860	860	870
LG02F–2–8x849	849	859	LG02F–2–8x799	799	809
LG02F–2–8x810	810	820			

LG02F–2–8 × L



LG02F–3–9 × L


圆拉杆 Round Pull rod




代号 \ 名称	L1	L2	L3	T	D	B
LG02F–3–9x1023	1023	8	18	4	9	13
LG02F–3–6x300	300	5.75	13	2	6	11.5

LG02F–4–6 × 403

圆拉杆 Round Pull rod







M018

LG02F–4–9 × 1160

圆拉杆 Round Pull rod






LG03F–1–3 × 14 × L


扁拉杆 Flat rod






序号	L取值	序号	L取值	序号
1	600	5	1000	9
2	700	6	1100	10
3	800	7	1200	11
4	900	8		

圆拉杆 Round Pull rod




代号 \ 名称	L1
LG04F–1–3x14x600	600
LG04F–1–3x14x800	800
LG04F–1–3x14x1000	1000
LG04F–1–3x14x1200	1200

扁拉杆 Flat rod



代号 \ 名称	L1	L2
LG04F–2–3x14x736.5	736.5	717.5
LG04F–2–3x14x836.5	836.5	817.5

圆拉杆 Round Pull rod




代号 \ 名称	长度L
LG05F–1–8x999	999
LG05F–1–8x599	599

LG04F–1–3 × 14 × L




LG04F–2–3 × 14 × L




LG05F–1–8 × L



LG05F-2-8XL




圆拉杆 Round Pull rod




代号 \ 名称	L1	L2	代号 \ 名称	L1	L2
LG05F-2-8x1197.5	1200	1197.5	LG05F-2-8x907.5	910	907.5
LG05F-2-8x1027.5	1030	1027.5	LG05F-2-8x807.5	810	807.5
LG05F-2-8x987.5	990	987.5			
LG05F-2-8x897.5	900	897.5			
LG05F-2-8x697.5	700	697.5			


LG06F-1-5 x 25 x 784




扁拉杆 Flat rod




LG06F-1-3 x 25 x 374




扁拉杆 Flat rod




LG06F-1-5 x 25 x 920




扁拉杆 Flat rod



LG06F-1-3 x 25 x 734




扁拉杆 Flat rod



LG06F-2-3 x 14 x L



扁拉杆 Flat rod



代号 \ 名称	L
LG06F-2-3x14x775	775
LG06F-2-3x14x715	715


M021

M022

LG07F–1–8 × L



圆拉杆 Round Pull rod




代号 \ 名称	L	展开长度
LG07F–1–8x530	530	528.5
LG07F–1–8x750	750	748

LG08F–1–6 × L



扁拉杆 Flat rod




代号 \ 名称	L1
LG08F–1–6x400	400
LG08F–1–6x360	360

LG08F–2–8 × L




圆拉杆 Round Pull rod



代号 \ 名称	L	代号 \ 名称	L
LG08F–2–8x813	813	LG08F–2–8x673	673
LG08F–2–8x965	965	LG08F–2–8x840	840
LG08F–2–8x848	848	LG08F–2–8x676	676
LG08F–2–8x1016	1016		
LG08F–2–8x847.5	847.5		


圆拉杆 Round Pull rod



LG08F–3–8 × 1005



圆拉杆 Round Pull rod




LG09F–1–8 × 857



圆拉杆 Round Pull rod

LG10F–1–6 × L






代号 \ 名称	L1	H	R	展开长度
LG10F–1–6x600	600	13.5	R2	609.5
LG10F–1–6x800	800	17.3	R0.5	815

LG11F–1–8 x L

圆拉杆 Round Pull rod






代号 \ 名称	L
LG011F–1–8x1100	1100
LG011F–1–8x1000	1000
LG011F–1–8x900	900
LG011F–1–8x412	412

LG12F–1–8xL


圆拉杆 Round Pull rod






代号 \ 名称	L
LG12F–1–8x700	700
LG12F–1–8x700	580

扁拉杆 Flat rod




代号 \ 名称	L1	L2
LG13F–1–3x14xL	828	858

扁拉杆 Flat rod



代号 \ 名称	L1	L2
LG14F–1–7x870	900	870
LG14F–1–7x876	906	876
LG14F–1–7x917	947	917

扁拉杆 Flat rod



材质：A3拉杆，铜销子，销帽
表面处理：镀蓝白锌，
结构功能：与RG08–2拉杆套，配套使用

代号 \ 名称	L1
LG15F–1–3*14*L	611.5

LG13F–1–3x14XL



LG14F–1–7xL




LG15F–1–3x14xL



锁片 Lock piece





锁片编号说明：
Locking plate number description:



锁片形式 Lock form	
1	单点式锁片
2	两点式锁片
3	三点式锁片

锁片开孔 Locking plate openings	
A	锁片开孔□7×7
B	锁片开孔□8×8
C	锁片开孔□10×10
D	异形锁片开孔
M	梅花孔
N	棱形孔






● 备注：此种锁片有带点和不带点之分。
● Remarks: This type of lock has points with and without points.


编号 Numbering	折弯高度BH	中心L
1B3635	35	36
1B3630	30	36
1B3925	25	39
1B3920	20	39
1B4208	8	42
1B4500	00	45
1B451.5	1.5	45
1B4504	04	45
1B4505	05	45
1B4506	06	45
1B4510	10	45
1B4512	12	45
1B4515	15	45
1B4525	25	45
1B4600	0	46
1B4707	7	47
1B4710	10	47
1B4905	05	49
1B4915	15	49
1B4925	25	49
1B5003	3	50
1B5303	3	53






编号 Numbering	折弯高度BH	中心L
1AM3900	0	39
1AM3500	0	35






编号 Numbering	折弯高度BH	中心L
1CM4000	0	40
1CM4510	10	45
1CM6314	14	63
1CM7300	0	73


编号 Numbering	折弯高度BH	中心L
1CM5220	20	52
1BN5805	5	58
1BN5220	20	52
1BN5800	0	58
1BN8700	22	58




编号 Numbering	折弯高度BH	中心L
3BN6500	0	65
3CN7200	0	72
3CN10000	0	100
3CN14000	0	140




编号 Numbering	折弯高度BH	中心L
2BM3500	0	35
2B3800	0	38
2CM40.500	0	40.5
2CM5000	0	50
2BM4500	0	45



编号 Numbering	折弯高度BH	中心L
3CM50.500	0	50.5
3C6012	12	60
3CM8800	10	55
3CM8800	0	88
3CN800	0	88
3B800	0	88




编号 Numbering	折弯高度BH	中心L
3B44.54.5	4.5	44.5
3B4612	12	46
3B5200	00	52
3B5708	8	57
3B6012	12	60






锁头组件 Lock assembly


锁头K0133(B) cylinder




锁头:K0100(A) cylinder




锁头:K7010(C) cylinder




锁头:K7030(D) cylinder




选配锁头:K7040(D) Optional cylinder




锁头(K0133) cylinder




锁头:K7010(D) cylinder




锁头:K7010(C)cylinder




锁头:MS4008Z-2(K0200)cylinder




锁头:MS4008Z-2(K0200)cylinder




锁头:MS4080-2(K0200)cylinder



锁头:MS480-2B(一字芯)cylinder



锁头:MS480-2(原子芯)cylinder



钥匙 key



K1000



K0200(塑料柄1)



K0200（塑料柄2）



K0200（全锌料）



K0200（全铜）



K0600



K0540



K0300



K0400



K0580



K0100



MS606



K8260



CH751



K0570



K333



K8080



K6061



K0510




K8180

工具钥匙 Tool key


K7010–04






K7010–05






K7010–06






K7010–07






K7010–08






K7010–09






K7010–10






K7010–11






工具钥匙 Tool key


K7010–12




K7010–13




K7010–14




K7030–01




K7030–02




K7030–03




K7030–04




K7030–05




K7030–06




K7030–07




K7030–08




K7030–09




K7030–10




K7030–13



K7030–14




K7040–01




K7040-02






K7040-03






K7040-04






K7040-05






K7040-06






K7040-07






K7040-08






K7040-09






K7040-10






K7060-01






QT002Z-101(多功能工具钥匙 Multifunctional tool keys)

NEW





材质：锌合金
表面处理：喷砂镀亮铬
Merial: Zinc alloy
Finish: Sandblasting bright chrome plating






MS6020S

旋转式平面锁 Rotary plane lock

RL IP54 3PL Water Proof INOX AISI 3..

NEW





- ●材质：全不锈钢
- ●表面处理：镜面抛光或拉丝
- ●结构功能：手柄向上打开，带动锁片90°旋转实现开启或锁闭
- ●适用门板厚度：1~5mm
- ●备注：锁片开孔□8×8
- ●Material: Stainless steel
- ●Finish: Mirro polishing/Brushed
- ●Panel thickness: 1~5mm
- ●Remark: Cam Cutout □8×8


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS6020S-1-1	287	100

MS6023S

按压旋转式平面锁 Press rotary plane lock

RL IP54 Water Proof INOX AISI 3.. NEW






- ●材质：全不锈钢
- ●表面处理：镜面抛光或拉丝
- ●结构功能：手柄向上打开，带动锁片90°旋转实现开启或锁闭
- ●适用门板厚度：1~3mm
- ●备注：锁片开孔□10×10
- ●Material: Stainless steel
- ●Finish: Mirro polishing/Brushed
- ●Panel thickness: 1~5mm
- ●Remark: Cam Cutout □10×10

型号 Product no.	特性说明 Characteristic description	产品单重(g) Weight	装箱数 Lot
MS6023S-1-1	不锈钢不带挂装置w/opadlcok	576.5	40
MS6023S-1-1G	不锈钢带挂装置with padlock	585.5	40

旋转式平面锁 Rotary plane lock




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS834-1-1	315	50

MS838-1S

旋转式平面锁 Rotary plane lock

RL IP54 3PL INOX AISI 3..



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS838-1S（全不锈钢锁体）		50

MS834-1-1

RL 3PL IP54 INOX AISI 3..




- ● 材质：带挂锁 全不锈钢
- ● 表面处理：拉丝
- ● 适用门板厚度：1~8mm
- ● 备注：锁片开孔□8×8
- ● Material : With padlock stainless steel
- ● Finish: drawing
- ● Panel thickness:1~8mm
- ● Remark: cam cutout □8×8





- ● 材质：锌合金锁体，不锈钢锁扣；
- ● 表面处理:镀亮铬
- ● 适用门板厚度：1~10mm
- ● 备注：锁片开孔□8×8
- ● Material:Zinc die-casting body, Stainless steel padlock
- ● Finish : Bright chromeplating
- ● Panel thickness:1~10mm
- ● Remark:cam cutout□8×8

MS100-3S-1


锁片传动式连杆锁 Cam Drive Rod Control Lock








■开孔尺寸
Cut out




- 材质：不锈钢锁体，喷砂镀亮铬齿条
- 表面处理：拉丝
- 适用门板厚度：1~3mm
- Material:Stainless steel body, nickel plating driving rod sand bright chrome plating rack
- Finish: drawing,
- Panel thickness:1~3mm


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS100-3S-1		50

齿轮传动式连杆锁 Gear Drive Rod Control Lock





■开孔尺寸
Cut out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS100-3S-2	854	50

MS100-3S-2






- 材质：不锈钢锁体，喷砂镀亮铬齿条
- 表面处理：拉丝
- 适用门板厚度：1~3mm
- Material:Stainless steel body, nickel plating driving rod sand bright chrome plating rack
- Finish: drawing,
- Panel thickness:1~3mm

MS839S-3-1


推拉式面板锁 Push-pull panel lock



可定制产品
Customizable products



■开孔尺寸
Cut out




- 材质：不锈钢面板，镀铬锌合金锁芯
- 表面处理：镜面抛光
- Material: stainless hinge,stainless steel pin
- Finish: Mirror polished

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS839S-3-1		


MS5094Z-1-1

T型手柄-面板锁Folding T-shape handle






■开孔尺寸
Cut Out





- 材质：不锈钢面板，锌合金手柄，锁壳，轴套，碳钢螺 杆，锁片
- 表面处理：镜面抛光不锈钢面板，镀亮铬手柄，锁壳，配件镀蓝白锌
- 适用门板厚度：1~4.5
- Material:stainless steel for the panel, zinc alloy for the handle,housing and axle sleeve,steel for the screw and cam.
- Finish:mirror polish for the panel, bright chrome plating for the handle and housing,blue-white zinc plating for the accessories.
- Panel thickness:1-4.5mm.

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS5094Z-1-1	660.2	24


T型手柄-面板锁Folding T-shape handle







■开孔尺寸
Cut out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS830-1	700	24
MS830-2	650	24
MS830-3	630	24

MS830



MS830-1



MS830-2



MS830-3




- 材质：镜面不锈钢面板、锌合金手柄，镀锌锁片
- 适用门板厚度：1~4.5mm
- Material:Mirror surface stainless steel,Zinc plating handle zinc-die casting cam
- Panel thickness:1~4.5mm

MS314

T型执手锁 T-Shape Handle Lock




MS314-2S-1



K333

MS314-2S-2



■开孔尺寸
Cut Out

- ●材质：全不锈钢
- ●表面处理：镜面抛光或拉丝
- ●适用门板厚度：1~5mm
- ●备注：锁片开孔□8×8
- ●Material: Stainless steel
- ●Finish: Mirror polished or brushed
- ●Panel thickness: 1~5mm
- ●Remark: Cam Cutout □8×8

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS314-2S-1(带锁芯)	290.5	100
MS314-2S-2 (无锁芯)	290.5	100


MS314

L型执手锁 L-Shape Handle Lock




K333

MS314-1S-1 MS314-1S-2




■开孔尺寸
Cut Out




- ●材质：全不锈钢
- ●表面处理：镜面抛光或拉丝
- ●适用门板厚度：1~5mm
- ●备注：锁片开孔□8×8
- ●Material: Stainless steel
- ●Finish: Mirror polished or brushed
- ●Panel thickness: 1~5mm
- ●Remark: Cam Cutout □8×8

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS314-1S-1(带锁芯)	338.5	100
MS314-1S-2 (无锁芯)	338.5	100

L型执手锁 L-Shape Handle Lock




■开孔尺寸
Cut Out



(60度左右开门及90度右开门)
(60° left or right open & 90° right open)

■开孔尺寸
Cut Out



(90度左开门)
(90° left open)

型号 Product no.	转角 Rotaion angle	产品单重(g) Weight	装箱数 Lot
AB702S-1-1	(60°)	644.5	40
AB702S-1-2	(90°)	644.5	40

AB702S



K0200

AB702S-1-1




AB702S-1-1

- ●材质：全不锈钢
- ●表面处理：镜面抛光或拉丝
- ●结构功能：止口高度可调范围45~60，锁座有60度左右通用与90度左右开门两种
- ●适用门板厚度：1~10mm
- ●备注：锁片开孔□10×10
- ●Material: Stainless steel
- ●Finish: Mirror polished or brushed
- ●Mechanism: Grip range can be adjusted around 45~60mm. Both 60° and 90° open is available.
- ●Panel thickness: 1~10mm
- ●Remark: Cam Cutout □10×10

MS306S-1-1

L型执手锁 L-Shape Handle Lock






- ●材质：全不锈钢
- ●表面处理：镜面抛光或拉丝
- ●适用门板厚度：1~5mm
- ●备注：锁片开孔□8×8
- ●Material: Stainless steel
- ●Finish: Mirror polished or brushed
- ●Panel thickness: 1~5mm
- ●Remark: Cam Cutout □8×8

型号 Product no.	转角 Rotation angle	产品单重(g) Weight	装箱数 Lot
MS306S-1-1	60°		

MS306S-2-1

L型执手锁 L-Shape Handle Lock






- ●材质：全不锈钢
- ●表面处理：镜面抛光或拉丝
- ●适用门板厚度：1~5mm
- ●备注：锁片开孔□8×8
- ●Material: Stainless steel
- ●Finish: Mirror polished or brushed
- ●Panel thickness: 1~5mm
- ●Remark: Cam Cutout □8×8

型号 Product no.	转角 Rotation angle	产品单重(g) Weight	装箱数 Lot
MS306S-2-1	60°		

L型执手锁 L-Shape Handle Lock




产品型号 Product Number	转角 Rotation angle	产品单重(g) Weight	装箱数 Lot
MS308S-2-1	60°		

MS308S-2-1



- ●材质：全不锈钢
- ●表面处理：镜面抛光或拉丝
- ●适用门板厚度：1~5mm
- ●备注：锁片开孔□8×8
- ●Material: Stainless steel
- ●Finish: Mirror polished or brushed
- ●Panel thickness: 1~5mm
- ●Remark: Cam Cutout □8×8

L型执手锁 L-Shape Handle Lock



产品型号 Product Number	产品单重(g) Weight	装箱数 Lot
A19S-1-1		

A19S-1-1





- ●材质：全不锈钢
- ●表面处理：镜面抛光或拉丝
- ●适用门板厚度：1~3mm
- ●备注：锁片开孔□8×8
- ●Material: Stainless steel
- ●Finish: Mirror polished or brushed
- ●Panel thickness: 1~3mm
- ●Remark: Cam Cutout □8×8

MS314–1S–3G


L型执手锁 L–Shape Handle Lock

RL INOX AISI 3.. NEW





■开孔尺寸
Cut Out




✓ **可定制产品**
Customizable products


- ●材质：全不锈钢
- ●表面处理：镜面抛光或拉丝
- ●适用门板厚度：1~5mm
- ●备注：锁片开孔□8×8
- ●Material: Stainless steel
- ●Finish: Mirror polished or brushed
- ●Panel thickness: 1~5mm
- ●Remark: Cam Cutout □8×8

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS314–1S–3G		

L型执手锁 L–Shape Handle Lock



■开孔尺寸
Cut Out



MS314–1S–4G

RL INOX AISI 3.. NEW



✓ **可定制产品**
Customizable products

- ●材质：全不锈钢
- ●表面处理：镜面抛光或拉丝
- ●适用门板厚度：1~5mm
- ●备注：锁片开孔□8×8
- ●Material: Stainless steel
- ●Finish: Mirror polished or brushed
- ●Panel thickness: 1~5mm
- ●Remark: Cam Cutout □8×8

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS314–1S–4G		

MS705-2S

工具锁芯转舌锁 Tool Type Cam Lock

RL IP54 Water Proof



MS705-2S-1




MS705-2S-2



MS705-2S-3




MS705-2S-4




注：锁片选配规格见附件（锁片）


MS705-2S-1



MS705-2S-2



MS705-2S-3




MS705-2S-4

- 材质:不锈钢锁体,锁片
- 表面处理:本色
- 适用门板厚度:1~5mm
- 备注:锁片开孔□8×8
- Material : sus body ,cam
- Finish: Raw
- Panel thickness :1~5mm
- Remark :cam size□8×8


产品型号 Product no.	表面处理 Finish	锁芯形状 Insert	产品单重(g) Weight	装箱数 Lot
MS705-2S-1	不锈钢 Stainless steel	直槽芯slot insert	86	500
MS705-2S-2		一字芯double bit insert	80.5	500
MS705-2S-3		三角芯triangular insert	78	500
MS705-2S-4		四方芯square insert	80.5	500

工具锁芯转舌锁 Tool Type Cam Lock




注：锁片选配规格见附件（锁片）


MS705-2S-1A



MS705-2S-2A



MS705-2S-3A



MS705-2S-4A

产品型号 Product no.	表面处理 Finish	锁芯形状 Insert	产品单重(g) Weight	装箱数 Lot
MS705-2S-1A	不锈钢 Stainless steel	直槽芯slot insert	86	500
MS705-2S-2A		一字芯double bit insert	80.5	500
MS705-2S-3A		三角芯triangular insert	78	500
MS705-2S-4A		四方芯square insert	80.5	500

MS705S

RL IP54 Water Proof



MS705-2S-1A



MS705-2S-2A



MS705-2S-3A



MS705-2S-4A


- 材质:不锈钢锁体,锁片
- 表面处理:本色
- 适用门板厚度:1~5mm
- 备注:锁片开孔□8×8
- Material : sus body ,cam
- Finish: Raw
- Panel thickness :1~5mm
- Remark :cam size□8×8


MS705S–11


安全锁芯转舌锁 Secure Cylinder Cam Lock

RL IP65 INOX AISI 3.. NEW











■开孔尺寸
Cut Out




注：锁芯选配规格如下





产品型号 Product no.	表面处理 Finish	锁芯类型 Insert type	产品单重(g) Weight	装箱数 Lot
MS705S–11–1	不锈钢 车削光面	直槽芯slot insert		
MS705S–11–2		2×4直槽防硬币型2×4 Slot coin proof	可以定制生产	
MS705S–11–3		一字芯3mm Double Bit		
MS705S–11–4		一字芯4mm Double Bit	可以定制生产	
MS705S–11–5		一字芯5mm Double Bit	可以定制生产	
MS705S–11–6		S型芯 4.5mm insert	可以定制生产	
MS705S–11–7		三角7mm Triangular	可以定制生产	
MS705S–11–8		三角8mm Triangular		
MS705S–11–9		四方6mm Square	可以定制生产	
MS705S–11–10		四方7mm Square	可以定制生产	
MS705S–11–11		四方8mm Square		
MS705S–11–12		四方7mm 带槽Square 7mm with slot	可以定制生产	
MS705S–11–13		四方8mm 带槽Square 8mm with slot	可以定制生产	
MS705S–11–14		内四方8型Female square 8mm		
MS705S–11–15		内六角8mm Hexagon female 8mm	可以定制生产	
MS705S–11–16		内六角9mm Hexagon female 9mm	可以定制生产	
MS705S–11–17		内六角10mm Hexagon female 10mm	可以定制生产	
MS705S–11–18		内六角8mm带销3mm Hexagon female 8mm with3mm pin		
MS705S–11–19		外六角10型Hexagon male 10mm		
MS705S–11–20		半圆型锁芯 13 Eastern E urope 13		
MS705S–11–21		三角带螺丝孔型 Triangular 10mm with M5 screw hole	可以定制生产	

- 材质:不锈钢锁体,锁片
- 表面处理:本色
- 适用门板厚度:1~5mm
- 备注:锁片开孔□8×8
- Material : sus body ,cam
- Finish: Raw
- Panel thickness :1~5mm
- Remark :cam size□8×8


安全锁芯转舌锁 Secure Cylinder Cam Lock








■开孔尺寸
Cut Out



注：锁芯选配规格如下



产品型号 Product no.	表面处理 Finish	锁芯类型 Insert type	产品单重(g) Weight	装箱数 Lot
MS705S–10–1	不锈钢 车削光面	直槽芯slot insert	可以定制生产	
MS705S–10–2		2×4直槽防硬币型2×4 Slot coin proof	可以定制生产	
MS705S–10–3		一字芯3mm Double Bit	可以定制生产	
MS705S–10–4		一字芯4mm Double Bit	可以定制生产	
MS705S–10–5		一字芯5mm Double Bit	可以定制生产	
MS705S–10–6		S型芯 4.5mm insert	可以定制生产	
MS705S–10–7		三角7mm Triangular	可以定制生产	
MS705S–10–8		三角8mm Triangular	可以定制生产	
MS705S–10–9		四方6mm Square	可以定制生产	
MS705S–10–10		四方7mm Square	可以定制生产	
MS705S–10–11		四方8mm Square	可以定制生产	
MS705S–10–12		四方7mm 带槽Square 7mm with slot	可以定制生产	
MS705S–10–13		四方8mm 带槽Square 8mm with slot	可以定制生产	
MS705S–10–14		内四方8型Female square 8mm	可以定制生产	
MS705S–10–15		内六角8mm Hexagon female 8mm	可以定制生产	
MS705S–10–16		内六角9mm Hexagon female 9mm	可以定制生产	
MS705S–10–17		内六角10mm Hexagon female 10mm	可以定制生产	
MS705S–10–18		内六角8mm带销3mm Hexagon female 8mm with3mm pin	可以定制生产	
MS705S–10–19		外六角10型Hexagon male 10mm	可以定制生产	
MS705S–10–20		半圆型锁芯 13 Eastern E urope 13	可以定制生产	
MS705S–10–21		三角带螺丝孔型 Triangular 10mm with M5 screw hole	可以定制生产	

MS705S–10


RL IP65 INOX AISI 3.. NEW



- 材质:不锈钢锁体,锁片
- 表面处理:本色
- 适用门板厚度:1~5mm
- 备注:锁片开孔□8×8
- Material : sus body ,cam
- Finish: Raw
- Panel thickness :1~5mm
- Remark :cam size□8×8

MS705S-9


RL IP65 INOX AISI 3.. NEW







- 材质:不锈钢锁体,锁片
- 表面处理:本色
- 适用门板厚度:1~5mm
- 备注:锁片开孔□8×8
- Material : sus body ,cam
- Finish: Raw
- Panel thickness :1~5mm
- Remark :cam size□8×8


工具锁芯转舌锁 Tool Type Cam Lock








■开孔尺寸
Cut Out





注：锁芯选配规格如下




产品型号 Product no.	表面处理 Finish	锁芯类型 Insert type	产品单重(g) Weight	装箱数 Lot
MS705S-9-1	不锈钢 车削光面	直槽芯slot insert		
MS705S-9-2		2×4直槽防硬币型2×4 Slot coin proof	可以定制生产	
MS705S-9-3		一字芯3mm Double Bit	可以定制生产	
MS705S-9-4		一字芯4mm Double Bit	可以定制生产	
MS705S-9-5		一字芯5mm Double Bit	可以定制生产	
MS705S-9-6		S型芯 4.5mm insert	可以定制生产	
MS705S-9-7		三角7mm Triangular	可以定制生产	
MS705S-9-8		三角8mm Triangular		
MS705S-9-9		四方6mm Square	可以定制生产	
MS705S-9-10		四方7mm Square	可以定制生产	
MS705S-9-11		四方8mm Square	可以定制生产	
MS705S-9-12		四方7mm 带槽Square 7mm with slot	可以定制生产	
MS705S-9-13		四方8mm 带槽Square 8mm with slot	可以定制生产	
MS705S-9-14		内四方8型Female square 8mm	可以定制生产	
MS705S-9-15		内六角8mm Hexagon female 8mm	可以定制生产	
MS705S-9-16		内六角9mm Hexagon female 9mm	可以定制生产	
MS705S-9-17		内六角10mm Hexagon female 10mm	可以定制生产	
MS705S-9-18		内六角8mm带销3mm Hexagon female 8mm with3mm pin	可以定制生产	
MS705S-9-19		外六角10型Hexagon male 10mm	可以定制生产	
MS705S-9-20		半圆型锁芯 13 Eastern E urope 13	可以定制生产	
MS705S-9-21		三角带螺丝孔型 Triangular10mm with M5 screw hole	可以定制生产	


工具锁芯转舌锁 Tool Type Cam Lock








■开孔尺寸
Cut Out





型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS705S-9A-8	129.5	

工具锁芯转舌锁 Tool Type Cam Lock



■开孔尺寸
Cut Out





型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7076S-1-1	129.5	

MS705S-9A-8

RL IP65 INOX AISI 3.. NEW



- 材质:不锈钢锁体,锁片
- 表面处理:本色
- 适用门板厚度:1~5mm
- 备注:锁片开孔□8×8
- Material : sus body ,cam
- Finish: Raw
- Panel thickness :1~5mm
- Remark :cam size□8×8

MS7076S-1-1

RL IP65 INOX AISI 3.. NEW




可定制产品
Customizable products

- 材质:不锈钢锁体,锁片
- 表面处理:本色
- 适用门板厚度:1~5mm
- Material : sus body ,cam
- Finish: Raw
- Panel thickness :1~5mm

MS7078–1–1

工具锁芯转舌锁　Tool Type Cam Lock






- 材质:不锈钢锁体
- 适用门板厚度:1~5mm
- 备注:锁片开孔□5×5
- Material : sus body
- Panel thickness :1~5mm
- Remark :cam size□5×5

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7078–1–1	48	200

MS7078–2–1

工具锁芯转舌锁　Tool Type Cam Lock






- 材质:不锈钢锁体
- 适用门板厚度:1~5mm
- 备注:锁片开孔□5×5
- Material : sus body
- Panel thickness :1~5mm
- Remark :cam size□5×5

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7078–2–1	50	200

工具锁芯转舌锁　Tool Type Cam Lock




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7080S–1–1		

MS7080S–1–1



- 材质:不锈钢锁体,锁片
- 表面处理:本色
- 适用门板厚度:1~5mm
- 备注:锁片开孔□8×8
- Material : sus body ,cam
- Finish: Raw
- Panel thickness :1~5mm
- Remark :cam size□8×8

安全锁芯转舌锁　Secure Cylinder Cam Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS721–1S–1	101.5	500

MS721–1S–1






K333

- 材质:不锈钢锁体,锁片
- 表面处理:本色
- 适用门板厚度:1~5mm
- 备注:锁片开孔□8×8
- Material : sus body ,cam
- Finish: Raw
- Panel thickness :1~5mm
- Remark :cam size□8×8

MS408S-1-1


安全锁芯转舌锁 Secure Cylinder Cam Lock

RL IP65 INOX AISI 3.. NEW



可定制产品
Customizable products

- 材质:不锈钢锁体,锁片
- 表面处理:本色
- 适用门板厚度:1~5mm
- 备注:锁片开孔□8×8
- Material : sus body ,cam
- Finish: Raw
- Panel thickness :1~5mm
- Remark :cam size□8×8




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS408S-1-1		

MS408S-1-2


手柄型转舌锁 Handle Type Handle Lock

RL IP65 INOX AISI 3.. NEW



可定制产品
Customizable products


- 材质:不锈钢锁体,锁片
- 表面处理:本色
- 适用门板厚度:1~5mm
- 备注:锁片开孔□8×8
- Material : sus body ,cam
- Finish: Raw
- Panel thickness :1~5mm
- Remark :cam size□8×8



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS408S-1-2		


恒珠柜锁 电话(TEL):0795-2119999，3256555 E-mail: admin@hengzhu.com

带挂型转舌锁 Padlockable Cam Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7082S-1-1		

带挂型转舌锁 Padlockable Cam Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7090S-1-1		

恒珠柜锁 电话(TEL):0795-2119999，3256555 E-mail: admin@hengzhu.com

MS7082S-1-1

RL IP65 INOX AISI 3.. NEW




可定制产品
Customizable products

- 材质:不锈钢锁体,锁片
- 表面处理:本色
- 适用门板厚度:1~5mm
- 备注:锁片开孔□8×8
- Material : sus body ,cam
- Finish: Raw
- Panel thickness :1~5mm
- Remark :cam size□8×8

MS7090S-1-1

RL IP65 INOX AISI 3.. NEW



可定制产品
Customizable products

- 材质:不锈钢锁体,锁片
- 表面处理:本色
- 适用门板厚度:1~5mm
- 备注:锁片开孔□8×8
- Material : sus body ,cam
- Finish: Raw
- Panel thickness :1~5mm
- Remark :cam size□8×8


MS7091S-1-1

工具锁芯转舌锁 Tool Type Cam Lock




可定制产品
Customizable products

- 材质：全不锈钢
- 表面处理：本色
- 安全锁，耐震动，锁闭力强，防水，防尘，非常平齐的表面
- 适用门板厚度：1~8mm
- 备注：锁片开孔□8×8
- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~15mm
- Remark: Cam Cutout □8×8



■开孔尺寸
Cut Out



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7091S-1-1		


MS7092S-1-1


工具锁芯转舌锁 Tool Type Cam Lock




可定制产品
Customizable products

- 材质:不锈钢锁体,锁片
- 表面处理:本色
- 适用门板厚度:1~5mm
- 备注:锁片开孔□8×8
- Material : sus body ,cam
- Finish: Raw
- Panel thickness :1~5mm
- Remark :cam size□8×8






■开孔尺寸
Cut Out




型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7092S-1-1		


带挂型转舌锁 Padlockable Cam Lock




锁壳带2个挂锁孔
Housing with 2 padlock holes




锁壳带4个挂锁孔
Housing with 4 padlock holes



■开孔尺寸
Cut Out





	锁壳带2个挂锁孔 Housing with 2 padlock holes	锁壳带4个挂锁孔 Housing with 4 padlock holes
锁芯类型 Insert type	GH=22,全不锈钢 GH=22,Full stainless steel	GH=22,全不锈钢 GH=22,Full stainless steel
双翅3mm Double Bit 3mm	MS429S-1-1	MS429S-1A-1
双翅4mm Double Bit 4mm	MS429S-1-2	MS429S-1A-2
双翅5mm Double Bit 5mm	MS429S-1-3	MS429S-1A-3
2×4直槽型2×4 Slot	MS429S-1-4	MS429S-1A-4
三角7mm Triangular 7mm	MS429S-1-5	MS429S-1A-5
三角8mm Triangular 8mm	MS429S-1-6	MS429S-1A-6
四方7mm Square 7mm	MS429S-1-7	MS429S-1A-7
四方8mm Square 8mm	MS429S-1-8	MS429S-1A-8

MS429S



可定制产品
Customizable products




- 材质:不锈钢锁体,锁片
- 表面处理:本色
- 适用门板厚度:1~5mm
- 备注:锁片开孔□8×8
- Material : sus body ,cam
- Finish: Raw
- Panel thickness :1~5mm
- Remark :cam size□8×8

MS7075S-1-1


压缩式转舌锁 Compression Cam Lock

RL IP54 INOX AISI 3.. NEW






■开孔尺寸
Cut Out



注：锁芯选配规格如下





产品型号 Product no.	表面处理 Finish	锁芯类型 Insert type	产品单重(g) Weight	装箱数 Lot
MS7075S-1-1	不锈钢 本色	内六角8mm带销3mm Hexagon female 8mm with3mm pin	99.5	200
MS7075S-1-2		直槽芯slot insert	可以定制生产	
MS7075S-1-3		2×4直槽防硬币型2×4 Slot coin proof	可以定制生产	
MS7075S-1-4		一字芯3mm Double Bit	可以定制生产	
MS7075S-1-5		一字芯4mm Double Bit	可以定制生产	
MS7075S-1-6		一字芯5mm Double Bit	可以定制生产	
MS7075S-1-7		S型芯 4.5mm insert	可以定制生产	
MS7075S-1-8		三角7mm Triangular	可以定制生产	
MS7075S-1-9		三角8mm Triangular	可以定制生产	
MS7075S-1-10		四方6mm Square	可以定制生产	
MS7075S-1-11		四方7mm Square	可以定制生产	
MS7075S-1-12		四方8mm Square	可以定制生产	
MS7075S-1-13		四方7mm 带槽Square 7mm with slot	可以定制生产	
MS7075S-1-14		四方8mm 带槽Square 8mm with slot	可以定制生产	
MS7075S-1-15		内四方8型Female square 8mm	可以定制生产	
MS7075S-1-16		内六角8mm Hexagon female 8mm	可以定制生产	
MS7075S-1-17		内六角9mm Hexagon female 9mm	可以定制生产	
MS7075S-1-18		内六角10mm Hexagon female 10mm	可以定制生产	
MS7075S-1-19		外六角10型Hexagon male 10mm	可以定制生产	
MS7075S-1-20		半圆型锁芯 13 Eastern E urope 13	可以定制生产	
MS7075S-1-21		三角带螺丝孔型 Triangular10mm with M5 screw hole	可以定制生产	

✓ **可定制产品**
Customizable products


- 材质：全不锈钢
- 表面处理：本色
- 结构功能：压缩式门锁，压缩量约为6MM,锁芯旋转180° 开锁
- 适用门板厚度：1~15mm
- 备注：锁片开孔□8×8
- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~15mm
- Remark: Cam Cutout □8×8


压缩式转舌锁 Compression Cam Lock






■开孔尺寸
Cut Out







型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7093S-1-1		


压缩式转舌锁 Compression Cam Lock





■开孔尺寸
Cut Out





型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7094S-1-1		

MS7093S-1-1

RL IP65 INOX AISI 3.. NEW



- 材质：全不锈钢
- 表面处理：本色
- 结构功能：压缩式门锁，压缩量约为5MM,锁芯旋转180° 开锁
- 适用门板厚度：1~6mm
- 备注：锁片开孔□8×8
- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~6mm
- Remark: Cam Cutout □8×8

MS7094S-1-1

RL IP65 INOX AISI 3.. NEW



✓ **可定制产品**
Customizable products

- 材质：全不锈钢
- 表面处理：本色
- 结构功能：压缩式门锁，压缩量约为5MM,锁芯旋转180° 开锁
- 适用门板厚度：1~25mm
- 备注：锁片开孔□8×8
- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~25mm
- Remark: Cam Cutout □8×8


MS7095S-1-1


压缩式转舌锁 Compression Cam Lock



可定制产品
Customizable products

- 材质：全不锈钢
- 表面处理：本色
- 结构功能：压缩式门锁，压缩量约为5MM,锁芯旋转180° 开锁
- 适用门板厚度：1~25mm
- 备注：锁片开孔□8×8
- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~25mm
- Remark: Cam Cutout □8×8






型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7095S-1-1		


MS7095S-2-1


压缩式转舌锁 Compression Cam Lock



可定制产品
Customizable products


- 材质：全不锈钢
- 表面处理：本色
- 结构功能：压缩式门锁，压缩量约为5MM,锁芯旋转180° 开锁
- 适用门板厚度：1~15mm
- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~15mm






型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7095S-2-1		

压缩式转舌锁 Compression Cam Lock






型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7096S-1-1		


MS7096S-1-1




- 材质：全不锈钢
- 表面处理：本色
- 结构功能：压缩式门锁，压缩量约为6MM,锁芯旋转205° 开锁
- 备注：锁片开孔□8×8
- 适用门板厚度：1~10mm
- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~10mm
- Remark: Cam Cutout □8×8

压缩式转舌锁 Compression Cam Lock








型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7096S-2-1		

MS7096S-2-1




- 材质：全不锈钢
- 表面处理：本色
- 结构功能：压缩式门锁，压缩量约为6MM,锁芯旋转205° 开锁
- 适用门板厚度：1~20mm
- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~20mm

MS7097S-1-1

压缩式转舌锁 Compression Cam Lock

RL IP65 INOX AISI 3.. NEW





- 材质：全不锈钢
- 表面处理：本色
- 结构功能：压缩式门锁，压缩量约为5MM,锁芯旋转180° 开锁
- 适用门板厚度：1~15mm
- 备注：锁片开孔□8×8
- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~15mm
- Remark: Cam Cutout □8×8


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7097S-1-1		

MS7097S-1-2

压缩式转舌锁 Compression Cam Lock

RL IP65 INOX AISI 3.. NEW






- 材质：全不锈钢
- 表面处理：本色
- 结构功能：压缩式门锁，压缩量约为5MM,锁芯旋转180° 开锁
- 适用门板厚度：1~15mm
- 备注：锁片开孔□8×8
- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~15mm
- Remark: Cam Cutout □8×8


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7097S-1-2		

压缩式转舌锁 Compression Cam Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7097S-1-1		

压缩式转舌锁 Compression Cam Lock



型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7097S-2-1		

MS7097S-2-1

RL IP65 INOX AISI 3.. NEW



- 材质：全不锈钢
- 表面处理：本色
- 结构功能：压缩式门锁，压缩量约为5MM,锁芯旋转180° 开锁
- 适用门板厚度：1~15mm
- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~15mm

MS7097S-2-2

RL IP65 INOX AISI 3.. NEW




- 材质：全不锈钢
- 表面处理：本色
- 结构功能：压缩式门锁，压缩量约为5MM,锁芯旋转180° 开锁
- 适用门板厚度：1~15mm
- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~15mm

MS7097S-1A-1

压缩式转舌锁 Compression Cam Lock

RL IP65 INOX AISI 3.. NEW





- 材质：全不锈钢
- 表面处理：本色
- 结构功能：压缩式门锁，压缩量约为5MM,锁芯旋转180° 开锁
- 适用门板厚度：1~15mm
- 备注：锁片开孔□8×8
- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~6mm
- Remark: Cam Cutout □8×8


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7097S-1A-1		

MS7097S-2A-1

压缩式转舌锁 Compression Cam Lock

RL IP65 INOX AISI 3.. NEW





- 材质：全不锈钢
- 表面处理：本色
- 结构功能：压缩式门锁，压缩量约为5MM,锁芯旋转180° 开锁
- 适用门板厚度：1~15mm
- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~15mm


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7097S-2A-1		

MS7097S-1B-1

压缩式转舌锁 Compression Cam Lock

RL IP65 INOX AISI 3.. NEW





- 材质：全不锈钢
- 表面处理：本色
- 结构功能：压缩式门锁，压缩量约为5MM,锁芯旋转180° 开锁
- 适用门板厚度：1~15mm
- 备注：锁片开孔□8×8
- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~6mm
- Remark: Cam Cutout □8×8


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7097S-1B-1		

MS7097S-2B-1

压缩式转舌锁 Compression Cam Lock

RL IP65 INOX AISI 3.. NEW





- 材质：全不锈钢
- 表面处理：本色
- 结构功能：压缩式门锁，压缩量约为5MM,锁芯旋转180° 开锁
- 适用门板厚度：1~15mm
- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~15mm


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7097S-2B-1		

MS7098S-1-1


压缩式转舌锁 Compression Cam Lock

RL IP65 INOX AISI 3.. NEW





■开孔尺寸
Cut Out



- 材质：全不锈钢
- 表面处理：本色
- 结构功能：压缩式门锁，压缩量约为5MM,锁芯旋转180° 开锁
- 适用门板厚度：1~15mm
- 备注：锁片开孔□8×8
- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~6mm
- Remark: Cam Cutout □8×8


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7098S-1-1		


MS7098S-2-1

压缩式转舌锁 Compression Cam Lock


RL IP65 INOX AISI 3.. NEW







■开孔尺寸
Cut Out



- 材质：全不锈钢
- 表面处理：本色
- 结构功能：压缩式门锁，压缩量约为6MM,锁芯旋转180° 开锁
- 适用门板厚度：1~15mm
- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~15mm


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7098S-2-1		

MS7099S-1-1


压缩式转舌锁 Compression Cam Lock

RL IP65 INOX AISI 3.. NEW





■开孔尺寸
Cut Out



- 材质：全不锈钢
- 表面处理：本色
- 结构功能：压缩式门锁，压缩量约为5MM,锁芯旋转180° 开锁
- 适用门板厚度：1~15mm
- 备注：锁片开孔□8×8
- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~6mm
- Remark: Cam Cutout □8×8


型号 Product no.	产品单重(g) Weight	装箱数 Lot
MS7099S-1-1		


MS7099S-2-1

压缩式转舌锁 Compression Cam Lock


RL IP65 INOX AISI 3.. NEW







■开孔尺寸
Cut Out



可定制产品
Customizable products

- 材质：全不锈钢
- 表面处理：本色
- 结构功能：压缩式门锁，压缩量约为6MM,锁芯旋转180° 开锁
- 适用门板厚度：1~15mm
- Material: Stainless steel
- Finish: Raw
- Panel thickness: 1~15mm

HL050–S

平面安装外露式铰链 Flat Mounting Exposed Hinge



HL050–1S




HL050–2S




HL050–3S



HL050–2GS





- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约180°。
- Material: stainless steel hinge、stainless steel pin
- Remark:180° hinge
- Finish: wire drawing

基本尺寸 Dimensions							产品型号及特性 Product Number		
L1	L2	L3	L4	H	∅C	∅D	H1	不锈钢 Stainless steel	产品单重(g) Weight	装箱数 Lot
60	36	36	60	15	15.5	8.5	8	HL050–1S	168.2	200
50	30	30	51	12	12.5	6.3	6	HL050–2S	102	200
40	25	25	40	9	10	5.3	5	HL050–3S	50	500
50	30	56	76	12	12.5	6.5	6	HL050–2GS	145	200

HL055


平面安装外露式铰链 Flat Mounting Exposed Hinge




HL055–1



HL055–2







- 材质：不锈钢
- 表面处理：拉丝
- 备注：转动约为180°
- Material:Stainless steel hinge
- Finish: drawing
- Remark:180° hinge

基本尺寸 Dimensions								产品型号及特性 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2	L3	L4	H	C	D	E			
71	60	41	30	5	12.5	6.5	13	HL055–1	154	500
51	40	32.5	20	4.3	10.5	5.5	10	HL055–2	59	500


平面安装外露式铰链 Flat Mounting Exposed Hinge





型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL133S	223	200

平面安装外露式铰链 Flat Mounting Exposed Hinge



基本尺寸 Dimensions						产品型号及特性 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2	L3	L4	4–∅D	4–∅C			
42	62	37	63	6.5	13	HL151–1S	290.5	500
32	47	30	46.5	5.5	11	HL151–2S	95	500

HL133S



- 材质：不锈钢铰链、销子
- 表面处理：拉丝
- 备注：旋转约180°
- Material:Stainless steel hinge and pin
- Finish: drawing
- Remark:180° hinge

HL151



HL151–1S





HL151–2S

- 材质：不锈钢铰链
- 表面处理：镜面抛光
- 备注：旋转约270°
- Material:Stainless steel hing
- Finish: Mirror polished or brushed
- Remark:270° hinge

HL131S-1L

平面重型外露式铰链 Flat heavy duty exposed hinge







- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：旋转约180°
- Material:Stainless steel hinge
- Finish:drawing
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL131S-1L	523	40

HL131S-1R

平面重型外露式铰链 Flat heavy duty exposed hinge






- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：旋转约180°
- Material:Stainless steel hinge
- Finish:drawing
- Remark:180° hinge


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL131S-1R	523	40


平面安装外露式铰链 Flat Mounting Exposed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL180S-1		

平面安装外露式铰链 Flat Mounting Exposed Hinge





型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL111S-2		

HL180S-1



可定制产品
Customizable products

- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约180°
- Material: stainless hinge,stainless steel pin
- Finish: drawing
- Remark:180° hinge

HL111S-2




可定制产品
Customizable products


- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约180°
- Material: stainless hinge,stainless steel pin
- Finish: drawing
- Remark:180° hinge

HL071


平面安装外露式铰链 Flat Mounting Exposed Hinge




HL071–1




HL071–2




HL071–3




HL071–1



HL071–2




HL071–3



- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180° 。
- Material: stainless steel body
- Finish: drawing
- Remark:180° hinge.


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL071–1	79	300
HL071–2	68	300
HL071–3	91	300

平面安装外露式铰链 Flat Mounting Exposed Hinge



基本尺寸 Dimensions											产品型号 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2	L3	L4	L5	L6	H1	H2	T	∅A	∅B			
90	70	60	70	19	19	12	7	3	6.1	7	HL115–1	170.5	200
75	54	50	54	15	15	12	6	2	4.6	5.5	HL115–2	77	300

平面安装外露式铰链 Flat Mounting Exposed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL118	142	200

HL115



- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：转动约180°
- Material: stainless hinge, Stainless steel pin
- Finish: drawing
- Remark:180° hinge.

HL118




- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约180°
- Material: stainless hinge,stainless steel pin
- Finish: drawing
- Remark:180° hinge

HL063


平面安装外露式铰链 Flat Mounting Exposed Hinge



HL063-1/-2



HL063-3




- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180°
- Material: stainless steel body
- Finish: drawing
- Remark:180° hinge

基本尺寸 Dimensions		产品型号及特性 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2			
35	25.4	HL063-1	30	500
60	47	HL063-2	39	500
47.5	36.2	HL063-3	35	500

HL070

平面安装外露式铰链 Flat Mounting Exposed Hinge






- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180°
- Material: stainless steel body
- Finish: drawing
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL070	31.5	500


平面安装外露式铰链 Flat Mounting Exposed Hinge



基本尺寸 Dimensions									产品型号及特性 Product Number	产品单重(g) Weight	装箱数 Lot
L1	L2	L3	B1	B2	⌀	H	T	N			
100	78	26	60	38	6.4	6	3	8	HL072-1	191	200
90	70		60	38	6.4	6	3	6	HL072-2	175	200
75	54		50	30	5.3	4.3	1.5	6	HL072-3	62	200


HL077

平面安装外露式铰链 Flat Mounting Exposed Hinge




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL077	37	500

HL072




HL072-1



HL072-3

- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180°
- Material: stainless steel body
- Finish: drawing
- Remark:180° hinge.




- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180°
- Material: stainless steel body
- Finish: drawing
- Remark:180° hinge.

HL076

平面安装外露式铰链 Flat Mounting Exposed Hinge






- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180°
- Material: stainless steel body
- Finish: drawing
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL076	52.5	400

HL094

平面安装外露式铰链 Flat Mounting Exposed Hinge






- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180° 。
- Material: stainless steel body
- Finish: drawing
- Remark:180° hinge.

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL094	83	500

平面安装外露式铰链 Flat Mounting Exposed Hinge




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL098	70.5	500

HL098



- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180°
- Material: stainless steel body
- Finish: drawing
- Remark:180° hinge.

平面安装外露式铰链 Flat Mounting Exposed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL099	46	500

HL099




- 材质：不锈钢铰链
- 备注：转动约为180°
- 表面处理：拉丝
- Material: stainless steel body
- Finish: drawing
- Remark:180° hinge

HL038

阶梯面安装外露式铰链 Stepped surface mounting exposed hinge






- 材质：镜面不锈钢铰链，不锈钢销子
- 表面处理：拉丝
- Material:Mirror surface stainless steel body,stainless steel pin
- Finish: drawing

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL038	35.5	500

HL074

阶梯面安装外露式铰链 Stepped surface mounting exposed hinge






- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180°
- Material: stainless steel body
- Finish: drawing
- Remark:180° hinge


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL074	42	500

阶梯面安装外露式铰链 Stepped surface mounting exposed hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL101	92	200

平面安装外露式铰链 Flat Mounting Exposed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL153S	20	500

HL101



- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180°
- Material: stainless steel body
- Finish: drawing
- Remark:180° hinge.

HL153S




- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约180° 。
- Material: stainless steel hinge、stainless steel pin
- Remark:180° hinge
- Finish: wire drawing

HL069–1

可摘卸式外露铰链 Lift–Off Hinges






- 材质：全不锈钢铰链
- 表面处理：拉丝
- 备注：转动约180°
- Material:Stainless steel hinge
- Finish: drawing
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL069	217	100

HL069–2

可摘卸式外露铰链 Lift–Off Hinges






- 材质：全不锈钢铰链
- 表面处理：拉丝
- 备注：转动约180°
- Material:Stainless steel hinge
- Finish: drawing
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL069–2	217	100

可摘卸式外露铰链 Lift–Off Hinges




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL120	73.5	200

HL120



- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约180° 。
- Material: stainless steel hinge、stainless steel pin
- Remark:180° hinge
- Finish: wire drawing

可摘卸式外露铰链 Lift–Off Hinges



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL157–1R	196	100
HL157–1L	196	100

HL157–1



HL157–1R





HL157–1L

- 材质：全不锈钢铰链
- 表面处理：拉丝
- 备注：转动约180°
- Material:Stainless steel hinge
- Finish: drawing
- Remark:180° hinge

HL173S-1

平面安装外露式铰链 Flat Mounting Exposed Hinge






- 材质：不锈钢铰链
- 表面处理：镜面抛光
- 备注：旋转约270°
- Material:Stainless steel hing
- Finish: Mirror polished or brushed
- Remark:270° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL173S-1		

HL174S-1

平面安装外露式铰链 Flat Mounting Exposed Hinge






- 材质：不锈钢铰链
- 表面处理：镜面抛光
- 备注：旋转约270°
- Material:Stainless steel hing
- Finish: Mirror polished or brushed
- Remark:270° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL174S-1		

HL175S-1

平面安装外露式铰链 Flat Mounting Exposed Hinge







- 材质：不锈钢铰链
- 表面处理：镜面抛光
- 备注：旋转约270°
- Material:Stainless steel hing
- Finish: Mirror polished or brushed
- Remark:270° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL175S-1		

HL176S-1

平面安装外露式铰链 Flat Mounting Exposed Hinge







- 材质：不锈钢铰链
- 表面处理：镜面抛光
- 备注：旋转约270°
- Material:Stainless steel hing
- Finish: Mirror polished or brushed
- Remark:270° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL176S-1		

HL177S-1

平面安装外露式铰链 Flat Mounting Exposed Hinge







- 材质：不锈钢铰链
- 表面处理：镜面抛光
- 备注：旋转约270°
- Material:Stainless steel hing
- Finish: Mirror polished or brushed
- Remark:270° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL177S-1		

HL178S-1

平面安装外露式铰链 Flat Mounting Exposed Hinge






可定制产品
Customizable products

- 材质：不锈钢铰链
- 表面处理：镜面抛光
- 备注：旋转约270°
- Material:Stainless steel hing
- Finish: Mirror polished or brushed
- Remark:270° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL178S-1		

平面安装外露式铰链 Flat Mounting Exposed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL179S-1		


HL179S-1



可定制产品
Customizable products

- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约180°
- Material: stainless hinge,stainless steel pin
- Finish: drawing
- Remark:180° hinge

平面安装外露式铰链 Flat Mounting Exposed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL181S-1		

HL181S-1




可定制产品
Customizable products

- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约180°
- Material: stainless hinge,stainless steel pin
- Finish: drawing
- Remark:180° hinge

HL003–2S

侧面安装外露式铰链 Side prominent Hinge





- 材质：不锈钢铰链
- 表面处理：拉丝
- 备注：旋转约180°
- Material:Stainless steel hing
- Finish:drawing
- Remark:180° hinge


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL003–2S	50	400

HL004S–2

侧面安装外露式铰链 Side prominent Hinge




可定制产品
Customizable products




- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约180°
- Material: stainless hinge,stainless steel pin
- Finish: drawing
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL004S–2		


侧面安装外露式铰链 Side prominent Hinge






产品型号及特性 Product Number	基本尺寸 Dimensions								产品单重(g) Weight	装箱数 Lot
	L1	L2	B	B1	B2	B3	B4	M		
HL103–1	49	33	10	14	22	18	16	8	135	200
HL103–2	39	27	7.5	10	14	13.5	12	6	120	200

侧面安装外露式铰链 Side prominent Hinge





型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL103–1A	183	200

HL103–1



HL103–1



HL103–2

- 材质：不锈钢
- 表面处理：拉丝
- 备注：转动约180°
- Material:Mirror surface stainless steel body
- Finish: drawing
- Remark:180° hinge

HL103–1A




HL103–1A

- 材质：不锈钢
- 表面处理：拉丝
- 备注：转动约180°
- Material:Mirror surface stainless steel body
- Finish: drawing
- Remark:180° hinge

HL080

可摘卸式外露铰链 Detachable Exposed Hinge







- 材质：全不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180°
- Material:Stainless steel hinge
- Finish: drawing
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL080	150	500

HL030–2S

可摘卸式外露铰链 Detachable Exposed Hinge







- 材质：全不锈钢铰链
- 表面处理：拉丝
- 备注：转动约为180°
- Material:Stainless steel hinge
- Finish: drawing
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL030–2S(不锈钢)		200

可摘卸式外露铰链 Detachable Exposed Hinge






型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL170S–1		

HL170S–1



- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约180°
- Material: stainless hinge,stainless steel pin
- Finish: drawing
- Remark:180° hinge

可摘卸式外露铰链 Detachable Exposed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL170S–2		00

HL170S–2





- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约180°
- Material: stainless hinge,stainless steel pin
- Finish: drawing
- Remark:180° hinge


HL171S-1


可摘卸式外露铰链 Detachable Exposed Hinge












- 材质：不锈钢铰链
- 表面处理：镜面抛光
- 备注：旋转约270°
- Material:Stainless steel hing
- Finish: Mirror polished or brushed
- Remark:270° hinge


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL171S-1		


HL172S-1


可摘卸式外露铰链 Detachable Exposed Hinge

















- 材质：不锈钢铰链
- 表面处理：镜面抛光
- 备注：旋转约270°
- Material:Stainless steel hing
- Finish: Mirror polished or brushed
- Remark:270° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL172S-1		

可摘卸式外露铰链 Detachable Exposed Hinge







型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL182S-1		

HL182S-1




可定制产品
Customizable products

- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约180°
- Material: stainless hinge,stainless steel pin
- Finish: drawing
- Remark:180° hinge

HL034–1

隐藏式铰链 Concealed Hinge






- 材质:分镜面不锈钢铰链,A3钢铰链
- 备注：转动约为120°
- Material:Mirror surface stainless steel body.
- Remark:120° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL034–1	110.8	200

HL034–2

隐藏式铰链 Concealed Hinge






- 材质:分镜面不锈钢铰链,A3钢铰链
- 备注：转动约为120°
- Material:Mirror surface stainless steel body.
- Remark:120° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL034–2	107	200

隐藏式铰链 Concealed Hinge




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL082S	154	200


HL082S



- 材质:不锈钢铰链，A3钢铰链
- 表面处理：拉丝
- 备注：转动约为120°
- Material: Stainless steel are available
- Finish: drawing
- Remark:120° hinge

隐藏式铰链 Concealed Hinge





产品型号及特性 Product Number		产品单重(g) Weight	装箱数 Lot
不锈钢 Stainless steel	HL092S	65	500

HL092S




- 材质：镀锌钢板或不锈钢铰链；镀镍钢销子或不锈钢
- 备注：转动约为120°
- Material:Zinc plating steel and Stainless steel are available
- Remark:120° hinge

HL109

隐藏式铰链 Concealed Hinge






- 材质：全不锈钢铰链
- 表面处理：拉丝
- Material:Stainless steel hinge
- Finish: drawing

型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL109	78	200

HL129–1

隐藏式铰链 Concealed Hinge






- 材质：不锈钢铰链
- 表面处理:喷(7032)色
- 备注：旋转约120°
- Material:Stainless steel hing
- Finish:Spray (7032) color
- Remark:120° hinge


型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL129–1	60	400

隐藏式铰链 Concealed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL183S–1		

隐藏式铰链 Concealed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL011S–1		

HL183S–1



可定制产品
Customizable products

- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约180°
- Material: stainless hinge,stainless steel pin
- Finish: drawing
- Remark:180° hinge

HL011S–1




可定制产品
Customizable products

- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约180°
- Material: stainless hinge,stainless steel pin
- Finish: drawing
- Remark:180° hinge


HL035S

隐藏式铰链 Concealed Hinge





小型
Small size





可定制产品
Customizable products


- 材质：不锈钢铰链，不锈钢销子
- 表面处理：拉丝
- Stainless steel hinge, stainless steel pin
- Finish: drawing

镀锌钢
M.S. zinc plated

材质可做全不锈钢
SUS material upon request


	螺丝固定型 Screw on version	
	左装Left	右装Right
大型Large size	HL035S-3L	HL035S-3R
小型Small size	HL035S-4L	HL035S-4R

隐藏式铰链 Concealed Hinge




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL185S-1		

隐藏式铰链 Concealed Hinge



型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL186S-1		

HL185S-1



可定制产品
Customizable products

- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约120°
- Material: stainless hinge,stainless steel pin
- Finish: drawing
- Remark:120° hinge

HL186S-1



可定制产品
Customizable products

- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约125°
- Material: stainless hinge,stainless steel pin
- Finish: drawing
- Remark:125° hinge


HL187S-1

隐藏式铰链 Concealed Hinge



可定制产品
Customizable products


- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约120°
- Material: stainless hinge,stainless steel pin
- Finish: drawing
- Remark:120° hinge




型号 Product no.	产品单重(g) Weight	装箱数 Lot
HL187S-1		

HL189S

隐藏式铰链 Concealed Hinge



HL189S-1



HL189S-2

	型号 Product no.
(尺寸 20) (Dim 20)	HL189S-1
(尺寸 24.5) (Dim 24.5)	HL189S-2

可定制产品
Customizable products

- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约120°
- Material: stainless hinge,stainless steel pin
- Finish: drawing
- Remark:120° hinge


HL184S-1/HL188S-1

隐藏式铰链 Concealed Hinge




可定制产品
Customizable products

- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约135°
- Material: stainless hinge,stainless steel pin
- Finish: drawing
- Remark:135° hinge



HL184S-1




HL188S-1


	型号 Product no.
(尺寸 20.3) (Dim 20.3)	HL184S-1
(尺寸 21.5) (Dim 21.5)	HL188S-1

HL190S

隐藏式铰链 Concealed Hinge



HL190S-1



HL190S-2

	型号 Product no.
(尺寸 20) (Dim 20)	HL190S-1
(尺寸 24.5) (Dim 24.5)	HL190S-2


可定制产品
Customizable products

- 材质：不锈钢动、静铰链，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约135°
- Material: stainless hinge,stainless steel pin
- Finish: drawing
- Remark:135° hinge

MX04

门销 Door pin






- 材质：不锈钢。
- 表面处理：拉丝
- Material:Stainless steel
- Finish: Sand nickel plating

型号 Produt no.	产品单重(g) Weight	装箱数 Lot
MX04	122.5	300

门销碰锁 Door pin lock



MX07S–1



可定制产品
Customizable products

- 材质：不锈钢动、静，不锈钢销子
- 表面处理：拉丝
- 备注：旋转约180°
- Material: stainless hinge,stainless steel pin
- Finish: drawing
- Remark:180° hinge

型号 Product no.	产品单重(g) Weight	装箱数 Lot
MX07S–1		


PL021S-3-2

杠杆式拉手 Lever Handles

INOX AISI 3..

NEW






可定制产品
Customizable products


型号 Product no.	产品单重(g) Weight	装箱数 Lot
PL021S-3-2		

- 材质：不锈钢
- 表面处理：拉丝
- Material: stainless hinge,stainless steel pin
- Finish: drawing

可折叠式U拉手 Folding U-Shape Handles




■开孔尺寸
Cut out



型号 Product no.	基本尺寸L Dimensions L	产品单重(g) Weight	装箱数 Lot
PL004-2S(不锈钢)	100	132	200

U 型拉手 U shape Handles



■开孔尺寸
Cut out



型号 Product no.	基本尺寸 Dimensions							产品单重(g) Weight	装箱数 Lot
	L1	L2	L3	M	R	∅A	∅B		
PL019-2S(不锈钢)	100	38	10	M5	R6	∅9	∅5.5	75	200

PL004-2S

INOX AISI 3..



- 材质：不锈钢
- 表面处理：拉丝
- Material: stainless hinge,stainless steel pin
- Finish: drawing

PL019-2

INOX AISI 3..




- 材质：不锈钢
- 表面处理：拉丝
- Material: stainless hinge,stainless steel pin
- Finish: drawing

PL100S-1

可折叠式U拉手 Folding U-Shape Handles






型号 代码	D	L	H	h	M
PL100S-1-L80	8	80	50	6	5
PL100S-1-L90		90			
PL100S-1-L100		100			

- 材质：不锈钢
- 表面处理：镜面抛光
- Material:Stainless steel hing
- Finish:Mirror polished or brushed

PL101S-1

可折叠式U拉手 Folding U-Shape Handles






型号 代码	D	L	H	h	M
PL101S-1-L60	6	60	44	9	4
PL101S-1-L70		70			
PL101S-1-L90		90			
PL101S-1-L100		100			
PL101S-1-L120		120			

- 材质：不锈钢
- 表面处理：镜面抛光
- Material:Stainless steel hing
- Finish:Mirror polished or brushed

可折叠式U拉手 Folding U-Shape Handles




型号 代码	L	B	D	M	C	H	TS
PL004S-1-L60	60	6	16	M6	13	32	1~3
PL004S-1-L84	84						
PL004S-2-L90	90	9		M10	16	41.5	
PL004S-1-L90A	90A	6		M6	13	32	
PL004S-2-L100	100	9		M10	16	41.5	
PL004S-1-L100A	100A	6		M6	13	32	
PL004S-2-L100B	(100B)	9		M10	16	41	
PL004S-2-L100C	(100C)	8				42	
PL004S-2-L100D	(100D)	10	18		14	44	
PL004S-2-L120	120	9	16		16	41.5	
PL004S-1-L120	120A	6		M6	13	32	
PL004S-2-L120B	(120B)	10	18	M10	14	44	
PL004S-2-L135	135	9	16		16	41.5	
PL004S-2-L155	155						
PL004S-2-L180	(180)	10	18		14	44	

PL004S



- 材质：不锈钢
- 表面处理：镜面抛光
- Material:Stainless steel hing
- Finish:Mirror polished or brushed

可折叠式U拉手 Folding U-Shape Handles



型号 代码	D	L	H	M	C
PL102S-1-L60	6	60	25	4	8
PL102S-1-L70		70			
PL102S-1-L80		84			
PL102S-1-L90		90			
PL102S-1-L100		100			
PL102S-1-L120		120			

PL102S-1



- 材质：不锈钢
- 表面处理：镜面抛光
- Material:Stainless steel hing
- Finish:Mirror polished or brushed


PL019S

U 型拉手 U shape Handles

INOX AISI 3..

NEW






型号 代码	D	L	H	L1	M
PL019S-1-L80	10	80	37	90	M5
PL019S-1B-L80			60		
PL019S-1-L100		100	37	110	
PL019S-1B-L100			60		
PL019S-1-L110		110	37	120	M6
PL019S-1A-L110			40		
PL019S-1B-L110			60		M5
PL019S-1-L120		120	37	130	M6
PL019S-1A-L120			40		
PL019S-1B-L120			60		M5
PL019S-1-L125		125	37	135	
PL019S-1B-L125			60		
PL019S-1-L200		200	37	210	
PL019S-1B-L200			60		
PL019S-1-L250		250	37	260	
PL019S-1B-L250			60		
PL019S-2-L150	12	150	52	162	M8
PL019S-2A-L150			87		
PL019S-2-L188		188	52	200	
PL019S-2A-L188			87		
PL019S-2-L238		238	52	250	
PL019S-2A-L238			87		
PL019S-2-L288		288	52	300	
PL019S-2A-L288			87		

●材质：不锈钢
●表面处理：镜面抛光
●Material:Stainless steel hing
●Finish:Mirror polished or brushed

U 型拉手 U shape Handles



无垫圈型

型号 代码	L	D	L1	H	B	h	M
PL103S-1-L60	60	6	66	30	16	7	4
PL103S-1-L80	80		86	31.5			
PL103S-2-L100	100	8	108	32	18	10	5
PL103S-2-L120	120		128	40			
PL103S-3-L48	48	10	58	47	40	13	5
PL103S-3-L66	66		76				
PL103S-3-L88	88		98				
PL103S-3-L100	100		110				
PL103S-3-L110	110		120				
PL103S-3-L120	120		130				
PL103S-3-L125	125		135				
PL103S-3-L160	160		170				

PL103S


INOX AISI 3..

NEW



●材质：不锈钢
●表面处理：镜面抛光
●Material:Stainless steel hing
●Finish:Mirror polished or brushed

U 型拉手 U shape Handles



带垫圈型

型号 代码	L	垫圈材质	D	L1	H	B	h	M
PL104S-1-L48	48	SUS304	10	58	47	40	13	5
PL104S-1-L66	66			76				
PL104S-1-L88	88			98				
PL104S-1-L100	100			110				
PL104S-1-L110	110			120				
PL104S-1-L120	120			130				
PL104S-1-L125	125			135				
PL104S-1-L160	160			170				

PL104S-1

INOX AISI 3..

NEW



●材质：不锈钢
●表面处理：镜面抛光
●Material:Stainless steel hing
●Finish:Mirror polished or brushed


PL105S-1

U 型拉手 U shape Handles

INOX AISI 3..

NEW





型号 代码	L	D	H	T	d
PL105S-1-L100	100	8	35	4	6.5
PL105S-1-L120	120				

- 材质：不锈钢
- 表面处理：镜面抛光
- Material:Stainless steel hing
- Finish:Mirror polished or brushed


PL106S-1

U 型拉手 U shape Handles

INOX AISI 3..

NEW






型号 代码	L	L1	L2
PL106S-1-L110	110	130	80
PL106S-1-L120	120	140	90
PL106S-1-L125	125	145	95
PL106S-1-L160	160	180	130
PL106S-1-L200	200	220	170
PL106S-1-L250	250	270	220

- 材质：不锈钢
- 表面处理：镜面抛光
- Material:Stainless steel hing
- Finish:Mirror polished or brushed

U 型拉手 U shape Handles

PL107S-1




型号 代码	L	L1	D	E	H	A	T	M	d	d1
PL107S-1-L80	80	118	10	104	42	16	5	M5	5.4	10.5
PL107S-1-L100	100	138		124						
PL107S-1-L110	110	148		134						
PL107S-1-L120	120	158		144						
PL107S-1-L125	125	163		149						
PL107S-1-L160	160	198		184						
PL107S-1-L200	200	238		224						
PL107S-1-L250	250	288		274						



- 材质：不锈钢
- 表面处理：镜面抛光
- Material:Stainless steel hing
- Finish:Mirror polished or brushed

U 型拉手 U shape Handles

PL108S-1



型号 代码	D	L	H	M	C
PL108S-1-L80	10	80	37	5	11
PL108S-1-L100		100			
PL108S-1-L110		110			
PL108S-1-L120		120			
PL108S-1-L125		125			
PL108S-1-L160		160			
PL108S-1-L200		200			
PL108S-1-L250		250			




- 材质：不锈钢
- 表面处理：镜面抛光
- Material:Stainless steel hing
- Finish:Mirror polished or brushed

PL109S

U 型拉手 U shape Handles






型号 代码	型号 L	B	H	L1	h	M
PL109S-1	100	22	42	138	27	M5
PL109S-2	150		44	190	29	

- 材质：不锈钢
- 表面处理：镜面抛光
- Material:Stainless steel hing
- Finish:Mirror polished or brushed

PL110S

U 型拉手 U shape Handles






型号 代码	型号 L	B	H	L1	h	h1
PL110S-1	100	22	42	139	22	27
PL110S-2	150		44	190	20	29

- 材质：不锈钢
- 表面处理：镜面抛光
- Material:Stainless steel hing
- Finish:Mirror polished or brushed

U 型拉手 U shape Handles

PL111S




型号 代码	型号 A	L	H	L1	B	h	M
PL111S-1-L100	12	100	40	108	8	10	5
PL111S-1-L120		120		128			



- 材质：不锈钢
- 表面处理：镜面抛光
- Material:Stainless steel hing
- Finish:Mirror polished or brushed

U 型拉手 U shape Handles

PL112S



型号 代码	型号 L	L1	A	B	H	h	M
PL112S-1-L100	100	110	16	10	35	6	5
PL112S-1-L120	120	130			40	8	



- 材质：不锈钢
- 表面处理：镜面抛光
- Material:Stainless steel hing
- Finish:Mirror polished or brushed


PL113S-1

可折叠式U拉手 Folding U-Shape Handles

INOX AISI 3..

NEW






- 材质：不锈钢
- 表面处理：镜面抛光
- Material:Stainless steel hing
- Finish:Mirror polished or brushed

型号 代码	L	D	D_1	H	h	A	T
PL113S-1-L100	100	9	12.8	49	19	77	4

嵌入式拉手 Pocket Pull



型号 代码	A	C	D	E	H	h	T	M	开孔尺寸 a	W	V
PL115S-1-L90	90	58	60	28	15	10	1.8	M4	74	45	61
PL115S-1-L120	120	86				10	1.8	M4	100	45	91
PL115S-1-L119	119	84.5				9	1.6	M5	100	40	90

PL115S

INOX AISI 3..

NEW



- 材质：不锈钢
- 表面处理：拉丝
- Material: stainless hinge,stainless steel pin
- Finish: drawing


PL114S-1

可折叠式U拉手 Folding U-Shape Handles

INOX AISI 3..

NEW






- 材质：不锈钢
- 表面处理：镜面抛光
- Material:Stainless steel hing
- Finish:Mirror polished or brushed

型号 代码	L	L_1	L_2	D	H	H_1	T	A	d
PL114S-1-L138	138	158	100	10	46	21	3	18	5.5
PL114S-1-L158	158	178	120						
PL114S-1-L180	180	200	142						
PL114S-1-L218	218	238	180						

嵌入式拉手 Pocket Pull



型号 代码	A	安装方式	C	D	E	H	h	T	M	开孔尺寸 a	W	V	P
PL116S-1	94	(螺杆型)	61	60	25	17	14	5		76	43	63	32
PL116S-2	109.5		67.5	64		19.5			M4	88	42	73	38
PL116S-3	138		96	88	35	26				110	64	99	65
PL116S-1A	94	(螺母型)	61	60	25	17	14	5		76	43	63	32
PL116S-2A	109.5		67.5	64		19.5			M4	88	42	73	38
PL116S-3A	138		96	88	35	26				110	64	99	65

PL116S

INOX AISI 3..

NEW




- 材质：不锈钢
- 表面处理：拉丝
- Material: stainless hinge,stainless steel pin
- Finish: drawing

DK110–1

搭扣 Latch up






- 材质：不锈钢
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing

型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK110–1		

DK111–1

搭扣 Latch up






- 材质：搭扣不锈钢,锁芯锌合金
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing

型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK111–1		


搭扣 Latch up



型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK112–1		

DK112–2

搭扣 Latch up



型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK112–2		

DK112–1



- 材质：不锈钢
- 表面处理：拉丝/镜面抛光
- Material: stainless steel
- Finsh: brushed / mirror polished

DK112–2




- 材质：不锈钢
- 表面处理：拉丝/镜面抛光
- Material: stainless steel
- Finsh: brushed / mirror polished

DK113–1

搭扣 Latch up






型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK113–1	98.4	00

- 材质：不锈钢
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing

DK113–2

搭扣 Latch up






型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK113–2	107	00


- 材质：不锈钢
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing

搭扣 Latch up




型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK114–1		

DK114–1



- 材质：不锈钢
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing

搭扣 Latch up



型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK114–2		

DK114–2




- 材质：不锈钢
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing


DK115–1

INOX AISI 3..

NEW



搭扣 Latch up



型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK115–1		

- 材质：不锈钢
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing


DK115–1G

INOX AISI 3..

NEW




搭扣 Latch up



型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK115–1G		

- 材质：不锈钢
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing

搭扣 Latch up



型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK115–2		

DK115–2


INOX AISI 3..

NEW



- 材质：不锈钢
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing

搭扣 Latch up



型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK115–3		

DK115–3

INOX AISI 3..

NEW



- 材质：不锈钢
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing


DK116-1

INOX AISI 3..

NEW



搭扣 Latch up




型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK116-1		

- 材质：不锈钢
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing


DK116-1G

INOX AISI 3..

NEW




搭扣 Latch up



型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK116-1G		

- 材质：不锈钢
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing

搭扣 Latch up




型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK116-2		

DK116-2


INOX AISI 3..

NEW



- 材质：不锈钢
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing

搭扣 Latch up




型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK116-2G		

DK116-2G

INOX AISI 3..

NEW



- 材质：不锈钢
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing

DK117–1


INOX AISI 3..

NEW



- 材质：不锈钢
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing

搭扣 Latch up



型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK117–1		

DK118–1


INOX AISI 3..

NEW




- 材质：不锈钢
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing

搭扣 Latch up



型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK118–1		

搭扣 Latch up



型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK118–1G		

DK118–2G


INOX AISI 3..

NEW



- 材质：不锈钢
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing

搭扣 Latch up



型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK118–2G		


DK119–1

INOX AISI 3..

NEW



搭扣 Latch up



- 材质：不锈钢
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing

型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK119–1		


DK119–2

INOX AISI 3..

NEW




搭扣 Latch up



- 材质：不锈钢
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing


型号 Product no.	产品单重(g) Weight	装箱数 Lot
DK119–2		

搭扣 Latch up



型号 Product no.	产品单重(g) Weight	装箱数 Lot
DKS103-2	62.5	400

搭扣 Latch up



型号 Product no.	产品单重(g) Weight	装箱数 Lot
DKS104–2	41	400

DKS103–2

INOX AISI 3..



- 材质：不锈钢
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing

DKS104–2

INOX AISI 3..



- 材质：不锈钢
- 表面处理：振光研磨
- Material: stainless steel
- Finsh: Vibrating polishing

产品索引 Product Index

产品型号	页码
A 拉手系列 Handles series	
PL001–1	A001
PL001–2	A001
PL002–1	A003
PL002–2	A003
PL003–1	A004
PL003–2	A004
PL004–1	A009
PL004–2	A009
PL004–3	A009
PL004–4	A009
PL004–4	A009
PL004–5	A009
PL005	A001
PL005–2	A002
PL006	A011
PL006–2	A011
PL007	A012
PL009–1	A005
PL009–2	A005
PL011	A006
PL012	A006
PL019–1	A010
PL019–2	A010
PL019–3	A010
PL019–4	A010
PL020–1	A017
PL021	A015
PL021–1K	A015
PL021–2K	A015
PL021–3–1	A015
PL021–3–2	A015
PL022R	A016

产品型号	页码
A 拉手系列 Handles series	
PL022L	A016
PL025	A007
PL026	A012
PL027	A007
PL029–2L	A016
PL029–2R	A016
PL033	A008
PL034	A008
PL036	A011
PL037	A010
PL038	A013
PL039	A009
PL041–1	A014
PL041–2	A014
PL042	A013
PL043–1	A017
MS3004Z–1–1	A018

产品型号	页码
B 平面锁系列 Plane lock series	
AB102–1–1	B004
AB102–1–2	B004
AB102–2–1	B004
AB102–2–2	B004
AB102–3–1	B004
AB201–1–1	B013
AB201–1–2	B013
AB2011Z–1–1	B047
AB201–2–1	B013
AB201–2–2	B013
AB2012Z–1–1	B047
AB201–3–1	B013
AB201–3–2	B013
AB2013Z–1–1	B048
AB2013Z–1–2	B048
AB2015Z–1–1	B059
AB2016Z–1–1	B015
AB2016Z–2–1	B015
AB2016Z–3–1	B015
AB202–1–1	B016
AB202–2–1	B016
AB202–3–1	B016
AB301–1–1	B001
AB301–1–1G	B001
AB301–2–1	B001
AB301–2A–1G	B002
AB301–3–1	B001
AB301–3A–1	B001
AB301–3B–1	B002
AB302–1–1	B003
AB302–2–1	B003
AB302–3–1	B003

产品型号	页码
B 平面锁系列 Plane lock series	
AB401–1–1	B017
AB401–1–2	B017
AB401–2–1	B017
AB401–2–2	B017
AB401–3–1	B017
AB401–3–2	B017
AB402–1–1	B014
AB402–1–2	B014
AB402–2–1	B014
AB402–2–2	B014
AB402–3–1	B014
AB402–3–2	B014
AB5011Z–1–1	B018
AB5012Z–1–1	B018
AB2013Z–1–1	B018
MS100–1–1A	B029
MS100–2–1	B029
MS104C–1–1	B005
MS104C–1–1A	B005
MS104C–1–1AG	B006
MS104C–1–1G	B006
MS104C–2–1	B005
MS104C–2–1A	B005
MS104C–2–1AG	B006
MS104C–2–1G	B006
MS104C–3–1	B005
MS104C–3–1A	B005
MS104C–3–1AG	B006
MS104C–3–1G	B006
MS104C–4–1	B007
MS104R/L	B007
MS106–1–1	B041

产品型号	页码
B 平面锁系列 Plane lock series	
MS106–1–2	B041
MS106–1–3	B041
MS106–1–4	B041
MS106–1A–2	B042
MS106–2–1	B041
MS106–2–2	B041
MS106–2–3	B041
MS106–2–4	B041
MS106–3–1	B041
MS106–3–2	B041
MS106–3–3	B041
MS106–3–4	B041
MS106–4–1	B041
MS106–4–2	B041
MS106–4–3	B041
MS106–4–4	B041
MS106–5–1	B042
MS4008Z–1–1	B012
MS4090Z–1–1	B012
MS480–1–1	B010
MS480–1–2	B010
MS480–2–1	B011
MS480–2–1Y	B011
MS480–2–2	B011
MS480–2–2Y	B011
MS480–2A–1	B011
MS480–2A–1Y	B011
MS480–2A–1Y	B011
MS480–2A–2	B011
MS480–2A–2Y	B011
MS480–2AC–1	B011
MS480–2AC–1Y	B011

产品型号	页码
B 平面锁系列 Plane lock series	
MS480–2B–1	B011
MS480–2B–1Y	B011
MS480–2C–1	B011
MS480–2C–1Y	B011
MS501–2–1R	B049
MS501–2–1L	B049
MS502–1–1L	B050
MS502–1–1R	B050
MS502–2–1R	B054
MS502–2–1W	B054
MS502–2–2R	B054
MS502–2–2W	B054
MS503–1–1L	B052
MS503–1–1R	B052
MS503–1–2AL	B051
MS503–1–2AR	B051
MS503–1–2L	B051
MS503–1–2R	B051
MS504–1–1	B048
MS504–1–2	B048
MS504–1–1A	B048
MS505–1–1L	B027
MS505–1–1R	B027
MS505–1–2L	B027
MS505–1–2R	B027
MS506	B049
MS507–1–1	B054
MS507–1–2	B054
MS507–2–1	B054
MS507–2–2	B054
MS508	B028
MS510–1–1	B052

产品索引 Product Index

产品型号	页码
B 平面锁系列 Plane lock series	
MS510–1–2B	B053
MS510–1–2	B052
MS510–2–2	B053
MS511	B025
MS6003Z–2–1	B057
MS6003Z–2–2	B057
MS601–3–1	B055
MS601–3–2	B055
MS6015Z–1–3	B021
MS6016Z–1–3	B021
MS6017Z–1–1	B022
MS6018Z–1–1	B045
MS6018Z–2–1	B045
MS6018Z–2–1A	B045
MS6019Z–1–1	B022
MS6019Z–1–1G	B022
MS6019Z–1A–1	B023
MS6019Z–1A–1G	B023
MS6020S–1–1	B024
MS6020Z–1–1	B023
MS6020Z–1–1G	B023
MS6020Z–1A–1	B024
MS6020Z–1A–1G	B024
MS6021Z–1–1	B025
MS6022Z–1–1	B008
MS6022Z–2–1	B008
MS6022Z–3–1	B009
MS602–3–1	B055
MS6023S–1–1	B010
MS6023S–1–1G	B010
MS6023Z–1–1	B009
MS6023Z–1–1G	B009

产品型号	页码
B 平面锁系列 Plane lock series	
MS6024P–2–1	B028
MS603–2A–1R	B056
MS603–2A–1W	B056
MS603–2A–2R	B056
MS603–2A–2W	B056
MS603–3–1R	B057
MS603–3–1W	B057
MS603–3–2R	B057
MS603–3–2W	B057
MS606–1–1	B043
MS606–1–1A	B043
MS606–1–2	B043
MS606–1–2A	B043
MS606–1–2P	B043
MS6061–3–1	B043
MS6061–3–2	B043
MS606–2–1	B043
MS606–2–2P	B043
MS607–1–1	B019
MS607–2–1	B019
MS607–3–1	B019
MS609–1–1	B046
MS609–1–2	B046
MS609–1A–1	B046
MS609–1A–2	B046
MS609–1B–1	B046
MS609–1B–2	B046
MS609–1D–1	B046
MS609–1D–2	B046
MS610–1–1	B058
MS610–2–1	B058
MS610–3–1	B058

产品型号	页码
B 平面锁系列 Plane lock series	
MS610–3–2	B058
MS612–1–1	B044
MS701	B050
MS703	B059
MS716–1–1	B026
MS716–2–1	B026
MS751–1–1	B020
MS751–2–1	B020
MS751–3–1	B020
MS8010–1–1	B039
MS8012Z–1–1	B039
MS8013Z–1–1	B040
MS8016Z–1–1	B040
MS820–1–1A	B030
MS820–1–1AG	B030
MS820–1–1B	B030
MS820–1–1BG	B030
MS820–1–1C	B030
MS820–1–1CG	B030
MS820–1–1D	B030
MS820–1–1DG	B030
MS820–2–1B	B031
MS820–2–1C	B031
MS820–2–1D	B031
MS821–1–1A	B032
MS821–2–1A	B033
MS821–1–1AG	B032
MS821–1–1B	B032
MS821–1–1BG	B032
MS821–1–1C	B032
MS821–1–1CG	B032
MS821–1–1D	B032

产品型号	页码
B 平面锁系列 Plane lock series	
MS821–1–1DG	B032
MS821–2–1DG	B033
MS821–2–1AG	B033
MS821–2–1B	B033
MS821–2–1BG	B033
MS821–2–1C	B033
MS821–2–1CG	B033
MS821–2–1D	B033
MS821–3–1A	B034
MS821–3–1B	B034
MS826–1–1	B035
MS826–1A–1	B035
MS826–1B–1	B035
MS826–1G–1	B035
MS826–2–1	B036
MS826–3–1	B036
MS834–1–1	B038
MS836–1–1	B037
MS837–1–1	B037
MS838–1	B038
MS838–1S	B038
MS845–1–1	B034
MSZ–01	B060
MSZ–02	B060
MSZ–03	B060

产品型号	页码
B 平面锁系列 Plane lock series	

产品型号	页码
C 连杆锁系列 Rod control series	
MS1002Z–1–1	C039
MS100–3–1B	C005
MS100–3–1BG	C006
MS100–3–1BGN	C006
MS100–3–1BN	C005
MS100–3–1E	C001
MS100–3–1EG	C002
MS100–3–1EGN	C002
MS100–3–1EN	C001
MS100–3–2B	C007
MS100–3–2BG	C008
MS100–3–2BGN	C008
MS100–3–2BN	C007
MS100–3–2E	C003
MS100–3–3B	C009
MS100–3–3BG	C010
MS100–3–3BGN	C010
MS100–3–3BN	C009
MS100–3–3EG	C004
MS100–3–3EGN	C004
MS100–3–3EN	C003
MS100–3A–1B	C015
MS100–3A–1BG	C016
MS100–3A–1BGN	C016
MS100–3A–1BN	C015
MS100–3A–1E	C011
MS100–3A–1EG	C012
MS100–3A–1EGN	C012
MS100–3A–1EN	C011
MS100–3A–2B	C017
MS100–3A–2BG	C018
MS100–3A–2BGN	C018

产品索引 Product Index

产品型号	页码
C 连杆锁系列 Rod control series	
MS100–3A–2BN	C017
MS100–3A–3B	C019
MS100–3A–3BG	C020
MS100–3A–3BGN	C020
MS100–3A–3BN	C019
MS100–3A–3E	C013
MS100–3A–3EG	C014
MS100–3A–3EGN	C014
MS100–3A–3EN	C013
MS100–3S–1	C021
MS100–3S–2	C022
MS100–4–1	C023
MS102–1	C039
MS102C	C040
MS103–1–1	C067
MS103–2–1	C067
MS103–3–1	C067
MS103C–1	C040
MS103D–1–2	C041
MS103D–2–1	C041
MS3005Z–1–1	C043
MS3005Z–1–1G	C043
MS4008Z–2–1	C061
MS4008Z–2–1A	C061
MS4008Z–2–1B	C061
MS4008Z–2–1C	C061
MS4008Z–2–1D	C061
MS4008Z–2–2	C062
MS4008Z–2–2A	C062
MS4008Z–2–2B	C062
MS4008Z–2–2C	C062
MS4008Z–2–2D	C062

产品型号	页码
C 连杆锁系列 Rod control series	
MS4008Z–2–3	C063
MS4008Z–2–3A	C063
MS4008Z–2–3B	C063
MS4008Z–2–3C	C063
MS4008Z–2–3D	C063
MS4008Z–2G–1	C061
MS4008Z–2G–1A	C061
MS4008Z–2G–1B	C061
MS4008Z–2G–1C	C061
MS4008Z–2G–1D	C061
MS4008Z–2G–2	C062
MS4008Z–2G–2A	C062
MS4008Z–2G–2B	C062
MS4008Z–2G–2C	C062
MS4008Z–2G–2D	C062
MS4008Z–2G–3	C063
MS4008Z–2G–3A	C063
MS4008Z–2G–3B	C063
MS4008Z–2G–3C	C063
MS4008Z–2G–3D	C063
MS4085Z–1–1	C064
MS4085Z–1G–1	C064
MS4086Z–1–1B	C057
MS4086Z–1–1C	C057
MS4086Z–1–1D	C057
MS4087Z–3–3	C058
MS4087Z–3A–3	C059
MS4089Z–1–3	C071
MS4092P–1–1	C024
MS460–1–1	C045
MS460–1–1G	C045
MS460–2–1	C045

产品型号	页码
C 连杆锁系列 Rod control series	
MS460–3–3	C046
MS460–3–3A	C046
MS461–1–1	C051
MS461–2–1	C051
MS462–1–1	C052
MS462–2–1	C052
MS463–1–1A	C047
MS463–1–1AG	C047
MS463–1–1B	C047
MS463–1–1BG	C047
MS463–1–2A	C048
MS463–1–2AG	C048
MS463–1–2B	C048
MS463–1–2BG	C048
MS463–1–3A	C049
MS463–1–3AG	C049
MS463–1–3B	C049
MS463–1–3BG	C049
MS463–2–1	C050
MS463–2–3	C050
MS483–1–1	C055
MS483–1–2	C055
MS484–1–1	C056
MS486–1–1	C060
MS486–2–1	C060
MS486–3–1	C060
MS730–1	C044
MS730–3	C044
MS732–1–1	C054
MS732–2–1	C053
MS741–1–1	C065
MS741–1–1G	C065

产品型号	页码
C 连杆锁系列 Rod control series	
MS741–2–1	C065
MS742–1–1	C065
MS742–2–1	C065
MS743–1–1	C066
MS743–1–1G	C066
MS743–2–1	C066
MS744–1–1	C066
MS744–2–1	C066
MS744–3–1	C066
MS761–1–1	C068
MS761–2–1	C068
MS8007Z–1–1	C075
MS8009Z–1–1	C076
MS822–1–1B	C027
MS822–1–2D	C028
MS824–1–1	C025
MS824–1–2	C026
MS824–1–3	C026
MS827–1–1	C037
MS828–1–1	C038
MS828–2–1	C038
MS829	C042
MS829WT	C042
MS832–1–1B	C033
MS832–1–1BG	C034
MS832–1–2B	C035
MS832–1–3BG	C036
MS833–1–3	C069
MS833–1–3G	C069
MS835–1–1	C070
MS835–2–1	C070
MS837–1–3	C072

产品型号	页码
C 连杆锁系列 Rod control series	
MS843–1–2	C073
MS8460P–1–1L	C029
MS8460P–1–1R	C029
MS8460P–1–2	C030
MS8460P–1–3	C030
MS8460P–2–1BR	C031
MS8460P–2–1CR	C031
MS8460P–2–1DR	C031
MS8460P–2–2B	C032
MS8460P–2–3B	C032
MS8491Z–1–2	C074

产品型号	页码
D 面板锁系列 Plane lock series	
MS5093Z–1–3	D005
MS5093Z–2–3	D005
MS731–1–1	D006
MS731–1–2	D006
MS5094Z–1–1	D006
MS738–1–1	D003
MS739–2	D004
MS739–2–2	D004
MS739–2P–1	D004
MS739–2P–2	D004
MS739–3	D004
MS830–1	D007
MS830–2	D007
MS830–3	D007
MS839	D003
MS9007Z–3	D010
MS901	D009
MS902	D009
MS903–1	B008
MS904–1	D008
MSH–01	D001
MSH–02	D001
MSH–03	D002
MSH–04	D002

产品索引 Product Index

产品型号 页码

E 执手锁系列
Handle lock series

A19–1–1 ---------- E005
A19–1–2 ---------- E005
A2055 ---------- E006
A2056 ---------- E006
A2056–1–2 ---------- E006
A2056–2 ---------- E006
A2056–3 ---------- E006
A2057 ---------- E004
A45–1–1 ---------- E005
A45–1–2 ---------- E005
AB701–1–1 ---------- E007
AB701–1–2 ---------- E007
AB701–1–2G ---------- E007
AB701–2–1 ---------- E007
AB701–2–2 ---------- E007
AB701–2–2G ---------- E007
AB701–3–1 ---------- E007
AB701–3–2 ---------- E007
AB701–3–2G ---------- E007
AB702S–1–1 ---------- E008
AB702S–1–2 ---------- E008
AB803 ---------- E020
MS101–1–1 ---------- E001
MS101–1–2 ---------- E012
MS107–1–1 ---------- E009
MS108–1–1 ---------- E010
MS108–2–1 ---------- E010
MS109–1–1 ---------- E011
MS110–1–1 ---------- E011
MS111–1–1 ---------- E009
MS301–1–1 ---------- E013
MS301–1–2 ---------- E013

产品型号 页码

E 执手锁系列
Handle lock series

MS301–2–1 ---------- E014
MS301–2–2 ---------- E014
MS302–1–1 ---------- E020
MS302–1–2 ---------- E020
MS303–1–1 ---------- E013
MS303–1–2 ---------- E013
MS303–2–1 ---------- E013
MS303–2–2 ---------- E013
MS304–1–1 ---------- E014
MS304–1–2 ---------- E014
MS304–2–1 ---------- E014
MS304–2–2 ---------- E014
MS305–1–1 ---------- E015
MS305–2–1 ---------- E015
MS306–1–1 ---------- E016
MS306–1–1L ---------- E016
MS306–1–1R ---------- E016
MS306–1A–1 ---------- E015
MS306–1A–1L ---------- E015
MS306–1A–1R ---------- E015
MS306–2–1 ---------- E016
MS306–2–1L---------- E016
MS306–2–1R ---------- E016
MS308–1–1 ---------- E017
MS308–1–1L ---------- E017
MS308–1–1R ---------- E017
MS308–2–1 ---------- E017
MS308–2–1L ---------- E017
MS308–2–1R ---------- E017
MS308–2A–1L ---------- E018
MS308–2A–1R ---------- E018
MS309–1 ---------- E019

产品型号 页码

E 执手锁系列
Handle lock series

MS309–2 ---------- E019
MS310–1–1 ---------- E017
MS310–1–2 ---------- E017
MS314–1–1 ---------- E001
MS314–1AG–1R/L ---------- E003
MS314–1AG–2R/L ---------- E003
MS314–1S–1 ---------- E002
MS314–1S–2 ---------- E002
MS314–2S–1 ---------- E002
MS314–2S–1 ---------- E002
MS315–1–1 ---------- E004
MS316–1–1 ---------- E003
MS318–1–1 ---------- E018
MS318–1–2 ---------- E018
MS319–1 ---------- E012

产品型号 页码

F 转舌锁系列
Cam lock seies

A99–1 ---------- F001
A99–2 ---------- F001
A99–3 ---------- F001
AB7006Z–1–1 ---------- F002
AB7007Z–1–1 ---------- F002
GCS ---------- F054
GGD–1 ---------- F053
GGD–2 ---------- F053
MS1003Z–1–1 ---------- F055
MS200 ---------- F054
MS238–1–1 ---------- F001
MS238–1–2 ---------- F001
MS238–1A–1 ---------- F001
MS401–1 ---------- F003
MS401–2 ---------- F003
MS402–1 ---------- F003
MS402–2 ---------- F003
MS402–3 ---------- F003
MS403–1 ---------- F004
MS403–2 ---------- F004
MS403–2GT ---------- F004
MS404–1–2 ---------- F055
MS405–1–1 ---------- F009
MS406 ---------- F056
MS407–1 ---------- F005
MS407–1A ---------- F005
MS407–1C ---------- F005
MS407–1CA ---------- F005
MS407–1CT ---------- F005
MS407–1T ---------- F005
MS407–2 ---------- F005
MS408–1–1 ---------- F006

产品型号 页码

F 转舌锁系列
Cam lock seies

MS408–1–1T ---------- F006
MS408–1–2 ---------- F006
MS408–2–1 ---------- F006
MS408–3–1 ---------- F007
MS409–1 ---------- F019
MS409–2 ---------- F019
MS410 ---------- F011
MS410C ---------- F011
MS411 ---------- F011
MS411C ---------- F011
MS412 ---------- F056
MS413F ---------- F012
MS413Y ---------- F012
MS414 ---------- F057
MS415 ---------- F012
MS416 ---------- F013
MS417 ---------- F013
MS418 ---------- F061
MS424 ---------- F057
MS425–1–1 ---------- F015
MS425–1–1JC ---------- F015
MS425–2–1 ---------- F015
MS425–2–1JC ---------- F015
MS426–1–1 ---------- F027
MS427 ---------- F016
MS428 ---------- F016
MS429 ---------- F061
MS430–1–1 ---------- F018
MS431–1–1 ---------- F062
MS432–1 ---------- F017
MS433 ---------- F058
MS434 ---------- F058

产品型号 页码

F 转舌锁系列
Cam lock seies

MS438–1–1 ---------- F014
MS438–1A–1 ---------- F014
MS439–1–1 ---------- F020
MS440–1–1 ---------- F020
MS441–1–1 ---------- F015
MS518 ---------- F045
MS613–1–1 ---------- F052
MS613–2–1 ---------- F052
MS614–1–1 ---------- F052
MS702 ---------- F027
MS704–1 ---------- F028
MS704–2 ---------- F028
MS704–3 ---------- F028
MS704–4 ---------- F028
MS704–5 ---------- F028
MS705–1–1 ---------- F029
MS705–1–2 ---------- F029
MS705–1–3 ---------- F029
MS705–2–1 ---------- F030
MS705–2–2 ---------- F030
MS705–2–3 ---------- F030
MS705–2S–1 ---------- F031
MS705–2S–1A ---------- F032
MS705–2S–2 ---------- F031
MS705–2S–2A ---------- F032
MS705–2S–3 ---------- F031
MS705–2S–3A ---------- F032
MS705–2S–4 ---------- F031
MS705–2S–4A ---------- F032
MS705–3 ---------- F035
MS705–4 ---------- F035
MS705–5–1 ---------- F036

产品索引 Product Index

产品型号	页码
F 转舌锁系列 Cam lock seies	
MS705–5–2	F036
MS705–5–3	F036
MS705–5–4	F036
MS705–7	F036
MS705–8–1	F037
MS706	F059
MS7060P–2–1	F037
MS706–2–1	F033
MS706–2–2	F033
MS706–2–3	F033
MS706–2–4	F033
MS706–2–5	F033
MS7062Z–1–1L	F063
MS7062Z–1–1R	F063
MS7062Z–1A–1R	F063
MS706–3–1	F034
MS706–3–2	F034
MS706–3–3	F034
MS706–3–4	F034
MS706–3–5	F034
MS706–3–6	F034
MS7063Z–1–1L	F063
MS7064Z–1–1	F044
MS7065Z–1–1	F064
MS7066Z–1–1	F004
MS7067Z–1–1	F004
MS7068Z–1–1	F007
MS7069Z–1–1	F018
MS7069Z–1A–1	F018
MS707	F028
MS7070Z–1–1	F019
MS7071Z–1–1	F066

产品型号	页码
F 转舌锁系列 Cam lock seies	
MS7072Z–1–1	F008
MS7074Z–1–1	F041
MS7075S–1–1	F066
MS7076Z–1–1	F038
MS7077Z–1–1	F039
MS7079–2–1	F009
MS708–1–1	F039
MS7081Z–1–1	F008
MS7082Z–1–1	F062
MS710	F041
MS711–1–1L	F067
MS711–1–1R	F067
MS711–2–1	F042
MS711–3–1	F042
MS711–5–1	F067
MS712–1	F065
MS712–2	F065
MS713–1	F043
MS714	F071
MS715–1–1	F073
MS715–1–2	F073
MS717–3	F043
MS717–4	F043
MS718	F048
MS719–1	F044
MS720–1–2	F038
MS720–1–3	F038
MS720–1–4	F038
MS721	F010
MS721–1S–1	F010
MS722	F059
MS722–2–1	F060

产品型号	页码
F 转舌锁系列 Cam lock seies	
MS724	F040
MS725	F040
MS726	F047
MS727	F048
MS728–1–1	F071
MS728–2–1	F072
MS728–2–2	F072
MS729–1–1	F047
MS737–1–1	F051
MS750–1	F022
MS814	F074
MS815–1	F046
MS815–1A	F046
MS815–2	F046
MS815–2A	F046
MS815–3	F046
MS815–3A	F046
MS815–4	F046
MS815–5	F046
MS815–5A	F046
MS816–1	F068
MS816–2–1L	F069
MS816–2–1R	F069
MS816–2–2L	F069
MS816–2–2R	F069
MS816–3	F068
MS816–4	F074
MS817–2A–1	F065
MS817–3	F064
MS817–4	F064
MS818–1	F021
MS818–2	F021

产品型号	页码
F 转舌锁系列 Cam lock seies	
MS819	F022
MS839–1A	F017
MS–A–172–1	F049
MS–A–172–3	F049
MS–A–400	F023
MS–A–400D	F023
MS–A–401	F045
MS–A–402	F050
MS–A–402T	F050
MS–A–403	F024
MS–A–404	F051
MS–W400–1	F024
MS–W400–2A	F025
MS–W400–2B	F025
MS–W400–2D	F026
MS–W400–6	F026

产品型号	页码
G 铰链系列 Hinge series	
HL001–1	G041
HL001–2	G041
HL002L	G029
HL002R	G029
HL003–1	G041
HL003–2	G041
HL003–2S	G041
HL004–1	G042
HL004–2	G042
HL004–3	G042
HL005	G055
HL006L–1	G042
HL006L–2	G042
HL006R–1	G042
HL006R–2	G042
HL007–1	G074
HL007–2	G074
HL008–1	G043
HL008–2	G043
HL009–1A	G001
HL009–2	G001
HL010	G071
HL011–1	G071
HL011–1A	G071
HL011–2	G071
HL012	G063
HL013	G027
HL015	G044
HL016	G044
HL017–1	G045
HL017–2	G045
HL018–1	G055

产品型号	页码
G 铰链系列 Hinge series	
HL019L	G029
HL019R	G029
HL020	G063
HL021–1	G002
HL021–2	G002
HL021–2A	G002
HL022	G056
HL023–1	G009
HL023–1Z	G037
HL023–2	G009
HL023–2Z	G037
HL023–3	G009
HL023–3Z	G037
HL024	G064
HL025–1	G064
HL025–2	G065
HL026	G045
HL027	G056
HL028	G057
HL029–1	G065
HL029–2	G065
HL029–3	G066
HL030	G058
HL031	G034
HL032	G057
HL033–1R	G046
HL033–2R	G046
HL034–1	G075
HL034–2	G075
HL035–1AL	G085
HL035–1AR	G085
HL035–1BL	G086

产品索引 Product Index

产品型号	页码
G 铰链系列 Hinge series	
HL035–1L	G085
HL035–1BR	G086
HL035–1R	G085
HL035–2L	G085
HL035–2R	G085
HL036–1	G072
HL036–2	G072
HL037	G087
HL038	G025
HL039	G066
HL040	G076
HL041–1	G020
HL042	G007
HL043	G076
HL044–1	G043
HL044–1B	G043
HL044–7	G043
HL045	G007
HL046	G051
HL047	G051
HL047–2	G052
HL048	G079
HL049–1	G083
HL050–1	G003
HL050–1G	G003
HL050–1S	G003
HL050–2	G003
HL050–2A	G005
HL050–2B	G005
HL050–2G	G003
HL050–2GS	G003
HL050–2S	G003

产品型号	页码
G铰链系列 Hinge series	
HL050–3	G003
HL050–3S	G003
HL051–1	G004
HL051–1A	G004
HL051–2	G004
HL051–3	G004
HL052	G030
HL053	G052
HL054	G010
HL055–1	G011
HL055–2	G011
HL056	G037
HL057–1	G059
HL057–1A	G059
HL057–2	G059
HL058–1	G008
HL058–2	G008
HL058–3	G008
HL059	G023
HL060	G079
HL061	G067
HL062	G053
HL063–1	G013
HL063–2	G013
HL063–3	G013
HL064–1	G068
HL064–2	G068
HL065	G027
HL066	G060
HL068–1	G080
HL068–2	G080
HL069–1	G033

产品型号	页码
G铰链系列 Hinge series	
HL069–2	G033
HL070	G013
HL071–1	G015
HL071–2	G015
HL071–3	G015
HL072–1	G014
HL072–2	G014
HL072–3	G014
HL073	G046
HL074	G025
HL075–1	G060
HL076	G017
HL077	G014
HL078	G072
HL079	G035
HL080	G061
HL081	G030
HL082	G080
HL082S	G080
HL083–1	G077
HL084	G020
HL085	G061
HL086	G026
HL087–1	G016
HL087–2	G016
HL087–3	G016
HL088–1L	G036
HL088–1R	G036
HL088–2L	G036
HL088–2R	G036
HL089	G047
HL089–2A	G047

产品型号	页码
G铰链系列 Hinge series	
HL090	G073
HL091–1	G008
HL091–2	G008
HL092	G081
HL092S	G081
HL093L	G031
HL093R	G031
HL094	G017
HL095	G073
HL096–1	G009
HL096–2	G009
HL096–3	G009
HL097	G062
HL098	G018
HL099	G018
HL101	G026
HL102	G024
HL103–1	G069
HL103–1A	G069
HL103–2	G069
HL104	G036
HL105	G023
HL106	G021
HL107–2	G062
HL108	G078
HL109	G081
HL110	G087
HL111–1	G028
HL114	G022
HL115–1	G012
HL115–2	G012
HL116	G019

产品型号	页码
G铰链系列 Hinge series	
HL117	G088
HL118	G012
HL119	G084
HL120	G032
HL121	G019
HL122	G078
HL123	G053
HL124–1R	G038
HL124–2R	G038
HL125	G077
HL126–1	G067
HL126–2	G067
HL127	G035
HL128	G084
HL129–1	G082
HL130–2	G048
HL131SL/R	G021
HL132	G070
HL133	G006
HL133S	G006
HL134	G070
HL135	G002
HL136–1	G049
HL136–2	G049
HL137	G049
HL139	G031
HL140	G088
HL141L	G032
HL141R	G032
HL142–1	G082
HL143–1	G022
HL145–1	G028

产品型号	页码
G铰链系列 Hinge series	
HL146-1	G083
HL147-1	G083
HL149-1L	G086
HL149-1R	G086
HL150-1	G050
HL151–1S	G011
HL151–2S	G011
HL153S	G024
HL157-1L	G034
HL157-1R	G034
HL161-1	G039

产品索引 Product Index

产品型号	页码
H 搭扣锁系列 Toggle lock series	
DK102	H002
DKS103–2	H002
DKS104–2	H002
DKS–1–1	H001
DKS–1–2	H001
DKS–2–1	H001
DKS–2–2	H001
MS733–1	H003
MS733–2	H003
MS733–2B	H003
MS733–3	H003
MS9008P–1–1	H004
MS9008P–1–2	H004

产品型号	页码
I 门销系列 Door bolt series	
MX01	I001
MX02L	I001
MX02R	I001
MX03–1	I002
MX03–2	I002
MX04	I002
MX05	I003
MX06	I003
MX07–1	I004
MX07–2	I004
MX07–3	I004
MX08	I004

产品型号	页码
J 电子锁系列 Electronic lock series	
MS8017Z–1–1	J001~J008

Product Index 产品索引

产品型号	页码
K 密封条系列 Gasketing series	
MF–001	K016
MF–002	K016
MF–003	K016
MF–004	K017
MF–005	K017
MF–006	K017
MF–007	K017
MF–008	K018
MF–009	K018
MF–010	K018
MF–011	K018
MF–012	K019
MF–013	K019
MF–014	K019
MF–015	K019
MF–016	K020
MF–017	K020
MF–018	K020
MF–019	K021
MF–020	K021
MF–021	K021
MF–022	K021
MF–023	K022
MF–024	K022
MF–025	K022
MF–026	K022
MF–027	K023
MF–028	K023
MF–029	K023
MF–030	K023
MF–031	K024
MF–032	K024

产品型号	页码
K 密封条系列 Gasketing series	
MFT–001	K011
MFT–002	K011
MFT–003	K011
MFT–004	K025
MFT–005	K011
MFT–006	K012
MFT–007	K012
MFT–008	K012
MFT–009	K012
MFT–010	K013
MFT–011	K013
MFT–012	K013
MFT–013	K013
MFT–014	K014
MFT–015	K014
MFT–016	K025
MFT–017	K014
MFT–018	K014
MFT–019	K015
MFT–020	K015
MFT–021	K015
MFT–022	K015
MFT–023	K016
MFT–024	K025
MFT–025	K025
MFT–026	K026
MFT–027	K026
MFT–028	K026
MFT–029	K026
MFT–030	K027
MFT–031	K027
MFT–032	K027

产品型号	页码
K 密封条系列 Gasketing series	
MFT–033	K027
MFT–034	K028
MFT–035	K028
MFT–036	K028
MFT–037	K028
MFT–038	K029
MFT–039	K029
MFT–040	K029
MFT–041	K029
MFT–042	K030
MFT–043	K030
MFT–044	K030
MFT–045	K030
MFT–046	K031
MFT–047	K031
MFT–048	K031
MFT–049	K031
MFT–050	K032
MFT–051	K032
MFT–052	K032
MFT–053	K032
MFT–054	K033
MFT–055	K033
MFT–056	K033
MFT–057	K033
MFT–058	K034
MFT–059	K034
MFT–060	K034
MFT–061	K034
MFT–062	K035
MFT–063	K035
MFT–064	K035

产品型号	页码
K 密封条系列 Gasketing series	
MFT–065	K035
MFT–066	K036
MFT–067	K036
MFT–068	K036
MFT–069	K036
MFT–070	K037
MFT–071	K037
MFT–072	K037
MFT–073	K037
MFT–074	K038
MFT–075	K038
MFT–076	K038
MFT–077	K038
MFT–078	K039
MFT–079	K040
MFT–080	K040
MFT–081	K040
MFT–082	K040
MFT–083	K040
MFT–084	K040
MFT–085	K040
MFT–086	K040
MFT–087	K040
MFT–088	K040
MFT–089	K040
MFT–090	K040
MFT–091	K040
MFT–092	K040
MFT–093	K040
MFT–094	K040
MFT–095	K040
MFT–096	K040

产品型号	页码
K 密封条系列 Gasketing series	
MFT–097	K040
MFT–098	K040
MFT–099	K040
MFT–100	K040
MFT–101	K040
MFT–102	K040
MFT–103	K040
MFT–104	K040
MFT–105	K040
MFT–106	K040
MFT–107	K040
MFT–108	K040
MFT–109	K040
MFT–110	K040
MFT–111	K039
MFT–112	K039
MFT–113	K039
MFT–114	K039
MFT–115	K039
MFT–116	K039
MFT–117	K039
MFT–118	K039
MFT–119	K041
MFT–120	K041
MFT–121	K041
MFT–122	K041
MFT–123	K041
MFT–124~128	K041
MFT–129~138	K042
MFT–139~150	K041

产品型号	页码
L限位系列 Door stop series	
XW02–1L	L001
XW02–1R	L001
XW03–1L	L001
XW03–1R	L001
XW04–1L	L002
XW04–1L	L002
XW05–1L	L003
XW05–1R	L003
XW05–2L	L003
XW05–2R	L003
XW06–1L	L004
XW06–1R	L004
XW07–1L	L004
XW07–1R	L004
XW08–1	L005
XW08–1S	L005
XW08–2	L005
XW08–2S	L005
XW09–1	L006
XW09–1S	L006
XW10–1	L007
XW10–2	L007
XW11–1	L008
XW11–2	L008

产品型号	页码
M附件系列 Accessories series	
FJ01	M005
LG(拉杆)	M017–M026
MB01	M013
MB02	M014
MB03	M015
MB04	M016
PT01–1	M005
PT01–2	M006
PT02	M006
RA01	M011
RA02	M012
RA03	M012
RG01–1	M007
RG01–2	M007
RG01–3	M007
RG03–1	M007
RG03–2	M007
RG03–3	M008
RG04	M008
RG05	M009
RG06	M009
RG08–2	M010
RG10	M010
RG11	M011
吊环（DH–M）	M001
工具钥匙	M032–M036
绝缘子	M001
母线夹（LMJ）	M002
母线夹（ZMJ–1）	M002
母线夹（ZMJ–2）	M002
锁头组件	M029–M030

产品型号	页码
M附件系列 Accessories series	
锁片	M027–M028
钥匙	M31
带齿防滑螺母	M004
带点防滑螺母	M004
台阶螺母	M003
平面螺母	M003

产品型号	页码
N不锈钢件系列 Stainless steel series	
A19S–1–1	N010
AB702S–1–1	N008
AB702S–1–2	N008
DK110–1	N081
DK111–1	N081
DK112–1	N082
DK112–2	N082
DK113–1	N083
DK113–2	N083
DK114–1	N084
DK114–2	N084
DK115–1	N085
DK115–1G	N085
DK115–2	N086
DK115–3	N086
DK116–1	N087
DK116–1G	N087
DK116–2	N088
DK116–2G	N088
DK117–1	N089
DK118–1	N089
DK118–1G	N090
DK118–2G	N090
DK119–1	N091
DK119–2	N091
DKS103–2	N092
DKS104–2	N092
HL003–2S	N053
HL004S–2	N053
HL011S–1	N062
HL030–2S	N055

产品索引 Product Index

产品型号	页码
N不锈钢件系列 Stainless steel series	
HL034–1	N059
HL034–2	N059
HL035S–3L	N063
HL035S–3R	N063
HL035S–4L	N063
HL035S–4R	N063
HL038	N045
HL050–1S	N035
HL050–2GS	N035
HL050–2S	N035
HL050–3S	N035
HL055–1	N035
HL055–2	N035
HL063–1	N041
HL063–2	N041
HL063–3	N041
HL069–1	N047
HL069–2	N047
HL070	N041
HL071–1	N039
HL071–2	N039
HL071–3	N039
HL072–1	N042
HL072–2	N042
HL072–3	N042
HL074	N045
HL076	N043
HL077	N042
HL080	N055
HL082S	N060
HL092S	N060
HL094	N043

产品型号	页码
N不锈钢件系列 Stainless steel series	
HL098	N044
HL099	N044
HL101	N046
HL103–1	N054
HL103–1A	N054
HL103–2	N054
HL109	N061
HL111S–2	N038
HL115–1	N040
HL115–2	N040
HL118	N040
HL120	N048
HL129–1	N061
HL131S–1L	N037
HL131S–1R	N037
HL133S	N036
HL151–1S	N036
HL151–2S	N036
HL153S	N046
HL157–1L	N048
HL157–1R	N048
HL170S–1	N056
HL170S–2	N056
HL171S–1	N057
HL172S–1	N057
HL173S–1	N049
HL174S–1	N049
HL175S–1	N050
HL176S–1	N050
HL177S–1	N051
HL178S–1	N051
HL179S–1	N052

产品型号	页码
N不锈钢件系列 Stainless steel series	
HL180S–1	N038
HL181S–1	N052
HL182S–1	N058
HL183S–1	N062
HL184S–1	N065
HL185S–1	N064
HL186S–1	N064
HL187S–1	N065
HL188S–1	N065
HL189S–1	N066
HL189S–2	N066
HL190S–1	N066
HL190S–2	N066
MS100–3S–1	N003
MS100–3S–2	N004
MS306S–1–1	N009
MS306S–2–1	N009
MS308S–2–1	N010
MS314–1S–1	N007
MS314–1S–2	N007
MS314–1S–3G	N011
MS314–1S–4G	N012
MS314S–2S–1	N007
MS314S–2S–2	N007
MS408S–1–1	N021
MS408S–1–2	N021
MS429S–1–1	N024
MS429S–1–2	N024
MS429S–1–3	N024
MS429S–1–4	N024
MS429S–1–5	N024
MS429S–1–6	N024

产品型号	页码
N不锈钢件系列 Stainless steel series	
MS429S–1–7	N024
MS429S–1–8	N024
MS429S–1A–1	N024
MS429S–1A–2	N024
MS429S–1A–3	N024
MS429S–1A–4	N024
MS429S–1A–5	N024
MS429S–1A–6	N024
MS429S–1A–7	N024
MS429S–1A–8	N024
MS5094Z–1–1	N005
MS6020S–1–1	N001
MS6023S–1–1	N001
MS6023S–1–1G	N001
MS705–2S–1	N013
MS705–2S–1A	N014
MS705–2S–2	N013
MS705–2S–2A	N014
MS705–2S–3	N013
MS705–2S–3A	N014
MS705–2S–4	N013
MS705–2S–4A	N014
MS705S–10–1	N016
MS705S–10–10	N016
MS705S–10–11	N016
MS705S–10–12	N016
MS705S–10–13	N016
MS705S–10–14	N016
MS705S–10–15	N016
MS705S–10–16	N016
MS705S–10–17	N016
MS705S–10–18	N016

产品型号	页码
N不锈钢件系列 Stainless steel series	
MS705S–10–19	N016
MS705S–10–2	N016
MS705S–10–20	N016
MS705S–10–21	N016
MS705S–10–3	N016
MS705S–10–4	N016
MS705S–10–5	N016
MS705S–10–6	N016
MS705S–10–7	N016
MS705S–10–8	N016
MS705S–10–9	N016
MS705S–11–1	N015
MS705S–11–10	N015
MS705S–11–11	N015
MS705S–11–12	N015
MS705S–11–13	N015
MS705S–11–14	N015
MS705S–11–15	N015
MS705S–11–16	N015
MS705S–11–17	N015
MS705S–11–18	N015
MS705S–11–19	N015
MS705S–11–2	N015
MS705S–11–20	N015
MS705S–11–21	N015
MS705S–11–3	N015
MS705S–11–4	N015
MS705S–11–5	N015
MS705S–11–6	N015
MS705S–11–7	N015
MS705S–11–8	N015
MS705S–11–9	N015

产品型号	页码
N不锈钢件系列 Stainless steel series	
MS705S–9–1	N017
MS705S–9–10	N017
MS705S–9–11	N017
MS705S–9–12	N017
MS705S–9–13	N017
MS705S–9–14	N017
MS705S–9–15	N017
MS705S–9–16	N017
MS705S–9–17	N017
MS705S–9–18	N017
MS705S–9–19	N017
MS705S–9–2	N017
MS705S–9–20	N017
MS705S–9–21	N017
MS705S–9–3	N017
MS705S–9–4	N017
MS705S–9–5	N017
MS705S–9–6	N017
MS705S–9–7	N017
MS705S–9–8	N017
MS705S–9A–8	N018
MS705S–9–9	N017
MS7075S–1–1	N025
MS7075S–1–2	N025
MS7075S–1–3	N025
MS7075S–1–4	N025
MS7075S–1–5	N025
MS7075S–1–6	N025
MS7075S–1–7	N025
MS7075S–1–8	N025
MS7075S–1–9	N025
MS7075S–1–10	N025

产品索引 Product Index

产品型号	页码
N不锈钢件系列 Stainless steel series	
MS7075S–1–11	N025
MS7075S–1–12	N025
MS7075S–1–13	N025
MS7075S–1–14	N025
MS7075S–1–15	N025
MS7075S–1–16	N025
MS7075S–1–17	N025
MS7075S–1–18	N025
MS7075S–1–19	N025
MS7075S–1–20	N025
MS7075S–1–21	N025
MS7076S–1–1	N018
MS7078–1–1	N019
MS7078–2–1	N019
MS7080S–1–1	N020
MS7082S–1–1	N022
MS7090S–1–1	N022
MS7091S–1–1	N023
MS7092S–1–1	N023
MS7093S–1–1	N026
MS7094S–2–1	N026
MS7095S–1–1	N027
MS7095S–2–1	N027
MS7096S–1–1	N028
MS7096S–2–1	N028
MS7097S–1–1	N029
MS7097S–1–2	N029
MS7097S–1A–1	N031
MS7097S–1B–1	N032
MS7097S–2–1	N030
MS7097S–2–2	N030
MS7097S–2A–1	N031

产品型号	页码
N不锈钢件系列 Stainless steel series	
MS7097S–2B–1	N032
MS7098S–1–1	N033
MS7098S–2–1	N033
MS7099S–1–1	N034
MS7099S–2–1	N034
MS721S–1–1	N020
MS830–1	N006
MS830–2	N006
MS830–3	N006
MS834–1–1	N002
MS838–1S	N002
MS839S–3–1	N005
MX04	N067
MX07S–1	N068
PL004–2S	N070
PL004S–1–L60	N072
PL004S–1–L84	N072
PL004S–2–L90	N072
PL004S–1–L90A	N072
PL004S–2–L100	N072
PL004S–1–L100A	N072
PL004S–2–L100B	N072
PL004S–2–L100C	N072
PL004S–2–L100D	N072
PL004S–2–L120	N072
PL004S–1–L120	N072
PL004S–2–L120B	N072
PL004S–2–L135	N072
PL004S–2–L155	N072
PL004S–2–L180	N072
PL019–2	N070
PL019S–1A–L120	N073

产品型号	页码
N不锈钢件系列 Stainless steel series	
PL019S–1B–L100	N073
PL019S–1B–L110	N073
PL019S–1B–L120	N073
PL019S–1B–L125	N073
PL019S–1B–L200	N073
PL019S–1B–L250	N073
PL019S–1B–L80	N073
PL019S–1–L100	N073
PL019S–1–L110	N073
PL019S–1–L120	N073
PL019S–1–L125	N073
PL019S–1–L200	N073
PL019S–1–L250	N073
PL019S–1–L80	N073
PL019S–2A–L150	N073
PL019S–2A–L188	N073
PL019S–2A–L238	N073
PL019S–2A–L288	N073
PL019S–2–L150	N073
PL019S–2–L188	N073
PL019S–2–L238	N073
PL019S–2–L288	N073
PL021S–3–2	N069
PL100S–1–L100	N071
PL100S–1–L80	N071
PL100S–1–L90	N071
PL101S–1–L100	N071
PL101S–1–L120	N071
PL101S–1–L60	N071
PL101S–1–L70	N071
PL101S–1–L90	N071
PL102S–1–L100	N072

产品型号	页码
N不锈钢件系列 Stainless steel series	
PL102S–1–L120	N072
PL102S–1–L60	N072
PL102S–1–L70	N072
PL102S–1–L80	N072
PL102S–1–L90	N072
PL103S–1–L60	N074
PL103S–1–L80	N074
PL103S–2–L100	N074
PL103S–2–L120	N074
PL103S–3–L100	N074
PL103S–3–L110	N074
PL103S–3–L120	N074
PL103S–3–L125	N074
PL103S–3–L160	N074
PL103S–3–L48	N074
PL103S–3–L66	N074
PL103S–3–L88	N074
PL104S–1–L100	N074
PL104S–1–L110	N074
PL104S–1–L120	N074
PL104S–1–L125	N074
PL104S–1–L160	N074
PL104S–1–L48	N074
PL104S–1–L66	N074
PL104S–1–L88	N074
PL105S–1–L100	N075
PL105S–1–L120	N075
PL106S–1–L110	N075
PL106S–1–L120	N075
PL106S–1–L160	N075
PL106S–1–L200	N075
PL106S–1–L250	N075


产品型号	页码
N不锈钢件系列 Stainless steel series	
PL107S–1–L100	N076
PL107S–1–L110	N076
PL107S–1–L120	N076
PL107S–1–L125	N076
PL107S–1–L160	N076
PL107S–1–L200	N076
PL107S–1–L250	N076
PL107S–1–L80	N076
PL108S–1–L100	N076
PL108S–1–L110	N076
PL108S–1–L120	N076
PL108S–1–L125	N076
PL108S–1–L160	N076
PL108S–1–L200	N076
PL108S–1–L250	N076
PL108S–1–L80	N076
PL109S–1	N077
PL109S–2	N077
PL110S–1	N077
PL110S–2	N077
PL111S–1–L100	N078
PL111S–1–L120	N078
PL112S–1–L100	N078
PL112S–1–L120	N078
PL113S–1–L100	N079
PL114S–1–1L138	N079
PL114S–1–1L158	N079
PL114S–1–1L180	N079
PL114S–1–1L218	N079
PL115S–1–L119	N080
PL115S–1–L120	N080
PL115S–1–L90	N080

产品型号	页码
N不锈钢件系列 Stainless steel series	
PL116S–1	N080
PL116S–1A	N080
PL116S–2	N080
PL116S–2A	N080
PL116S–3	N080
PL116S–3A	N080

备注:


开孔选型互换性一览表/Opening type compatibility list


■开孔尺寸
Cut Out



				
B013 AB201-1-1		B001 AB301-1-1		B017 AB401-1-1
B013 AB201-1-2	B016 AB202-1-1	B001 AB301-1-1G	B003 AB302-1-1	B017 AB401-1-2
				
		B022 MS6019Z-1-1		
		B022 MS6019Z-1-1G		
	B014 AB402-1-1	B023 MS6019Z-1A-1		
B018 AB5011Z-1-1	B014 AB402-1-2	B023 MS6019Z-1A-1G	B019 MS607-1-1	B020 MS751-1-1


■开孔尺寸
Cut Out



				
B013 AB201-2-1				
B013 AB201-2-2	B015 AB2016Z-1-1	B016 AB202-2-1	B001 AB301-2-1	B003 AB302-2-1
				
			B023 MS6020Z-1-1	
			B023 MS6020Z-1-1G	
B017 AB401-2-1		B014 AB402-2-1	B024 MS6020Z-1A-1	
B017 AB401-2-2	B018 AB5012Z-1-1	B014 AB402-2-2	B024 MS6020Z-1A-1G	B024 MS6020S-1-1
				
B019 MS607-2-1	B020 MS751-2-1			


开孔选型互换性一览表/Opening type compatibility list

■开孔尺寸
Cut Out




									
		B013	AB201-3-1					B001	AB301-3-1
B004	AB102-3-1	B013	AB201-3-2	B015	AB2016Z-3-1	B013	AB202-3-1	B001	AB301-3A-1
								B002	AB301-3B-1
									
		B017	AB401-3-1			B014	AB402-1-1		
B003	AB302-3-1	B017	AB401-3-2	B018	AB5013Z-1-1	B014	AB402-1-2	B025	MS6021Z-1-1
									
B019	MS607-3-1	B020	MS751-1-1						

■开孔尺寸
Cut Out



									
				B048	MS504-1-1				
B047	AB2011Z-1-1	B047	AB2012Z-1-1	B048	MS504-1-2				
				B048	MS504-1-1A				


■开孔尺寸
Cut Out



									
B005	MS104C-1-1	B006	MS104C-1-1G			B009	MS6022Z-1-1	B010	MS6022Z-1-1
B005	MS104C-1-1A	B006	MS104C-1-1GA	B008	MS6022Z-1-1	B009	MS6022Z-1-1	B010	MS6022Z-1-1


开孔选型互换性一览表/Opening type compatibility list

■开孔尺寸
Cut Out




					
B005	MS104C-2-1	B006	MS104C-2-1G		
B005	MS104C-2-1A	B006	MS104C-2-1AG	B008	MS6022Z-2-1

■开孔尺寸
Cut Out




					
B005	MS104C-3-1	B006	MS104C-3-1G		
B005	MS104C-3-1A	B006	MS104C-3-1AG	B009	MS6022Z-3-1



■开孔尺寸
Cut Out




									
B012	MS4008Z-1-1	B012	MS4090Z-1-1	B011	MS480A-2-1				
				B011	MS480-2-1	B011	MS480-2-1Y	B011	MS480-2C-1

■开孔尺寸
Cut Out



									
B055	MS601-3-1			B056	MS603-2-1R	B057	MS603-3-1R		
B055	MS601-3-2	B055	MS602-3-1	B056	MS603-2-2R	B057	MS603-3-2R		
				B056	MS603-2-1W	B057	MS603-3-1W	B057	MS6003Z-2-1
				B056	MS603-2-2W	B057	MS603-3-2W	B057	MS6003Z-2-2


■开孔尺寸
Cut Out



									
B045	MS6018Z-1-1	B046	MS609-1-1	B046	MS609-1-2				
		B046	MS609-1A-1	B046	MS609-1A-2				
		B046	MS609-1B-1	B046	MS609-1B-2				
		B046	MS609-1D-1	B046	MS609-1D-2				

开孔选型互换性一览表/Opening type compatibility list



■开孔尺寸
Cut Out



	B035	MS826-1-1							
	B035	MS826-1A-1	B035	MS826-1B-1	B037	MS837-1-1			


■开孔尺寸
Cut Out




										
	C001	MS100-3-1E	C005	MS100-3-1B			C015	MS100-3A-1B		
	C002	MS100-3-1EG	C006	MS100-3-1BG			C016	MS100-3A-1BG		
	C003	MS100-3-3E	C007	MS100-3-2B	C011	MS100-3A-1E	C017	MS100-3A-2B		
	C004	MS100-3-3EG	C008	MS100-3-2BG	C012	MS100-3A-1EG	C018	MS100-3A-2BG		
			C009	MS100-3-3B	C013	MS100-3A-3E	C019	MS100-3A-3B	C021	MS100-3S-1
			C010	MS100-3-3BG	C014	MS100-3A-3EG	C020	MS100-3-3BG	C022	MS100-3S-2
										
	C040	MS103C-1	C071	MS4089Z-1-3	C065	MS741-1-1			C066	MS744-1-1
					C065	MS741-1-1G	C065	MS742-1-1	C066	MS743-1-1
										
	C068	MS761-1-1	C029	MS8460P-1-1	B027	MS822-1-1A	C028	MS822-1-2A/-3A		
			B030	MS8460P-1-3	B027	MS822-1-1B	C028	MS822-1-2B/-3B		
			B031	MS8460P-2-1B	B027	MS822-1-1C	C028	MS822-1-2C/-3C		
			B032	MS8460P-2-3B	B027	MS822-1-1D	C028	MS822-1-2D/-3D	C025	MS824-1-1
										
	C026	MS824-1-2	C033	MS832-1-1B						
	C026	MS824-1-3	C035	MS832-1-2B	C069	MS833-1-3	C070	MS835-1-1	C073	MS843-1-2


开孔选型互换性一览表/Opening type compatibility list

■开孔尺寸
Cut Out




	C067	MS103-2-1		C064	MS4085Z-1-1		C047	MS463-1A/-2A-3A		C047	MS463-1B/-2B-3B		C065	MS741-2-1
				C064	MS4085Z-1G-1		C049	MS463-1AG/-2AG-3AG		C049	MS463-1BG/-2BG-3BG			
	C065	MS742-2-1		C066	MS743-2-1		C050	MS463-2-1		C068	MS761-2-1		C070	MS835-2-1
				C066	MS744-2-1		C050	MS463-2-3						

■开孔尺寸
Cut out




	C039	MS1002Z-1-1		C039	MS102-1		C040	MS102C		C035	MS3005Z-1-1		C044	MS730-1
										C035	MS3005Z-1-1G		C044	MS730-3



	E003	A2057		E001	MS101-1-1		E003	MS314-1-1		E002	MS314-1S/-2S		E018	MS318-1-1
							E003	MS314-1AG-1R/-1L						
							E003	MS314-1AG-2R/-2L					E018	MS318-1-2


■开孔尺寸
Cut out



	E007	AB701-1-1		E015	MS305-1-1		E016	MS306-2-1L		F049	MS-A-172-1			
	E007	AB701-1-2												
	E007	AB701-1-2G		E015	MS305-1A-1		E016	MS306-2-1R						


开孔选型互换性一览表/Opening type compatibility list

■开孔尺寸 Cut Out




							
		E016	MS306-1-1L				
		E016	MS306-1-1R				
E008	AB702S-1-1	E016	MS306-1A-1L				
E008	AB702S-1-2	E016	MS306-1A-1R				

■开孔尺寸 Cut out




							
E013	MS301-1-1	E014	MS301-2-1	E020	MS302-1-1	E013	MS303-1-1
E013	MS301-1-2	E014	MS301-2-2	E020	MS302-1-2	E013	MS303-1-2
							
E013	MS303-2-1	E014	MS304-1-1	E014	MS304-2-1	E017	MS310-1-1
E013	MS303-2-2	E014	MS304-1-2	E014	MS304-2-2	E017	MS310-1-2

■开孔尺寸 Cut Out



							
		F004	MS403-1				
F003	MS402-1	F004	MS403-2	F024	MS-W400-1		
F003	MS402-2	F004	MS403-2G	F024	MS-W400-2		
F003	MS402-3	F004	MS403-2GT	F024	MS-W400-3		


■开孔尺寸 Cut Out



							
		F019	MS409-2				
F005	MS407-2	F019	MS409-2	F011	MS411	F056	MS412


开孔选型互换性一览表/Opening type compatibility list

■开孔尺寸 Cut Out



							
F012	MS415	F013	MS416	F013	MS417	F057	MS424
							
				F004	MS7066Z-1-1		
F014	MS438-1-1	F014	MS438-1A-1	F004	MS7067Z-1-1	F021	MS818-2

■开孔尺寸 Cut Out




							
				F063	MS7062Z-1-1R		
				F063	MS7062Z-1-1L		
F059	MS706	F037	MS7060P-1-1	F063	MS7062Z-1A-1R	F063	MS7063Z-1-1L
							
		F067	MS711-1-1R				
		F067	MS711-1-1L			F071	MS728-1-1
F064	MS7065Z-1-1	F067	MS711-4-1L	F067	MS711-1-1R	F072	MS728-2-1
							
F069	MS816-2	F068	MS816-3	F074	MS816-4		

		
F016	MS428	
		
F026	MS-W400-6	
		
F044	MS7064Z-1-1	
		
F068	MS816-1	

开孔选型互换性一览表/Opening type compatibility list


■开孔尺寸
Cut Out




	F055	MS1003Z-1-1		F001	MS238-1-1		F009	MS405-1-1		F005	MS407-1-1		F006	MS408-1-1
				F001	MS238-1-2									
	F061	MS429		F001	MS238-1A-1		F062	MS431-1-1		F027	MS702		F028	MS704-1/-2/-3/-4/-5
	F029	MS705-1-1		F030	MS705-2-1		F031	MS705-2S-1		F035	MS705-4-1			
	F029	MS705-1-2		F030	MS705-2-2		F031	MS705-2S-2		F035	MS705-4-2			
	F029	MS705-1-3		F030	MS705-2-3		F031	MS705-2S-3		F035	MS705-4-3		F036	MS705-5-2
							F031	MS705-2S-4						
	F036	MS705-7		F037	MS705-8-1		F066	MS7071-1-1		F008	MS7072-1-1		F066	MS7075S-1-1
	F039	MS7077Z-1-1		F042	MS711-2-1		F065	MS712-1		F048	MS718		F038	MS720-1-1
													F038	MS720-1-2
													F038	MS720-1-3
	F010	MS721-1		F059	MS722		F060	MS722-2-1		F040	MS724		F040	MS725


开孔选型互换性一览表/Opening type compatibility list

■开孔尺寸
Cut Out



	F047	MS726		F048	MS727		F047	MS729-1-1		F046	MS815-1/-1A		F046	MS815-2/-2A
							F047	MS729-2-1						
	F046	MS815-3/-3A		F046	MS815-4		F008	MS7081Z-1-1		F009	MS7079-2-1		F010	MS721-1S-1
	F033	MS706-2-1		F033	MS706-2-2		F033	MS706-2-3		F033	MS706-2-4		F033	MS706-2-5
	F033	MS706-2-6		F034	MS706-3-1		F034	MS706-3-2		F034	MS706-3-3		F034	MS706-3-4
	F034	MS706-3-5		F034	MS706-3-6		F062	MS7082Z-1-1						

■开孔尺寸
Cut Out



	F025	MS-W400-2A		F025	MS-W400-2B		F026	MS-W400-2D						